

FIRST AID BACITRACIN ZINC- bacitracin zinc ointment
Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bacitracin Zinc Oint USP Rite Aid part 333B

Drug Facts

Drug Facts

Active Ingredient (in each gram)

Bacitracin zinc, USP 500 units

Purpose

First aid antibiotic

Uses

First aid to help prevent infection in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than one week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other Information

- store at 15° - 30°C (59°-86F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient

white petrolatum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal display panel

BACITRAIN ZINC

OINTMENT, USP

BACITRACIN ZINC, USP 500 UNITS

FIRST AID ANTIBIOTIC

Prevents infection in minor cuts, scrapes & burns

FOR EXTERNAL USE ONLY

NET WT. OZ (g)

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE,

CAMP HILL, PA 17011

www.riteaid.com

Package label

NDC 11822-1105-5

BACITRACIN ZINC OINTMENT, USP

BACITRACIN ZINC, USP 500 UNITS

FIRST AID ANTIBIOTIC

Prevents infection in minor cuts, scrapes & burns

Prevents infection in minor cuts, scrapes & burns

BACITRACIN ZINC OINTMENT, USP

BACITRACIN ZINC, USP 500 UNITS

FIRST AID ANTIBIOTIC



FOR EXTERNAL USE ONLY

NET WT. 1 OZ (28 g)

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE

If you're not satisfied, we'll happily refund your money.

PLD-B691B FC007303



0 11822 14378 3

Code: G0/DRUGS/362

ABX3A/01

Store at 15°-30°C (59°-86°F)
before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient white petrolatum

Questions or comments?

Call 1-877-753-3936 Monday-Friday 9AM-5PM EST

Do not use if you are allergic to any ingredients or if you have a known hypersensitivity to bacitracin or zinc.

■ over large areas of the body

■ Ask a doctor before use if you have ■ deep or puncture wounds

■ animal bites ■ serious burns

■ Stop use and ask a doctor if

■ you need to use longer than one week

■ condition persists or gets worse

■ rash or other allergic reaction develops

Drug Facts		Active Ingredient (in each gram) Bacitracin zinc, USP 500 units.....First aid antibiotic	
Directions Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Clean the affected area Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily may be covered with a sterile bandage		Uses First aid to help prevent infection in minor cuts, scrapes, burns	
Other Information		Warnings For external use only. Do not use if you are allergic to any of the ingredients or in the presence of a bacterial infection	

RITE AID First Aid Antibiotic

FIRST AID BACITRACIN ZINC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1105
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1105-5	1 in 1 CARTON	02/23/2012	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/23/2012	

Labeler - Rite Aid Corporation (014578892)