

**DYE-FREE CHILDRENS LORATADINE- loratadine tablet, chewable**  
**Ohm Laboratories Inc.**

-----  
**Dye-Free Children's Loratadine Chewable Tablets USP, 5 mg**

***Drug Facts***

**Active ingredient (in each tablet)**

Loratadine USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

## Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

## Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

## Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

**Keep the carton. It contains important information. See end panel for expiration date.**

## Distributed by:

Ohm Laboratories Inc.  
New Brunswick, NJ 08901  
0420

## PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 51660-106-31

† Compare to the active ingredient of Children's Claritin® Chewable  
ages 2 years and older

*Children's*

**Loratadine Chewable Tablets USP, 5 mg**

**Antihistamine**

**Indoor & Outdoor Allergies**

**30 CHEWABLE TABLETS**

*The chewable tablets are to be chewed before swallowing.*

**Dye-Free**

**Grape Flavored**

**Non-Drowsy\***

**24 Hour Relief of:**

- *Sneezing*
- *Runny Nose*
- *Itchy, Watery Eyes*
- *Itchy Throat or Nose*

*\*When taken as directed. See Drug Facts Panel.*

† Ohm® is a registered trademark of Sun Pharmaceutical Industries, Inc. All other trademarks

**are property of their respective owners.**

**Dye-Free**  
**Grape**  
**Flavored**  
30 CHEWABLE TABLETS  
The chewable tablets are to be chewed before swallowing.

**ohm**  
**Children's**  
**Loratadine Chewable**  
**Tablets USP, 5 mg**  
Indoor & Outdoor Allergies

Compare To  
the active ingredient of  
**Children's Claritin®**  
Chewables

**ohm**  
**Children's**  
**Loratadine Chewable**  
**Tablets USP, 5 mg**

**Dye-Free**  
**Grape**  
**Flavored**

ages 2 years and older

**Antihistamine**  
**Indoor & Outdoor Allergies**


**Non-Drowsy\***  
**24 Hour Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

**30 CHEWABLE TABLETS**  
The chewable tablets are to be chewed before swallowing.

\*When taken as directed. See Drug Facts Panel.

NDC 51660-106-31



0420  
Distributed by:  
Ohm Laboratories Inc.  
New Brunswick, NJ 08901

**ohm**  
**Children's**  
**Loratadine Chewable**  
**Tablets USP, 5 mg**  
Indoor & Outdoor Allergies

**Dye-Free**  
**Grape**  
**Flavored**

**30 CHEWABLE TABLETS**  
The chewable tablets are to be chewed before swallowing.

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Loratadine USP, 5 mg ..... Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions**

■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

■ phenylethanamines: contains phenylalanine 1.25 mg per tablet.

■ **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

■ store between 20° to 25°C (68° to 77°F).

**Inactive ingredients**

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions?**

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.


GLUE - NO COATING

Non Varnish Area

Batch No.

Expiration Date

Ohm® is a registered trademark of Sun Pharmaceutical Industries, Inc. All other trademarks are property of their respective owners.



# DYE-FREE CHILDRENS LORATADINE

loratadine tablet, chewable

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51660-106
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg

## Inactive Ingredients

Ingredient Name	Strength
aspartame (UNII: Z0H242BBR1)	
anhydrous citric acid (UNII: XF417D3PSL)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
magnesium stearate (UNII: 70097M6B0)	
mannitol (UNII: 3OWL53L36A)	
microcrystalline cellulose (UNII: OP1R32D61U)	
sodium starch glycolate type a potato (UNII: 5856J3G2A2)	
stearic acid (UNII: 4ELV7Z65AP)	

## Product Characteristics

Color	WHITE (white to off-white)	Score	no score
Shape	ROUND (bevelled edge)	Size	10mm
Flavor	GRAPE	Imprint Code	106
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-106-31	3 in 1 CARTON	09/01/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	09/01/2020	

**Labeler** - Ohm Laboratories Inc. (184769029)

**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(51660-106)

Revised: 9/2020

Ohm Laboratories Inc.