

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 110-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 120-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 130-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 140-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 150-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 160-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 210-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 220-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 230-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 240-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 250-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 260-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 310-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 320-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 330-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 340-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 350-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 360-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 410-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 420-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 430-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 440-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 450-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 460-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 510-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 520-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 530-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 540-
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 550-
octinoxate emulsion**

SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION

Drug Facts

Active ingredients

OCTINOXATE 6.9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating

- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER □ DIPHENYLSILOXY PHENYL TRIMETHICONE □ DIPROPYLENE GLYCOL □ GLYCERIN □ NIACINAMIDE □ ALCOHOL DENAT. □ PEG-8 □ PEG-60 HYDROGENATED CASTOR OIL □ LACTOBACILLUS/RICE FERMENT □ AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER □ TOCOPHERYL ACETATE □ SODIUM DILAURAMIDOGLUTAMIDE LYSINE □ MAGNESIUM CHLORIDE □ POLYQUATERNIUM-51 □ LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL □ SANGUISORBA OFFICINALIS ROOT EXTRACT □ CAMELLIA SINENSIS LEAF EXTRACT □ HYDROGENATED POLYISOBUTENE □ PEG-12 DIMETHICONE □ ISOSTEARIC ACID □ POLYGLYCERYL-6 POLYRICINOLEATE □ PEG-100 HYDROGENATED CASTOR OIL □ BUTYLENE GLYCOL □ ALUMINUM HYDROXIDE □ DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER □ ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER □ TRISODIUM EDTA □ BHT □ TOCOPHEROL □ POTASSIUM HYDROXIDE □ ALCOHOL □ SODIUM METABISULFITE □ PEG/PPG-19/19 DIMETHICONE □ STEARIC ACID □ PHENOXYETHANOL □ TITANIUM DIOXIDE □ IRON OXIDES □

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 110

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 120

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***¹. In just 1 week*², bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***³.

*¹ *³ Clinically tested on 27/31 women,
*² Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 130

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 140

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 150

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

41X41X117

US 1

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 160

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 210

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 220

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 230

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***¹. In just 1 week*², bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***³.

*¹ *³ Clinically tested on 27/31 women,
*² Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 240

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty



19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 250

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 260

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 310

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty



19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 320

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty



19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 330

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 340

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 350

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • NIACINAMIDE • ALCOHOL DENAT. • PEG-8 • PEG-60 HYDROGENATED CASTOR OIL • LACTOBACILLUS/RICE FERMENT • AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER • TOCOPHERYL ACETATE • SODIUM DILAURAMIDOGLUTAMIDE LYSINE • MAGNESIUM CHLORIDE • POLYQUATERNIUM-51 • LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • HYDROGENATED POLYISOBUTENE • PEG-12 DIMETHICONE • ISOSTEARIC ACID • POLYGLYCERYL-6 POLYRICINOLEATE • PEG-100 HYDROGENATED CASTOR OIL • BUTYLENE GLYCOL • ALUMINUM HYDROXIDE • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER • ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER • TRISODIUM EDTA • BHT • TOCOPHEROL • POTASSIUM HYDROXIDE • ALCOHOL • SODIUM METABISULFITE • PEG/PPG-19/19 DIMETHICONE • STEARIC ACID • PHENOXYETHANOL • TITANIUM DIOXIDE • IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 360

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 410

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 420

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***¹. In just 1 week*², bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***³.

*¹ *³ Clinically tested on 27/31 women,
*² Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 430

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • NIACINAMIDE • ALCOHOL DENAT. • PEG-8 • PEG-60 HYDROGENATED CASTOR OIL • LACTOBACILLUS/RICE FERMENT • AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER • TOCOPHERYL ACETATE • SODIUM DILAURAMIDOGGLUTAMIDE LYSINE • MAGNESIUM CHLORIDE • POLYQUATERNIUM-51 • LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • HYDROGENATED POLYISOBUTENE • PEG-12 DIMETHICONE • ISOSTEARIC ACID • POLYGLYCERYL-6 POLYRICINOLEATE • PEG-100 HYDROGENATED CASTOR OIL • BUTYLENE GLYCOL • ALUMINUM HYDROXIDE • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER • ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER • TRISODIUM EDTA • BHT • TOCOPHEROL • POTASSIUM HYDROXIDE • ALCOHOL • SODIUM METABISULFITE • PEG/PPG-19/19 DIMETHICONE • STEARIC ACID • PHENOXYETHANOL • TITANIUM DIOXIDE • IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 440

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 450

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 460

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 510

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***¹. In just 1 week*², bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***³.

*¹ *³ Clinically tested on 27/31 women,
*² Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty



19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 520

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 530

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty



19342-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 540

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • NIACINAMIDE • ALCOHOL DENAT. • PEG-8 • PEG-60 HYDROGENATED CASTOR OIL • LACTOBACILLUS/RICE FERMENT • AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER • TOCOPHERYL ACETATE • SODIUM DILAURAMIDOGGLUTAMIDE LYSINE • MAGNESIUM CHLORIDE • POLYQUATERNIUM-51 • LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • HYDROGENATED POLYISOBUTENE • PEG-12 DIMETHICONE • ISOSTEARIC ACID • POLYGLYCERYL-6 POLYRICINOLEATE • PEG-100 HYDROGENATED CASTOR OIL • BUTYLENE GLYCOL • ALUMINUM HYDROXIDE • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER • ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER • TRISODIUM EDTA • BHT • TOCOPHEROL • POTASSIUM HYDROXIDE • ALCOHOL • SODIUM METABISULFITE • PEG/PPG-19/19 DIMETHICONE • STEARIC ACID • PHENOXYETHANOL • TITANIUM DIOXIDE • IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***1. In just 1 week*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***3.

*1 *3 Clinically tested on 27/31 women,
*2 Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty



19342-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 550

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Foundation

BROAD SPECTRUM
SPF30

Sunscreen

Bio-BoostRED Technology
Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW
Foundation



SHISEIDO
GINZA TOKYO

東京銀座

REVITALESSENCE
SKIN GLOW
Foundation

BROAD SPECTRUM
SPF30

Drug Facts (continued)

Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク
W26.25×H12

SHISEIDO
REVITALESSENCE
SKIN GLOW
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration***¹. In just 1 week*², bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear***³.

*¹ *³ Clinically tested on 27/31 women,
*² Consumer tested on 109 women.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2
3
4
5
6
7
8
9
0



Drug Facts

Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.shiseido.com



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN TYPES INCLUDING SENSITIVE SKIN.
DERMATOLOGIST-TESTED.
NON-NONCOMEDOGENIC.



Power of Science.
#ALIVEwithBeauty

19342-40-5040
AAA

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 110

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-859
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H90)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-	1 in 1 CARTON	08/01/2022	

1	859-40	1 III 1 CARTON	08/01/2023
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 120

octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-860
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	

SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: WZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-860-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 130

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-861
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
GLYCERIN (UNII: PDC6A3C0OX)
ALCOHOL (UNII: 3K9958V90M)
NIACINAMIDE (UNII: 25X51I8RD4)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-861-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT			

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 140

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-862
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL	

METHACRYLATE; 3:7 (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-862-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 150

octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-863
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-863-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 160

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-864
---------------------	----------------	---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H90)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96j)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-864-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 210

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-865
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-865-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 220

octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-866
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X5118RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-866-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 230

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-867
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H90)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	

LAVENDER OIL (UNII: ZBP1YXW0H8)

POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)

SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)

GREEN TEA LEAF (UNII: W2ZU1RY8B0)

PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)

HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)

STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-867-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 240

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-868
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X5118RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX43802MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-868-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 250
octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-869
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-869-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 260

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-870
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H90)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-870-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 310
octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-871
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X5118RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: WZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-871-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 320

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-872
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-872-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 330

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-873
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	

NIACINAMIDE (UNII: 25X5118RD4)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-873-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-874
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	

STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-874-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 350

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-875
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	

POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-875-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 360

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-876
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C00X)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X5118RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-876-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 410

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-877
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-877-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 420

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-878
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

GLYCERIN (UNII: PDC6A3C0OX)
ALCOHOL (UNII: 3K9958V90M)
NIACINAMIDE (UNII: 25X5118RD4)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-878-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 430

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-879
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	

HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)

STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-879-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 440

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-880
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	

ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-880-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 450

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-881
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
GLYCERIN (UNII: PDC6A3C0OX)		
ALCOHOL (UNII: 3K9958V90M)		
NIACINAMIDE (UNII: 25X5118RD4)		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)		
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
BUTYLENE GLYCOL (UNII: 3XUS85KORA)		
AMMONIUM ACRYLOYLDIMETHYLAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)		
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)		
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)		
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
LAVENDER OIL (UNII: ZBP1YXW0H8)		
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)		
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)		
GREEN TEA LEAF (UNII: W2ZU1RY8B0)		
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)		
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)		
STEARIC ACID (UNII: 4ELV7Z65AP)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-881-40	1 in 1 CARTON	08/01/2023	

1	30 mL in 1 CONTAINER; Type 0: Not a Combination Product		
---	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 460

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-882
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WP17EW8)	
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)	

EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-882-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 510
octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-883
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
GLYCERIN (UNII: PDC6A3C0OX)
ALCOHOL (UNII: 3K9958V90M)
NIACINAMIDE (UNII: 25X5118RD4)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-883-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 520

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-884
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	

GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-884-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 530

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-885
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H90)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-885-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 540

octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-886
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:58411-886-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 550

octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-887
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	

SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-887-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2023	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 7/2023

SHISEIDO AMERICAS CORPORATION