

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 110-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 120-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 130-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 140-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 150-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 160-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 210-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 220-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 230-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 240-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 250-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 260-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 310-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 320-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 330-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 340-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 350-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 360-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 410-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 420-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 430-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 440-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 450-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 460-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 510-  
octinoxate emulsion**

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 520-  
octinoxate emulsion  
SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 530-  
octinoxate emulsion  
SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 540-  
octinoxate emulsion  
SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 550-  
octinoxate emulsion  
SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 560-  
octinoxate emulsion  
SHISEIDO AMERICAS CORPORATION**

-----  
**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION**

***Drug Facts***

**Active ingredients**

OCTINOXATE 6.9%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Inactive Ingredients

WATER □ DIPHENYLSILOXY PHENYL TRIMETHICONE □ DIPROPYLENE GLYCOL □ GLYCERIN □ NIACINAMIDE □ ALCOHOL DENAT. □ PEG-8 □ PEG-60 HYDROGENATED CASTOR OIL □ LACTOBACILLUS/RICE FERMENT □ AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER □ TOCOPHERYL ACETATE □ SODIUM DILAURAMIDOGLUTAMIDE LYSINE □ MAGNESIUM CHLORIDE □ POLYQUATERNIUM-51 □ LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL □ SANGUISORBA OFFICINALIS ROOT EXTRACT □ CAMELLIA SINENSIS LEAF EXTRACT □ HYDROGENATED POLYISOBUTENE □ PEG-12 DIMETHICONE □ ISOSTEARIC ACID □ POLYGLYCERYL-6 POLYRICINOLEATE □ PEG-100 HYDROGENATED CASTOR OIL □ BUTYLENE GLYCOL □ ALUMINUM HYDROXIDE □ DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER □ ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER □ TRISODIUM EDTA □ BHT □ TOCOPHEROL □ POTASSIUM HYDROXIDE □ ALCOHOL □ SODIUM METABISULFITE □ PEG/PPG-19/19 DIMETHICONE □ STEARIC ACID □ PHENOXYETHANOL □ TITANIUM DIOXIDE □ IRON OXIDES □

### Other information

- protect this product in this container from excessive heat and direct sun.

### Questions or comments?

Call toll free 1-800-906-7503

### PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 110

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.



REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
**#ALIVEwithBeauty**

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 120

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

41X41X117

US 1

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 130

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 140

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*<sup>1</sup>. In just 1 week\*<sup>2</sup>, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*<sup>3</sup>.

\*<sup>1</sup> \*<sup>3</sup> Clinically tested on 27/31 women,  
\*<sup>2</sup> Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 150

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 160

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*<sup>1</sup>. In just 1 week\*<sup>2</sup>, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*<sup>3</sup>.

\*<sup>1</sup> \*<sup>3</sup> Clinically tested on 27/31 women,  
\*<sup>2</sup> Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 210

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 220

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 230

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
**#ALIVEwithBeauty**



19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 240

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



### Drug Facts

#### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040  
AAA

### PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 250

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 260

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 310

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 320

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 330

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

41X41X117

US 1

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*<sup>1</sup>. In just 1 week\*<sup>2</sup>, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*<sup>3</sup>.

\*<sup>1</sup> \*<sup>3</sup> Clinically tested on 27/31 women,  
\*<sup>2</sup> Consumer tested on 109 women.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 340

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*<sup>1</sup>. In just 1 week\*<sup>2</sup>, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*<sup>3</sup>.

\*<sup>1</sup> \*<sup>3</sup> Clinically tested on 27/31 women,  
\*<sup>2</sup> Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 350

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 360

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*<sup>1</sup>. In just 1 week\*<sup>2</sup>, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*<sup>3</sup>.

\*<sup>1</sup> \*<sup>3</sup> Clinically tested on 27/31 women,  
\*<sup>2</sup> Consumer tested on 109 women.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 410

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

41X41X117

US 1

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 420

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 430

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 440

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 450

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*<sup>1</sup>. In just 1 week\*<sup>2</sup>, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*<sup>3</sup>.

\*<sup>1</sup> \*<sup>3</sup> Clinically tested on 27/31 women,  
\*<sup>2</sup> Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 460

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 510

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 520

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 530

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.  
SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.  
DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
**#ALIVEwithBeauty**

19342-40-5040  
AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 540

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGGLUTAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES.

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

41X41X117

US 1

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 550

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation


BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

### Drug Facts (continued)

#### Inactive ingredients

WATER · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIPROPYLENE GLYCOL · GLYCERIN · NIACINAMIDE · ALCOHOL DENAT. · PEG-8 · PEG-60 HYDROGENATED CASTOR OIL · LACTOBACILLUS/RICE FERMENT · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · TOCOPHERYL ACETATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · POLYQUATERNIUM-51 · LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL · SANGUISORBA OFFICINALIS ROOT EXTRACT · CAMELLIA SINENSIS LEAF EXTRACT · HYDROGENATED POLYISOBUTENE · PEG-12 DIMETHICONE · ISOSTEARIC ACID · POLYGLYCERYL-6 POLYRICINOLEATE · PEG-100 HYDROGENATED CASTOR OIL · BUTYLENE GLYCOL · ALUMINUM HYDROXIDE · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · TRISODIUM EDTA · BHT · TOCOPHEROL · POTASSIUM HYDROXIDE · ALCOHOL · SODIUM METABISULFITE · PEG/PPG-19/19 DIMETHICONE · STEARIC ACID · PHENOXYETHANOL · TITANIUM DIOXIDE · IRON OXIDES

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

<M111458-811>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>

See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women,  
\*2 Consumer tested on 109 women.

### **Drug Facts** (continued)

#### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

41X41X117

781

2  
3  
4  
5  
6  
7  
8  
9  
0



## Drug Facts

### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES  
INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED.  
NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty

19342-40-5040

AAA

## PRINCIPAL DISPLAY PANEL - 30 mL Container Carton - 560

SHISEIDO  
GINZA TOKYO

REVITALESSENCE  
SKIN GLOW

Foundation

BROAD SPECTRUM  
SPF30

Sunscreen

Bio-BoostRED Technology  
Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

REVITALESSENCE SKIN GLOW  
Foundation



SHISEIDO  
GINZA TOKYO

東京  
銀座

REVITALESSENCE  
SKIN GLOW  
Foundation

BROAD SPECTRUM  
SPF30

**Drug Facts** (continued)

**Inactive ingredients**

WATER • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • NIACINAMIDE • ALCOHOL DENAT. • PEG-8 • PEG-60 HYDROGENATED CASTOR OIL • LACTOBACILLUS/RICE FERMENT • AMMONIUM ACRYLOYLDIMETHYLAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER • TOCOPHERYL ACETATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • POLYQUATERNIUM-51 • LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • HYDROGENATED POLYISOBUTENE • PEG-12 DIMETHICONE • ISOSTEARIC ACID • POLYGLYCERYL-6 POLYRICINOLEATE • PEG-100 HYDROGENATED CASTOR OIL • BUTYLENE GLYCOL • ALUMINUM HYDROXIDE • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER • TRISODIUM EDTA • BHT • TOCOPHEROL • POTASSIUM HYDROXIDE • ALCOHOL • SODIUM METABISULFITE • PEG/PPG-19/19 DIMETHICONE • STEARIC ACID • PHENOXYETHANOL • TITANIUM DIOXIDE • IRON OXIDES •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<M11458-81>



Sunscreen

Bio-BoostRED Technology

Fermented Kefir+  
Niacinamide

30mL 1FL. OZ.

<http://s1872.com/19342AA>  
See our website for more information.



30% Recycled glass for bottle

FSCマーク  
W26.25×H12

41X41X117

7912

SHISEIDO  
REVITALESSENCE  
SKIN GLOW  
FOUNDATION

A skincare-active foundation that provides a healthy glowing finish and **24-hour hydration**\*1. In just 1 week\*2, bare skin is visibly more even-toned, hydrated and smooth. Powered by **Fermented Kefir+** and **Niacinamide**, this foundation packs the same level of effective skincare ingredients as a SHISEIDO serum. Medium coverage. **12-hour wear**\*3.

\*1 \*3 Clinically tested on 27/31 women.

\*2 Consumer tested on 109 women.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply **liberally** 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at **least every 2 hours**

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from

3  
4  
5  
6  
7  
8  
9  
0



### Drug Facts

#### Active ingredient Purpose

OCTINOXATE 6.9% ... Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

[www.shiseido.com](http://www.shiseido.com)



10 a.m. - 2 p.m.  
- wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor ▶

- Shake well before use.

FRAGRANCE FREE.

SUITABLE FOR ALL SKIN TYPES INCLUDING SENSITIVE SKIN.

DERMATOLOGIST-TESTED. NON-NONCOMEDOGENIC.



Power of Science.  
#ALIVEwithBeauty



19342-40-5040  
AAA

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 110

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-859
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

Inactive Ingredients		
Ingredient Name		Strength
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)		
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>ALCOHOL</b> (UNII: 3K9958V90M)		
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)		
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)		
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)		
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)		
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)		
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)		
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)		
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)		
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)		
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)		
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)		
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)		
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)		
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)		
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)		
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)		
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)		
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)		
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)		
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)		
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)		
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)		
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)		
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)		
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-859-40	1 in 1 CARTON	08/01/2023	

1	30 mL in 1 CONTAINER; Type 0: Not a Combination Product		
---	---	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 120

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-860
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WP17EW8)	
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	

<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-860-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 130

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-861
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-861-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

# SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 140

octinoxate emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-862
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	

<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-862-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 150

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-863
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H90)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-863-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 160

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-864
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:58411-864-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 210

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-865
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	

<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-865-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 220

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-866
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>WATER</b> (UNII: 059QF0KO0R)
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-866-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH			

OTC MONOGRAPH DRUG	M020	08/01/2023	
-----------------------	------	------------	--

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 230

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-867
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL</b>	

<b>METHACRYLATE; 3:7</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-867-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 240

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-868
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-868-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 250

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-869
---------------------	----------------	---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H90)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96j)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-869-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 260

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-870
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-870-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 310

octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-871
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B6978945GQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-871-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 320

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-872
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	

LAVENDER OIL (UNII: ZBP1YXW0H8)

POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)

SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)

GREEN TEA LEAF (UNII: W2ZU1RY8B0)

PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)

HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)

STEARIC ACID (UNII: 4ELV7Z65AP)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-872-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 330

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-873
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X5118RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: WZZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-873-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 340

octinoxate emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-874
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-874-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 350

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-875
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H90)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-875-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 360

octinoxate emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-876
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: WZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-876-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 410

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-877
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	

<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-877-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 420

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-878
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

NIACINAMIDE (UNII: 25X5118RD4)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
ISOSTEARIC ACID (UNII: X33R8U0062)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
LAVENDER OIL (UNII: ZBP1YXW0H8)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
STEARIC ACID (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-878-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

**SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 430**

octinoxate emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-879
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX43802MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	

STEARIC ACID (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-879-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 440

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-880
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
ISOSTEARIC ACID (UNII: X33R8U0062)	

<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-880-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 450

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-881
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-881-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 460

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-882
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-882-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 510

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-883
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	

<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-883-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

# SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 520

octinoxate emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-884
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	

**HYDROGENATED POLYISOBUTENE (1300 MW)** (UNII: 7D1YQ9Y5EZ)

**STEARIC ACID** (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-884-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 530

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-885
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	

<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-885-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 540

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-886
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

<b>Inactive Ingredients</b>		
<b>Ingredient Name</b>	<b>Strength</b>	
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)		
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>ALCOHOL</b> (UNII: 3K9958V90M)		
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)		
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)		
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)		
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)		
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)		
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)		
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)		
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)		
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)		
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)		
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)		
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)		
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)		
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)		
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)		
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)		
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)		
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)		
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)		
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)		
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)		
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)		
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)		
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)		
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)		

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58411-886-40	1 in 1 CARTON	08/01/2023	

1	30 mL in 1 CONTAINER; Type 0: Not a Combination Product		
---	---	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 550

octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-887
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX43802MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)	
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WP17EW8)	
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	

<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-887-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

## SHISEIDO REVITALESSENCE SKIN GLOW FOUNDATION 560

octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-895
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.30805 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)
<b>PEG-12 DIMETHICONE (300 CST)</b> (UNII: ZEL54N6W95)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-895-40	1 in 1 CARTON	08/01/2023	
1		30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	08/01/2023	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 3/2025

SHISEIDO AMERICAS CORPORATION