

DANIL- danil compound ketoconazole solution for scalp disorders. lotion
Jiangsu Chenpai Bond Pharmaceutical Co.,Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DOSAGE AND ADMINISTRATION: External use only. Apply about 5ml of DANIL solution to moist hair, massage it gently to let the solution contact with the scalp thoroughly, after 3~5 minutes, rinse cleanly with water. For treatment purpose , the DANIL solution should be used twice/thrice a week continuously for 2~4 weeks; for prevention purpose, it should be used once every one or two weeks.

There is no any special warning.

Clobetasol propionate 0.25mg

EXPIRATION DATE: Three years after the manufactured date. For external use only. Avoid contact with eyes. Keep out of reach of children. Do not exceed prescribed dose. Read package insert carefully before using.

PRECAUTIONS: 1. Avoid contact with the eyes and other mucous membranes(oral and nasal). 2. Stop and clean the drug, if burning sensation and red swelling of the skin appears. Consult with the doctor, if necessary. 3. Consult with the doctor or pharmacist if it is necessary to use DANIL for more than 4 weeks continuously. 4. You can use other hair-care product if your hair is dry after using DANIL. 5. Infants and children should use it with cautions. 6. It is contraindicated for individuals who have known or suspected hypersensitivity to any of its ingredients. It should be used with cautions in individuals with allergic constitution. 7. Do not use it if the appearance of the solution is changed. 8. Keep it out of the reach of children. 9. Children should use it under the supervision of adults. 10. Consult a doctor or pharmacist before use DANIL, if you are using any other medicines at the same time.

PHARMACOLOGICAL ACTION: In vitro, DANIL solution exhibits a potent antimycotic activity. In vivo studies in animal patterns infected with superficial fungi, it is shown that DANIL solution has an excellent therapeutic effect, especially for that caused by *Pityrosporum oval*. Combined with Clobetasol propionate, a potent anti-inflammatory and anti-pruritic topical corticosteroid agent, DANIL solution has the actions of anti-bacterial, anti-inflammatory, anti-allergic, anti-dandruff and anti-pruritus. Clinical trial reports that the DANIL solution has proved to be more effective and more rapid in treatment of dandruff and seborrheic dermatitis on the scalp than the single Ketoconazole lotion. Animal acute toxicity test and toxicity test for local application and clinical trial indicated that the DANIL solution is safe for use, no allergic or irritant reaction is found.

Active Ingredients:

Ketoconazole 15mg

Clobetasol Propionate 0.25mg



COMPOUND KETOCONAZOLE SOLUTION FOR SCALP DISORDERS

DANIL

danil compound ketoconazole solution for scalp disorders. lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84277-5666	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
KETOCONAZOLE (UNII: R9400W927I) (KETOCONAZOLE - UNII:R9400W927I)		KETOCONAZOLE	15 mg in 1 g	
CLOBETASOL PROPIONATE (UNII: 779619577M) (CLOBETASOL - UNII:ADN79D536H)		CLOBETASOL PROPIONATE	0.25 mg in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
COCONUT OIL GLYCERETH-8 ESTERS (UNII: 9V234MGT7F)				
PEG-14 1-((METHYLPHENYL)ETHYL)PHENYL ETHER AMMONIUM SULFATE (UNII: S4S9783N13)				
DIETHYLENE GLYCOL DISTEARATE (UNII: 617Q4OD69O)				
AA-1 CATION (UNII: 52UXI5SZHT)				
MENTHOL (UNII: L7T10EIP3A)				
WATER (UNII: 059QF0KO0R)				
EOSIN B (UNII: OMS4XQD1T0)				
GLYCEROL FORMAL (UNII: 3L7GR2604E)				
2-(ETHYLSULFONYL)ETHANOL (UNII: 95YYW1049K)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84277-5666-3	100 g in 1 TUBE; Type 0: Not a Combination Product	05/01/2024	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			05/01/2024	
Labeler - Jiangsu Chenpai Bond Pharmaceutical Co.,Ltd. (561021529)				

Registrant - Jiangsu Chenpai Bond Pharmaceutical Co.,Ltd. (561021529)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangsu Chenpai Bond Pharmaceutical Co.,Ltd.		561021529	manufacture(84277-5666)

Revised: 7/2025

Jiangsu Chenpai Bond Pharmaceutical Co.,Ltd.