

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF - bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each gram)

Bacitracin Zinc 500 units
Neomycin 3.5mg
Polymyxin B Sulfate 10,000 units
Pramoxine HCl 10mg

Active ingredients

(each gram contains)

Purpose

Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

Uses

First aid to help prevent infection and provide temporary relief of pain or discomfort in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- condition persists for more than 1 week, or clear up and occur again within a few days
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: consult a physician

Other information

store at 20°-25°C (68°-77°F)

PRINCIPAL DISPLAY PANEL

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl

First Aid Antibiotic Ointment

Maximum Strength

SOOTHING OINTMENT

NDC No. 67510-0670-1
Pure-Aid™

Compare to Neosporin®
Plus Pain Relief Ointment
active ingredients*

**Soothes painful cuts,
scrapes and burns
while preventing infection**

MAXIMUM STRENGTH PAIN RELIEF



TRIPLE ANTIBIOTIC

Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl

FIRST AID ANTIBIOTIC / Pain Relieving Ointment

**+ PAIN
RELIEF**

MAXIMUM STRENGTH

TRIPLE ANTIBIOTIC

Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl

FIRST AID ANTIBIOTIC / Pain Relieving Ointment

NET 1 oz(28.3g)

**+ PAIN
RELIEF**

**MAXIMUM STRENGTH
TRIPLE
ANTIBIOTIC
+ PAIN RELIEF**

MAXIMUM STRENGTH

TRIPLE ANTIBIOTIC

Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl

FIRST AID ANTIBIOTIC / Pain Relieving Ointment

**+ PAIN
RELIEF**



LOT & EXP.

Drug Facts (continued)

and occur again within a few days
 ■ rash or other allergic reaction develops
Keep out of reach of children. If swallowed, get medical help or contact a poison Control Center right away

Directions

■ Adults and children 2 years of age and older:
 ■ Clean the affected area.
 ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
 ■ May be covered with a sterile bandage.
 ■ Children under 2 years of age: Consult a physician.

Other Information Store at 20° to 25°C (68° to 77°F).
 white petrolatum

Inactive ingredient

*This product is not manufactured or distributed by Pizer Consumer Healthcare, owner of the registered trademark Original Neosporin® Plus Pain Relief Ointment.
 Exclusively distributed by:
 Karway Product Inc, Compton, CA 90220
 Made in Korea

Drug Facts

Active ingredients (in each gram)

Bacitracin Zinc 500 units.....First aid antibiotic
 Neomycin 3.5mg.....First aid antibiotic
 Polymyxin B Sulfate 10,000 units.....First aid antibiotic
 Pramoxine HCl 10 mg.....External analgesic

Uses First aid to help prevent infection and provide temporary relief of pain or discomfort in minor cuts ■ scrapes ■ burns

Warnings

For external use only

■ If you are allergic to any of the ingredients
 ■ in the eyes
 ■ over large areas of the body

Ask a doctor before use if you have

■ deep or puncture wounds ■ animal bites
 ■ serious burns

Stop use and ask a doctor if

■ you need to use longer than 1 week
 ■ condition persists or gets worse
 ■ symptoms persist for more than 1 week, or clear up

KARWAY

TRIPLE ANTIBIOTIC + PAIN RELIEF
Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl

NET WT 1 oz (28.3 g)

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

External analgesic

Inactive ingredients

white petrolatum

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0670
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin Zinc - UNII:89Y4M234ES)	Bacitracin Zinc	500 [iU] in 1 g
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:H6QD7X297)	Neomycin Sulfate	3.5 mg in 1 g
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B Sulfate	10000 [iU] in 1 g
Pramoxine Hydrochloride (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine Hydrochloride	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0670-3	1 in 1 CARTON		
1		9.4 g in 1 TUBE		
2	NDC:67510-0670-1	1 in 1 CARTON		
2		28.3 g in 1 TUBE		
3	NDC:67510-0670-5	1 in 1 CARTON		
3		14 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	09/12/2011	

Labeler - Kareway Product, Inc. (121840057)

Revised: 9/2011

Kareway Product, Inc.