

**GUAIFED DM- dextromethorphan, guaifenesin liquid**  
**Aldama Pharmaceuticals, Inc**

-----  
**Guaifed DM**

**Active Ingredients:**( per 10ml= 2 teaspoonfuls) **Purpose**

Guaifenesin 200 mg ..... Expectorant

Dextromethorphan 20mg..... Cough Suppressant

**Purpose**

Expectorant

Cough Suppressant

**Uses:**

- Temporarily relieves cough due to minor throat and bronchial irritation
- Helps loosen phlegm (mucus)
- helps thin bronchial secretions to make coughs more productive.

**Warnings**

- **Do not use:**if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease, or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**

**In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions**

- do not exceed recommended dosage
- take every 4 hours as needed, or as directed by doctor
- do not take more than 6 doses in 24 hours

Age	Dose
adults and children 12 years and over	10 mL (2 teaspoonfuls)
children under 12 years	Do not use

**Other information**

- **each 10 mL contains:**potassium 20 mg

- TAMPER - EVIDENT FEATURE: Do not use if foil seal over bottle opening is torn, broken or missing.
- store between 15° - 30°C (59° - 86°F).
- Protect from freezing
- protect from light

### Inactive Ingredients:

Artificial and natural cherry flavor, citric acid, menthol, Methylparaben, Propylene glycol, Propylparaben, purified water, sodium citrate, sucralose

**Questions or Comments?** 305-592-9216 or info@aldamapharm.com

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that last or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

### Guaifed DM

**DRUG FACTS**  
Active Ingredients (per 10mL, = 2 teaspoonfuls)    Purposes  
Dextromethorphan HBr 20 mg.....Cough suppressant  
Guaifenesin, USP 200mg.....Expectorant  
**Uses** • temporarily relieves cough due to minor throat and bronchial irritation • helps loosen phlegm (mucus) • helps thin bronchial secretions to make coughs more productive  
**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
**Ask a doctor before use if you have** • cough that occurs with too much phlegm (mucus) • cough that last or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema.  
**Stop use and ask a doctor if** • cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

NDC 73564-802-08  
**GUAIFED-DM**  
DEXTROMETHORPHAN-GUAIFENESIN  
ORAL SOLUTION  
  
**ANTITUSSIVE  
EXPECTORANT**  
  
**CONTROLS COUGH  
LOOSENS AND RELIEFS  
CHEST CONGESTION**  
**Alcohol-Dye-Sugar Free**  
FOR ADULTS AND CHILDREN OVER 12 YEARS  
  
COMPARE TO ACTIVE INGREDIENT OF ORIGINAL ROBITUSSIN-DM  
  
8 fl.oz (237mL)

**DRUG FACTS** *continued*  
**Directions**  
• Do not exceed recommended dose  
• take every 4 hours as needed, or as directed by a doctor  
• do not take more than 6 doses in 24 hours  
adults and children 12 years and over 10 mL (2 teaspoonfuls)  
children under 12 years Do not use  
**Other information** • each 10 mL contains: sodium 20 mg  
• TAMPER EVIDENT: Do not use if foil seal over bottle opening is torn, broken or missing. •store at room temperature between 15°-30°C (59-86°F) •protect from freezing •protect from light  
**Inactive ingredients** artificial and natural cherry flavor, citric acid, menthol, methylparaben, propylparaben, purified water, sodium citrate, sucralose  
**Questions or Comments?**  
(305)592-9216 or info@aldamapharm.com  
\*This product is not manufactured or distributed by the owner of the registered trademark Robitussin-DM  
Code #L-12                      Lot#/Exp. Date  
Rev: 05/25  
  


GUAIFED DM			
dextromethorphan, guaifenesin liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73564-802
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	200 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73564-802-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2025	
2	NDC:73564-802-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2025	
3	NDC:73564-802-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2025	

**Labeler** - Aldama Pharmaceuticals, Inc (119484030)

Revised: 10/2025

Aldama Pharmaceuticals, Inc