

**MAXIMUM STRENGTH HEMORRHOIDAL CREAM WITH ALOE- glycerin,  
phenylephrine hci, pramoxine hci, petrolatum cream**  
**Chain Drug Marketing Association**

-----  
**Quality Choice Maximum Strength Hemorrhoidal Cream With Aloe**

**Drug Facts**

**Active Ingredient**

Glycerin 14.4%

**Purpose**

Protectant

**Active Ingredient**

Phenylephrine HCl 0.25%

**Purpose**

Vasoconstrictor

**Active Ingredient**

Pramoxine HCl 1%

**Purpose**

Local Anesthetic

**Active Ingredient**

White Petrolatum 15%

**Purpose**

Protectant

**Uses**

For temporary relief of pain, soreness and burning.

Helps relieve the local itching and discomfort associated with hemorrhoids

Temporarily shrinks hemorrhoidal tissue.

Temporarily provides a coating for relief of anorectal discomforts

Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

### **Stop use and ask a doctor**

Bleeding occurs

Condition worsens or does not improve within 7 days

An allergic reaction develops

The symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase

### **If Pregnant or Breast Feeding**

Ask doctor before use

### **Keep out of reach of children**

If swallowed get medical help or contact a Poison Control Center right away

### **Directions**

Adults:

When practical, clean the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or soft cloth before applying cream.

When first opening the tube, remove the foil seal.

Apply externally or in the lower portion of the anal canal only

Apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement

For application in the lower anal canal; remove cover from applicator. Attach applicator to tube. Lubricate applicator well, then gently insert applicator pathway into anus.

Thoroughly cleanse applicator after each use and replace cover.

Children under 12 years of age: ask a doctor

### **Warnings**

#### **For External Use Only**

**Ask doctor before use if you have**

Heart Disease

High blood pressure

Thyroid Disease

Diabetes

Difficulty urinating due to an enlarged prostate gland

**Ask doctor before use if you are** presently taking a prescription for high blood pressure or depression

### **When using this product**

Do not exceed the recommended daily dosage unless directed by a doctor

Do not put into the rectum by using fingers or any mechanical device or applicator

### **Other Information**

Store at room temperature 20°-25°C (68°-77°F)

This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Preparation H®

### **Inactive Ingredients**

Aloe barbadensis leaf juice, carboxmethylcellulose sodium, cetearyl alcohol, mono and diglycerides, methylparaben, light mineral oil, polysorbate 80, propylene glycol, propylparaben, purified water, stearic acid, xanthan gum

### **Questions or Comments**

Call 1-800-935-2362

### **Distributed By**


**CDMA Inc.®**

Novi, MI.48375, USA


800-935-2362

[www.qualitychoice.com](http://www.qualitychoice.com)

# OUTSIDE BOX



# INNER TUBE



# MAXIMUM STRENGTH HEMORRHOIDAL CREAM WITH ALOE

glycerin, phenylephrine hci, pramoxine hci, petrolatum cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-330
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4) (WHITE PETROLATUM - UNII:B6E5W8RQJ4)	WHITE PETROLATUM	15 g in 100 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	1 g in 100 g
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	14.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERYL MONO- AND DICAPRYLATE</b> (UNII: 34966F76M6)	
<b>CARBOXYMETHYLCELLULOSE SODIUM (0.7 CARBOXYMETHYL SUBSTITUTION PER SACCHARIDE; 100-200 MPA.S AT 1%)</b> (UNII: 99H65D77XY)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-330-01	1 in 1 BOX	07/08/2025	
1		25.5 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M015	07/08/2025	
--------------------	------	------------	--

**Labeler** - Chain Drug Marketing Association (011920774)

**Registrant** - Trifecta Pharmaceuticals USA (079424163)

**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Jingwei Pharmaceutical Co., Ltd.		530876549	manufacture(83324-330)

Revised: 7/2025

Chain Drug Marketing Association