### NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF 60 PLUS- avobenzone, homosalate, octisalate, and octocrylene spray Kenvue Brands LLC

-----

Neutrogena  $^{\circledR}$  Beach Defense  $^{\circledR}$  water + sun protection sunscreen spray BROAD SPECTRUM SPF 60+

### **Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product
- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away
- Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

#### **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions
- use in a well-ventilated area

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

#### **Questions or Comments?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). www.neutrogena.com

Distributed by:

### **JOHNSON & JOHNSON**

Skillman, NJ 08558

### PRINCIPAL DISPLAY PANEL - 240 g Can Label

**VALUE SIZE** 

Neutrogena ®

#### **DERMATOLOGIST RECOMMENDED BRAND**

Beach

Defense ®

water + sun

protection

sunscreen spray

#### **BROAD SPECTRUM SPF 60+**

60+

## helioplex ®

### broad spectrum uva•uvb

oxybenzone free water resistant (80 minutes) NET WT. 8.5 OZ. (240 g) **VALUE SIZE** 

# Neutrogena®

uva/uvb sun protection



fast drying, oxybenzone free

DERMATOLOGIST RECOMMENDED BRAND

Beach Defense\*

water+sun protection

sunscreen spray

BROAD SPECTRUM SPF 60+

helioplex® broad spectrum uva•uvb

oxybenzone free water resistant (80 minutes)

NET WT. 8.5 OZ. (240 g)

**Drug Facts** 

#### Active ingredients

vobenzone (3%), Homosalate (10%), Octisalate (5%), Octocrylene (10%)

Purpose

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to
remove. Keep away from face to avoid breathing it Stop use and ask
a doctor if rash occurs Keep out of reach of children. If swallowed,
get medical help or contact a Poison Control Center right away Danger:
Flammable. Contents under pressure. Do not use near fire, heat or
while smoking. Do not puncture or incinerate. Store at temperature below
120°F (48°C). Use only as directed, Intentional misuse by deliberately
concentrating and inhaling the contents can be harmful or fatal.

Directions ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply. Rub in. ■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including. ■ limit

other sun protection measures including: 

limit time in the sun, especially from 10 a.m. – 2 p.m. 

wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun may stain some fabrics

Inactive ingredients Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

Questions or Comments? Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

JOHNSON & JOHNSON CONSUMER INC.



68(

avobenzone, homosalate, octisalate, and octocrylene spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0601
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
ALCOHOL (UNII: 3K9958V90M)		
ISOBUTANE (UNII: BXR49TP611)		
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)		
POLYESTER-7 (UNII: 0841698D2F)		
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)		
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)		
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968- 0601-9	240 g in 1 CAN; Type 0: Not a Combination Product	09/01/2019	
2	NDC:69968- 0601-2	2 in 1 CARTON	09/01/2019	
2		240 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2019	

## Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024 Kenvue Brands LLC