

**VITACILINA BEBE DIAPER RASH- allantoin, zinc oxide ointment**  
**Compania Internacional de Comercio, S.A.P.I de C.V.**

-----  
**VITACILINA Bebe Diaper Rash Ointment**

**Drug Facts**

**Active ingredients**

Allantoin 1% Zinc Oxide 25%

**Purpose**

Skin Protectant

**Uses**

- Treats and prevents diaper rash
- Protects minor skin irritation associated with diaper rash
- Helps seal out wetness

**Warnings**

- For external use only
- Avoid contact with the eyes
- If condition worsens or does not improve within 7 days, consult a doctor

**Keep out of the reach of children**

**Directions**

Change wet and soiled diapers promptly, cleanse the diaper area and allow to dry. Apply ointment as often as necessary with each diaper change, especially at bedtime or anytime when exposure to wet diapers maybe prolonged.

**Inactive Ingredients**

Petrolatum, corn starch, fragrance, lanolin, methylparaben, mineral oil, propylparaben, vitamin A (palmitate), vitamin D (calciferol), vitamin E (tocopherol).

**Package Labeling:**

SKIN PROTECTANT ■ ENRICHED WITH VITAMINS AND WETTING OILS






  
 VITAMINS A D & E

NDC 54312-525-16  
 Diaper Rash Ointment  
**Bebé**

**VITACILINA®**

(50 g)  
 NET WT 1.76 OZ

LOT: EXP. DATE

**Drug Facts**

|                           |                      |
|---------------------------|----------------------|
| <b>Active ingredients</b> | <b>Purpose</b>       |
| Allantoin 1%.....         | .....Skin Protectant |
| Zinc Oxide 25%.....       | .....Skin Protectant |

**Uses** • Treats and prevents diaper rash • Protects minor skin irritation associated with diaper rash • Helps seal out wetness

DISTRIBUTED BY Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #320 Torrance, CA 90503 U.S.A. MADE IN MEXICO

NET WT 1.76 OZ (50 g)

**VITACILINA®**

**Bebé**

Diaper Rash Ointment  
NDC 54312-525-16

VITAMINS A D & E






  
 VITAMINS A D & E  
**VITACILINA®**  
**Bebé**

SKIN PROTECTANT ■ ENRICHED WITH VITAMINS AND WETTING OILS

**Drug facts (continued)**

**Warnings**

|                             |  |
|-----------------------------|--|
| For External use only       | If condition worsens or does not improve within 7 days, consult a doctor |
| Avoid contact with the eyes | Keep out of the reach of children  |

**Directions** Change wet and soiled diapers promptly, cleanse the diaper area and allow to dry. Apply ointment as often as necessary with each diaper change, specially at bedtime, or anytime when exposure to wet diapers may be prolonged

**Inactive ingredients** Petrolatum, corn starch, fragrance, lanolin, methylparaben, mineral oil, propylparaben, vitamin A (palmitate), vitamin D (calciferol), vitamin E (tocopherol).



30128-V4

SKIN PROTECTANT ■ ENRICHED WITH VITAMINS AND WETTING OILS

Bebé  
Diaper Rash Ointment  
NDC 54312-525-16

VITAMINS  
A D & E

**VITACILINA®**

NET WT 1.76 OZ (50 g)

LOT. EXP. DATE

**Drug Facts**

|                           |                 |
|---------------------------|-----------------|
| <b>Active ingredients</b> | <b>Purpose</b>  |
| Allantoin 1% .....        | Skin Protectant |
| Zinc Oxide 25% .....      | Skin Protectant |

**Uses** • Treats and prevents diaper rash • Protects minor skin irritation associated with diaper rash • Helps seal out wetness

DISTRIBUTED BY Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #320 Torrance, CA 90503 U.S.A. MADE IN MEXICO

VITACILINA®  
Bebé  
Diaper Rash Ointment  
NDC 54312-525-16

VITAMINS  
A D & E

NET WT 1.76 OZ (50 g)

SKIN PROTECTANT ■ ENRICHED WITH VITAMINS AND WETTING OILS

**Drug facts (continued)**

**Warnings**

|                             |  |
|-----------------------------|--|
| For External use only       | If condition worsens or does not improve within 7 days, consult a doctor |
| Avoid contact with the eyes | Keep out of the reach of children  |

**Directions** Change wet and soiled diapers promptly, cleanse the diaper area and allow to dry. Apply ointment as often as necessary with each diaper change, specially at bedtime, or anytime when exposure to wet diapers may be prolonged

**Inactive ingredients** Petrolatum, corn starch, fragrance, lanolin, methylparaben, mineral oil, propylparaben, vitamin A (palmitate), vitamin D (calciferol), vitamin E (tocopherol).



30128-V4

**VITACILINA®**  
Bebé  
Diaper Rash Ointment  
NDC 54312-525-16

VITAMINS  
A D & E

NET WT 1.76 OZ (50 g)

SKIN PROTECTANT ■ ENRICHED WITH VITAMINS AND WETTING OILS

**Drug Facts**

| Active ingredients   | Purpose         |
|----------------------|-----------------|
| Allantoin 1% .....   | Skin Protectant |
| Zinc Oxide 25% ..... | Skin Protectant |

DISTRIBUTED BY Taisho Pharmaceutical  
California Inc. 3528 Torrance Blvd, Suite  
#320 Torrance, CA 90503 U.S.A.  
MADE IN MEXICO

- Uses**
- Treats & prevents diaper rash
  - Protect minor skin irritation associated with diaper rash
  - Helps seal out wetness

- Warnings**
- For external use only
  - Avoid contact with the eyes
  - If condition worsens or does not improve within 7 days, consult a doctor
  - Keep out of the reach of children

- Directions**
- Change wet and soiled diapers promptly, cleanse the diaper area and allow to dry,
  - Apply ointment as often as necessary with each diaper change, especially at bedtime or anytime when exposure to wet diapers maybe prolonged,

**Inactive ingredients**  
Petrolatum, corn starch, fragrance, lanolin, methylparaben, mineral oil, propylparaben, vitamin A (palmitate), vitamin D (calciferol), vitamin E (tocopherol).

30538-V4

LOT. EXP. DATE

# VITACILINA BEBE DIAPER RASH

allantoin, zinc oxide ointment

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:54312-525 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| <b>ALLANTOIN</b> (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)    | ALLANTOIN         | 10 mg in 1 g  |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION       | 250 mg in 1 g |

## Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U)         |          |
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)       |          |
| <b>LANOLIN</b> (UNII: 7EV65EAW6H)            |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)      |          |
| <b>MINERAL OIL</b> (UNII: T5L8T28FGP)        |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)      |          |
| <b>VITAMIN A</b> (UNII: 81G40H8B0T)          |          |
| <b>VITAMIN D</b> (UNII: 9VU1KI44GP)          |          |
| <b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1) |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:54312-525-16 | 1 in 1 PACKAGE                                    | 09/30/2013           |                    |
| 1 |                  | 50 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 09/30/2013           |                    |

**Labeler** - Compania Internacional de Comercio, S.A.P.I de C.V. (822165213)