

PERRICONE MD VITAMIN C ESTER PHOTO-BRIGHTENING MOISTURIZER BROAD SPECTRUM SPF 30- titanium dioxide cream
THG Beauty USA LLC

Titanium Dioxide 4.2%

Sunscreen

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- For external use only.
- on damaged or broken skin.
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs.

If swallowed, get medical help or contact a Poison Control Center immediately.

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Protect the product in this container from excessive heat and direct sun.

Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methoxycrylene, Polyester-8, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syringylidenemalonate, Hydrogenated Lecithin, Isohexadecane, Bisabolol, Polysilicone-11, Phenoxyethanol, Tetrahexyldecyl Ascorbate, Polysorbate 60, Sorbitan Isostearate, Potassium Sorbate, Sodium Benzoate, Caprylic/Capric Triglyceride, Xanthan Gum, Hydrogenated Phosphatidylcholine, Thioctic Acid, Haematococcus Pluvialis Extract, Tocopherol

1-888-823-7837



VITAMIN C ESTER
Photo-Brightening
Moisturizer

Broad Spectrum SPF 30

Instant hydration & all-day protection
against environmental aggressors

Perricone MD

VITAMIN C ESTER
Photo-Brightening
Moisturizer

Broad Spectrum SPF 30

Vitamin C Ester, Alpha-Lipoic Acid,
Mineral-Based Sunscreen

e 59 mL / 2 US fl. oz.

Ultra-lightweight, whipped texture immediately hydrates & protects against environmental aggressors while delivering long-term brightening benefits over time. Formulated with mineral-based broad spectrum SPF for sun protection.

KEY INGREDIENTS

Vitamin C Ester: Supercharged Brightening & Smoothing A potent & highly stable form of antioxidant powerhouse vitamin C, Vitamin C Ester helps give the appearance of collagen-rich skin by smoothing, brightening & helping to minimize the look of discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

Alpha-Lipoic Acid (ALA): Nature's Most Powerful Antioxidant A fatty acid found in every cell in the human body. Fat- & water-soluble, ALA helps reduce the appearance of lines, wrinkles & enlarged pores over time.

Mineral Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to help deflect aging UVA & burning UVB rays & are considered to be gentle on skin & non-irritating.

Drug Facts (continued)

Increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Polyethylene Glycol, Ethylhexyl Methoxycinnamate, Polydimethylsiloxane, Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Sericyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syringidenediacrylate, Hydrogenated Lecithin, Isohexadecane, Bisabolol, Polysilicone-11, Phenoxethanol, Tetrahydrofurfuryl Ascorbate, Polysorbate-60, Sorbitan Isostearate, Potassium Sorbate, Sodium Benzoate, Caprylic/Capric Triglyceride, Xanthan Gum, Hydrogenated Phosphatidylcholine, Trisectic Acid, Hamamelis Extract, Tocopherol

Questions? 1-888-823-7837

Drug Facts

Active ingredient
Titanium Dioxide 4.2%

Purpose
Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

■ For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs.

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure.
- Reapply after swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures: Spending time in the sun.


LOT 0908 8908




perperricone.com 1-888-823-7837
The Perricone MD Company, Inc. 200 S. 5th Street, Suite 100, St. Petersburg, FL 33701
© 2014 Perricone MD, Inc. All rights reserved. Perricone MD is a registered trademark of Perricone MD, Inc. All other trademarks are the property of their respective owners.



UPC: 651473706014

[illegible]

unwind direction



Inactive Ingredients

Ingredient Name	Strength
PHENOXYETHANOL (UNII: H1E492ZZ3T)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
THIOCTIC ACID (UNII: 73Y7P0K73Y)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
HAEMATOCOCCUS PLUVIALIS (UNII: 31TOFF0472)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
BISABOLOL (UNII: 24WE03BX2T)	
HYDROGENATED SOYBEAN PHOSPHATIDYLCHOLINE (UNII: QHQ97HF0PY)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84448-643-59	1 in 1 CARTON	07/28/2022	
1		59 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/28/2022	

Labeler - THG Beauty USA LLC (015792160)

Revised: 10/2025

THG Beauty USA LLC