

## **SALICYLIC ACID- medicated callus removers extra thick patch**

**Topco Associates LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Medicated Callus Removers**

#### **☐Active ingredient**

Salicylic acid 40%

#### **Purpose**

Callus remover

#### **Use**

- for the removal of calluses
- relieves pain by removing calluses

#### **Warnings**

**For external use only.**

#### **Do not use**

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

#### **☐Stop use and ask a doctor**

if discomfort persists

#### **☐Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit callus
- apply adhesive side down of medicated patch onto callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

#### **Other information**

store between 15°C to 30°C (59°F to 86°F)

#### **Inactive ingredients**

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

**Questions?**

call 1-866-964-0939

**Principal Display Panel**

**topCare**

**Medicated**

**Extra Thick Callus Removers**

with SALICYLIC ACID

Protects against pressure & pain

Callus removal treatment

**4 PADS**

**4 MEDICATED PATCHES**

CLEAR AREA

CRIMP SEAL AREA (NO TEXT)

**TopCare®**

Drug Facts
<b>Active ingredient Purpose</b> Salicylic acid 40%.....Callus remover
<b>Uses</b> ■ for the removal of calluses ■ relieves pain by removing calluses
<b>Warnings</b> For external use only. <b>Do not use</b> ■ if you are diabetic ■ if you have poor blood circulation ■ on irritated skin or any area that is infected or reddened
<b>Stop use and ask a doctor</b> if discomfort persists. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b> ■ wash affected area and dry thoroughly ■ if necessary, cut medicated patch to fit callus ■ apply adhesive side down of medicated patch onto callus ■ cover medicated patch with pad ■ after 48 hours, remove medicated patch ■ repeat procedure every 48 hours as needed for up to 14 days (until callus is removed) ■ may soak callus in warm water for 5 minutes to assist in removal
<b>Other information</b> store between 15° and 30°C (59° and 86°F)
<b>Inactive ingredients</b> acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol
<b>Questions?</b> Call 1-888-423-0139

Made in USA  
LFXTCRLTC

**TopCare®**

**MEDICATED**

# Extra Thick Callus Removers

with SALICYLIC ACID

- Protects against pressure & pain
- Callus removal treatment

CLEAR WINDOW  
(this window shape can be designed any shape)

4 PADS  
4 MEDICATED PATCHES

**COMPARE TO DR. SCHOLL'S**  
active ingredient\*

**LOT # EXP DATE:**

FPO.

0 36800 40211 9

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's®.

This TOPCARE® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

DISTRIBUTED BY: TOPCO ASSOCIATES, LLC,  
ELK GROVE VILLAGE, IL 60007  
© TOPCO PBA4213  
QUESTIONS? 1-888-423-0139 topcare@topco.com

CRIMP SEAL AREA (no text but must have color)

CLEAR AREA

EYE MARK

EYE MARK

CLEAR AREA

CRIMP SEAL AREA (NO TEXT)

**TopCare**<sup>®</sup>

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Salicylic acid 40%	Callus remover
<b>Uses</b>	
■ for the removal of calluses	
■ relieves pain by removing calluses	
<b>Warnings</b>	
For external use only.	
Do not use:	
■ if you are diabetic	
■ if you have poor blood circulation	
■ on irritated skin or any area that is infected or reddened	
Stop use and ask a doctor if discomfort persists.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ wash affected area and dry thoroughly	
■ if necessary, cut medicated patch to fit callus	
■ apply adhesive side down of medicated patch onto callus	
■ cover medicated patch with pad	
■ after 48 hours, remove medicated patch	
■ repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)	
■ may soak callus in warm water for 5 minutes to assist in removal	
<b>Other information</b>	
store between 15° and 30°C (59° and 86°F)	
<b>Inactive ingredients</b>	
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol	
<b>Questions?</b> Call 1-888-423-0139	

Made in USA

LFXTLCLTC

**TopCare**<sup>®</sup>

MEDICATED

# Extra Thick Callus Removers

with SALICYLIC ACID

- Protects against pressure & pain
- Callus removal treatment

CLEAR WINDOW  
(this window shape can be designed any shape)



COMPARE TO DR. SCHOLL'S active ingredient\*

4 PADS  
4 MEDICATED PATCHES

LOT #  
EXP DATE:



\*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's.  
 This TOPCARE<sup>®</sup> product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed!

DISTRIBUTED BY TOPCO ASSOCIATES, LLC,  
 ELK GROVE VILLAGE, IL 60007  
 © TOPCO, PBA1213  
 QUESTIONS? 1-888-423-0139 topcare@topco.com

EYE MARK

CRIMP SEAL AREA (no text but must have color)

EYE MARK

CLEAR AREA

CLEAR AREA

CRIMP SEAL AREA (NO TEXT)

**TopCare**<sup>®</sup>

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Salicylic acid 40%	Callus remover
<b>Uses</b>	
■ for the removal of calluses	
■ relieves pain by removing calluses	
<b>Warnings</b>	
For external use only.	
Do not use:	
■ if you are diabetic	
■ if you have poor blood circulation	
■ on irritated skin or any area that is infected or reddened	
Stop use and ask a doctor if discomfort persists.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ wash affected area and dry thoroughly	
■ if necessary, cut medicated patch to fit callus	
■ apply adhesive side down of medicated patch onto callus	
■ cover medicated patch with pad	
■ after 48 hours, remove medicated patch	
■ repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)	
■ may soak callus in warm water for 5 minutes to assist in removal	
<b>Other information</b>	
store between 15° and 30°C (59° and 86°F)	
<b>Inactive ingredients</b>	
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol	
<b>Questions?</b> Call 1-888-423-0139	

Made in USA

LFXTLCLTC

**TopCare**<sup>®</sup>

MEDICATED

# Extra Thick Callus Removers

with SALICYLIC ACID

- Protects against pressure & pain
- Callus removal treatment

CLEAR WINDOW  
(this window shape can be designed any shape)



COMPARE TO DR. SCHOLL'S active ingredient\*

4 PADS  
4 MEDICATED PATCHES

LOT #  
EXP DATE:



\*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's.  
 This TOPCARE<sup>®</sup> product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed!

DISTRIBUTED BY TOPCO ASSOCIATES, LLC,  
 ELK GROVE VILLAGE, IL 60007  
 © TOPCO, PBA1213  
 QUESTIONS? 1-888-423-0139 topcare@topco.com

EYE MARK

CRIMP SEAL AREA (no text but must have color)

EYE MARK

CLEAR AREA

CLEAR AREA

CRIMP SEAL AREA (NO TEXT)

**TopCare®**

**Drug Facts**

**Active ingredient Purpose**  
Salicylic acid 40%.....Callus remover

**Uses**

- for the removal of calluses
- relieves pain by removing calluses

**Warnings**  
For external use only.

**Do not use**

- if you are diabetic
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened

**Stop use and ask a doctor** if discomfort persists.

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit callus
- apply adhesive side down of medicated patch onto callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
- may soak callus in warm water for 5 minutes to assist in removal

**Other information**  
store between 15° and 30°C (59° and 86°F)

**Inactive ingredients**  
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

**Questions?** Call 1-888-423-0139

Made in USA

LFTCLRTC

**TopCare®**


**MEDICATED**

**Extra Thick Callus Removers**  
with SALICYLIC ACID

- Protects against pressure & pain
- Callus removal treatment

CLEAR WINDOW  
(this window shape can be designed any shape)

4 PADS  
4 MEDICATED PATCHES


**COMPARE TO DR. SCHOLL'S active ingredient\***

**LOT # EXP DATE:**

0 36800 40211 9

**FPO**

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's.  
 The TOPCARE® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

DISTRIBUTED BY TOPCO ASSOCIATES, LLC,  
 ELK GROVE VILLAGE, IL 60007  
 © TOPCO, PBA1213  
 QUESTIONS? 1-888-423-0139 topcare@topco.com

CRIMP SEAL AREA (no text but must have color)

CLEAR AREA

EYE MARKEYE MARK

## SALICYLIC ACID

medicated callus removers extra thick patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-373
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 4

### Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:36800-373-04	4 in 1 PACKAGE; Type 0: Not a Combination Product	12/06/2017	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part358F		12/06/2017	

**Labeler** - Topco Associates LLC (006935977)

Revised: 12/2017

Topco Associates LLC