

**TYLENOL REGULAR STRENGTH- acetaminophen tablet, film coated**  
**Kenvue Brands LLC**

-----

**TYLENOL®**

Drug Facts

**Active ingredient (in each caplet)**

Acetaminophen 325 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

■ temporarily relieves minor aches and pains due to:

-headache

-muscular aches

-backache

-minor pain of arthritis

-the common cold

-toothache

-premenstrual and menstrual cramps

■ temporarily reduces fever

**Warnings**

Warnings

**Liver warning**

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg) in 24 hours for adults or 5 caplets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

■ adult takes more than 4,000 mg of acetaminophen in 24 hours

■ child takes more than 5 doses in 24 hours, which is the maximum daily amount

■ taken with other drugs containing acetaminophen

■ adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

### Ask a doctor before use if the user

■ has liver disease ■ is a child with pain of arthritis

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin.

### Stop use and ask a doctor if

■ pain gets worse or lasts more than 10 days in adults

■ pain gets worse or lasts more than 5 days in children under 12 years

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

### Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

■ do not take more than directed (see overdose warning)

adults and children 12 years and over	■ take 2 caplets every 4 to 6 hours while symptoms last ■ do not take more than 10 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children 6 years to under 12 years	■ take 1 caplet every 4 to 6 hours while symptoms last ■ do not take more than 5 caplets in 24 hours ■ do not use for more than 5 days unless directed by a doctor
children	ask a doctor

under 6 years

## Other information

- store between 20-25°C (68-77°F)
- **do not use if blister unit is torn or broken**

## Inactive ingredients

carnauba wax, hypromellose, magnesium stearate, powdered cellulose, pregelatinized starch, sodium starch glycolate

**Questions or comments?** Call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

## PRINCIPAL DISPLAY PANEL

**325 mg**

**NDC 50580-475-11**

To re-order reference the NDC Code

**TYLENOL®**

**Acetaminophen** Pain Reliever - Fever Reducer

**Regular Strength**

FOR HOSPITAL USE ONLY. NOT FOR HOUSEHOLD USE.  
PACKAGE IS NOT CHILD-RESISTANT.

100 Caplets


325 mg each

10 Blister Cards

with

10 Individual Blisters

SMART PACKAGING  
DESIGNED FOR HEALTH  
CARE PROFESSIONALS



## TYLENOL REGULAR STRENGTH

acetaminophen tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-475
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

## Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	TYLENOL;325
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-475-11	10 in 1 CARTON	08/30/2025	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50580-475-50	1 in 1 CARTON	08/30/2025	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:50580-475-10	1 in 1 CARTON	08/30/2025	
3		1000 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/30/2025	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 8/2025

Kenvue Brands LLC