ONIADBA 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil 5% liquid Shenzhen Boyimei Technology Co., Ltd.

85992-001 ONIADBA 5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5% Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair and beard

Keep out of reach of children.

For external use only.

Your hair loss is sudden or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse your eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse your eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

Keep out of reach of children.lf swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222) right away.

- 1. Make sure your hair and scalp are completely dry before applying. (No need to wash your hair beforehand.)
- 2. Apply 3-4 sprays directly to the target area of the scalp.
- 3. Gently massage the product into your scalp or thinning areas until fully absorbed.
- 4. For best results, use consistently to boost and maintain hair regrowth, Stopping treatment may lead to hair loss returning.

Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexpanthenol, Water

	_		Maria de Caración Caración de
Drug Facts Active Ingredient Minicald 5% w/w M	DIRECTIONS FOR USE Check out the information brochure for tips on how to use this product and get the best results!	5% Minoxidil Spray	Minoxidil Spray 5% Minoxidil with Biotin Unscented
Warnings Note out of results of diabres. For salemed last oxyl, For	Step 1 Make sure your hair and scalp are completely dry before	with Biotin	EASY-TO-USE USE TWICE DAILY
Do Not Use This Product II: "You have less as subcourse of public," "You have less as subcoursed with violations. "You have less as subcoursed with violations. "You are raised in System of Jangs, Do not use on less less and orderen. "You are raised if System of Jangs, Do not use on less less and orderen. "You are raised in System of Jangs, Do not use on less less and orderen. "You are raised in System of Jangs, Do not use on less less and orderen. "You are raised in System of Jangs, Do not use on less less and orderen.	applying. (No need to wash your hair before hand.)	A BEST RESUL	
When Using **A work ordered all the the year, it case of accidental context, may your eyes with large amounts of cool top water, *-forme popels have seprement damages in his color and/or feature. *-forme popels have seprement damages and a formed with more and you apage, For some men, you may need be to see the product of a fase of more the feature or to see a day usage, For some men, you may need be to see the product of all seed of more the feature or some needs. The amount of nair regionsh is *-Acot context with eyes, it is used of accessfrom context, men you eyes was faseger amount of only swelf	Step 2 Apply 3-4 sprays directly to the target area of the scalp.	Extra Strength Hair Regrowth Treatment USE TWICE DAILY * Clinically Proven to Help Regrow Hair PROPERTY TO BERMATOLOGIST	
Stop use and ask a doctor if "Chet pain, registerment, discriment occurs, "Budden, unexplained weight gain occurs, "Budden, unexplained weight gain occurs, "I you do not see her regreem in in 6 months,	Step 3 Gently massage the product into your scalp or thinning areas until fully absorbed,	* Clinically Proven to Help Regrow Hair * Reactivates Hair Follicles * RECOMMENDED	Minoxidil o
Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	31000 3111111311, 300013001	* Stimulates Hair Growth ACTIVE INGREDIENT	Spray with Biotin
Directions 1. Make are you hair and scale are completely dry before applying, this need to wash your hair beforehand.) 2.Apply 3—4 apply storedly but the largest area of the scale. 3.Gently massage the product into your scale or thinning areas wall fully abouted.	Step 4 For best results, use consistently to boost and maintain hair regrowth		For MEN & WOMEN
4.4" or but results, use consistently to boost and maintain hair regrowsh. Stopping treatment may lead to hair boss neturning. Other information Better use, met all information on the carton and the endosed leafer, Store at a controlled room temperature of 5°C to 35°C (4°F 16° 56°F). Do not incrinerable the container, bord expense to heat or since at at temperatures above 40°C (164°F).	Stopping treatment may lead to hair loss returning. Distributor: Shenzhen Boymei Technology Co., Ltd.	For MEN & WOMEN 4 Month Supply	1 X 40mi (2.03 oz) Cans
Inactive ingredients Butylene Glycot, Glycerin, Alcohol, Castor oil, Dexpanthenol, Water	Address: Room 7021, Baode Industrial Center, Lixin South Road, Hualde Community, Fuyong Street, Baoan District, Shenzhen,	4 x 60ml / TOTAL 8.12 OZ	
Questions? onladbaservice@126.com	Guangdong, China Made IN PRC		4 X 60ml (2.03 oz) Cans TOTAL 240 ml (8.12 OZ)

ONIADBA 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM

minoxidil 5% liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85992-001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	0.05 g in 1 mL	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.005 g in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
DEXPANTHENOL (UNII: 106C93RI7Z)			
CASTOR OIL (UNII: D5340Y2I9G)			
ALCOHOL (UNII: 3K9958V90M)			
WATER (UNII: 059QF0KO0R)			
GLYCERIN (UNII: PDC6A3C0OX)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85992-001- 01	4 in 1 PACKAGE	07/10/2025	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	07/10/2025	

Labeler - Shenzhen Boyimei Technology Co., Ltd. (979497977)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shenzhen Boyimei Technology Co., Ltd.		979497977	manufacture(85992-001)	

Revised: 7/2025 Shenzhen Boyimei Technology Co., Ltd.