

**ANTI-DIARRHEAL- loperamide hcl tablet**  
**WinCo Foods, LLC**

-----  
**Winco 44-375**

***Active ingredient (in each caplet)***

Loperamide HCl 2 mg

***Purpose***

Anti-diarrheal

***Use***

controls symptoms of diarrhea, including Travelers' Diarrhea

***Warnings***

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death.

**Do not use**

if you have bloody or black stool.

**Ask a doctor before use if you have**

- a fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Loperamide may interact with certain prescription drugs.

**When using this product,**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34-47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

**Other information**

- store between 20°-25°C (68°-77°F)
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide

**Questions or comments?**

**Call 1-800-824-1706** Monday-Friday 9am - 4pm MST

**Principal Display Panel**

†Compare to the active ingredient in IMODIUM® A-D

**WinCo®**  
**FOODS**

**Anti-Diarrheal**

LOPERAMIDE HCl TABLETS, 2 mg/  
ANTI-DIARRHEAL  
Controls the Symptoms of Diarrhea

**12**

Caplets\*

\*Capsule-Shaped Tablets

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

**DISTRIBUTED BY:**

WINCO FOODS, LLC,  
BOISE, ID 83704

1. To open, tear  
at perforations and  
remove a section.

2. Use ✂ to cut  
through plastic  
for caplet.

**100% SATISFACTION GUARANTEE**

Comments &amp; Questions?

800-824-1706 • [www.wincofoods.com](http://www.wincofoods.com)

†This product is not manufactured or distributed  
by JOHNSON & JOHNSON CORPORATION,  
distributor of IMODIUM® A-D.  
50844 REV0619B37502

**Drug Facts (continued)**  
 ■ store between 20°-25°C (68°-77°F) ■ see end flap for expiration date and lot number  
**Inactive ingredients** corn starch, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide  
**Questions?** Call 1-800-824-1706 Monday-Friday 9am-4pm MST

**Drug Facts (continued)**  
**Warnings**  
 Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.  
 Heart alert: Taking more than directed can cause serious heart problems or death.  
 Do not use if you have bloody or black stool.  
 Ask a doctor before use if you have ■ a fever ■ mucus in the stool ■ a history of liver disease ■ a history of abnormal heart rhythm  
 Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.  
 When using this product, tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.  
 Stop use and ask a doctor if ■ symptoms get worse ■ diarrhea lasts for more than 2 days ■ you get abdominal swelling or bulging. These may be signs of a serious condition.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea  
 ■ find right dose on chart. If possible, use weight to dose; otherwise, use age.  
 adults and children 12 years and over  
 2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours  
 children 9-11 years (60-95 lbs)  
 1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours  
 children 6-8 years (48-59 lbs)  
 1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours  
 children 2-5 years (34-47 lbs)  
 ask a doctor  
 children under 2 years (up to 33 lbs)  
 do not use  
**Other information**  
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

**Drug Facts**  
**Active ingredient (in each caplet)** Loperamide HCl 2 mg  
 Loperamide HCl 2 mg .....Anti-diarrheal  
**Purpose** Anti-diarrheal  
**Use** controls symptoms of diarrhea, including Travelers' Diarrhea

†Compare to the active ingredient in IMODIUM® A-D

**WinCo FOODS**

# Anti-Diarrheal

LOPERAMIDE HCl TABLETS, 2 mg/  
 ANTI-DIARRHEAL

Controls the Symptoms of Diarrhea

12



2. Use  $\frac{3}{8}$ " to cut through plastic for caplet.



1. To open, tear at perforations and remove a section.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**100% SATISFACTION GUARANTEE**  
 Comments & Questions?  
 800-824-1706 · www.wincofoods.com

**DISTRIBUTED BY:**  
 WINCO FOODS, LLC,  
 BOISE, ID 83704

B-2150-375-02  
 REV0619B37502

†This product is not manufactured or distributed by JOHNSON & JOHNSON CORPORATION, distributor of IMODIUM® A-D.

No Print/No varnish  
 Lot & Exp date

50844 REV0619B37502 WF2210

0 70552 24157 2



## Winco 44-375

### ANTI-DIARRHEAL

loperamide hcl tablet

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-335
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LOPERAMIDE HYDROCHLORIDE</b> (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

#### Product Characteristics

<b>Color</b>	green	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	44;375
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-335-18	2 in 1 CARTON	02/08/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076497	02/08/2019	

**Labeler** - WinCo Foods, LLC (056098817)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(67091-335) , pack(67091-335)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(67091-335)

Revised: 3/2025

WinCo Foods, LLC