

**LAXOMIL- bisacodyl 5mg tablet, coated**  
**Pharmadel LLC**

-----

**Laxomil (HHH)**

***Drug Facts***

***Active ingredients and Purposes***

<b><i>Active ingredients (in each tablet)</i></b>	<b><i>Purpose</i></b>
Bisacodyl 5 mg .....	Stimulant laxative

***Use***

For relief of occasional constipation (irregularity). This product generally produces bowel movement in 6 to 12 hours.

***Warnings***

**Do not use**

- if you cannot swallow without chewing. These tablets should not be chewed because gastric irritation may occur.

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks

**When using this product**

- take this product 2 hours before or after other drugs
- do not take this product within 1 hour after taking an antacid or milk

**Stop use and ask a doctor if**

- you need to use for more than 7 days
- rectal bleeding occurs
- you fail to have a bowel movement after use of a laxative. This may indicate a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with plenty of water
- do not chew or crush tablet(s)

---

**Age**

adults and children 12 years and older  
children 6 to under 12 years  
children under 6 years

**Dose**

take 1 to 3 tablets in a single dose, once a day  
take 1 tablet once a day  
consult a doctor

---

**Other information**

- store between 68-77°F (20-25°C)
- do not use if seal under cap is torn, broken or missing

**Inactive ingredients**

D&C yellow #10, FD&C yellow #6, hypromellose, magnesium stearate, maltodextrin, methacrylic acid, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium starch glycolate type A, talc, titanium dioxide, triethyl citrate, water

**Questions?**

**+1-866-359-3478** (M-F) 9 AM - 5 PM EST or [www.pharmadel.com](http://www.pharmadel.com)

**Dist. by/ por:**

**Pharmadel LLC**

New Castle, DE 19720

**+1-866-359-3478**

[www.pharmadel.com](http://www.pharmadel.com)

NDC55758-504-01

# Laxomil™

## Stimulant Laxative

Bisacodyl,  
5mg Tablets



Relief in  
**6-12 Hours**

**24** Coated  
Tablets

### LAXOMIL

bisacodyl 5mg tablet, coated

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-504
Route of Administration	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I3O)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>WATER</b> (UNII: 059QF0KO0R)	

METHACRYLIC ACID (UNII: 1CS02G8656)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	B5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-504-01	1 in 1 CARTON	07/10/2025	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/10/2025	

Labeler - Pharmadel LLC (030129680)

