

# OMEPRAZOLE MAGNESIUM- omeprazole magnesium capsule, delayed release

## Chain Drug Consortium, LLC

-----

### Active ingredient (in each capsule)

\*Omeprazole delayed-release capsules 20 mg  
(equivalent to 20.6 mg omeprazole magnesium)

### Purpose

Acid reducer

### Use

- treats frequent heartburn (occurs ***2 or more*** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

### Warnings

#### Allergy alert:

- Do not use if you are allergic to omeprazole
- Omeprazole may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use if you have

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

#### Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

#### Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

### **Stop use and ask doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

#### **14-day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush capsules.

#### **Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

### **Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77° F) and protect from moisture

### **Inactive ingredients**

black iron oxide, dibasic calcium phosphate, gelatin, glyceryl monostearate, hypromellose 3 cps, magnesium oxide, magnesium stearate, methacrylic acid copolymer dispersion, methacrylic acid copolymer Type B, microcrystalline cellulose, polysorbate 80, potassium hydroxide, propylene glycol, red iron oxide, shellac, silicon dioxide, sodium lauryl sulphate, sugar spheres, talc, titanium dioxide, triethyl citrate

## Questions

Call **1-888-375-3784**

### Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

### Carton Label

Premier Value\*

Compare to the active ingredient in Prilosec OTC®\*\*

Treats Frequent Heartburn!

Omeprazole

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER 24HR

14 Capsules (Safety Sealed)

One 14-Day Course of Treatment

May take 1 to 4 days for full effect



**Drug Facts**

**Active ingredient (in each capsule)** Purpose  
 \*omeprazole delayed-release capsule 20 mg (equivalent to 30 mg omeprazole magnesium) Acid reducer

**Use**

- Treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:**

- omeprazole may cause severe skin reactions. Symptoms may include: skin redness, blisters, or rash
- if an allergic reaction occurs, stop use and seek medical help right away

**Do not use if you have:**

- ulcers or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or sudden pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness, frequent chest pain

**Tell your doctor before use if you have:**

- had heartburn over 3 months. This may be a sign of a more serious condition
- trouble swallowing, or difficulty with heartburn
- unexplained weight loss, nausea or vomiting, stomach pain

**Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.**

**Stop use and ask a doctor if:**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**Drug Facts (continued)**

**Directions**

- you need to take more than 1 course of treatment every 4 months if you get diarrhea
- if you develop a rash or joint pain
- if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not crush or crush capsules.
- finish each 14-day course if needed
- you may repeat a 14-day course every 4 months unless directed by a doctor
- crashes occur 15 years of age, see a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20 to 25°C (68 to 77°F) and protect from moisture

**Inactive ingredients**

black iron oxide, fibrous calcium phosphate, gelatin, glyceryl monostearate, hypromellose 1 cps, magnesium oxide, magnesium stearate, methacrylic acid copolymer dispersion, methylacrylate acid copolymer Type B, microcrystalline cellulose, polybutyl sebacate, polybutyl sebacate, polybutyl sebacate, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

**Questions or comments?** call 1-888-375-3784



Premier Value®

**Omeprazole**

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER

1 BOTTLE INSIDE

1 BOTTLE INSIDE

Compare to the active ingredient in Prilosec OTC™

Treats Frequent Heartburn!  
See current Drug Facts

**Omeprazole**

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER

24 HR

actual size

**14 Capsules (Safety Sealed)**  
One 14-Day Course of Treatment  
May take 1 to 4 days for full effect

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight lose weight
- Quit smoking

**TAMPER EVIDENT:** Do not use if foil seal under cap printed with "sealed for your protection" or pink band around center of capsule is broken or missing.

**IMPORTANT:** Read the directions and warnings before use. Keep the carton. It contains important information.

\*This product is not manufactured or distributed by Pharmacia & Upjohn, distributor of Prilosec OTC. Prilosec OTC® is a registered trademark of Amnigen Inc.

Made in India

Distributed By: Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue, Wayne, PA 19087

150092442 Rev 03/23

LOT

EXP



Rev: 03/23

LOT  
EXP

1

**Bottle Label**

Premier Value®

Treats Frequent Heartburn!

Omeprazole

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER 24 HR

14 Capsules(Safety Sealed)

One 14-Day Course of Treatment

May take 1 to 4 days for full effect

**Premier Value®** Treats Frequent Heartburn!

**Omeprazole**

DELAYED-RELEASE CAPSULES, 20 mg\*

ACID REDUCER 24 HR

**14 Capsules (Safety Sealed)**  
One 14-Day Course of Treatment  
May take 1 to 4 days for full effect

**IMPORTANT:** This label does not contain full product information. See carton for complete information. Read all warnings and directions on carton before use. Retain carton for reference.

**Active ingredient Purpose (in each capsule)**

\*Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium).....reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Other Information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

**Questions? call 1-888-375-3784**

**TAMPER EVIDENT:** Do not use if foil seal under cap printed with "Sealed for your protection" or pink band around center of capsule is broken or missing.

Distributed By: Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue, Wayne, PA 19087  
Made in India

150092442 Rev 03/23

LOT

EXP

omeprazole magnesium capsule, delayed release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-760(NDC:55111-397)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OMEPRAZOLE MAGNESIUM</b> (UNII: 426QFE7XLK) (omeprazole - UNII:KG60484QX9)	omeprazole	20 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>Gelatin</b> (UNII: 2G86QN327L)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>HYPROMELLOSE 2208 (3 MPA.S)</b> (UNII: 9H4L9160BU)	
<b>Magnesium Oxide</b> (UNII: 3A3U0GI71G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:2)</b> (UNII: 5KY68S2577)	
<b>Methacrylic Acid - Ethyl Acrylate Copolymer (1:1) Type A</b> (UNII: NX76LV5T8J)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>RAW SUGAR</b> (UNII: 8M707QY5GH)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>Sodium Lauryl Sulfate</b> (UNII: 368GB5141J)	

### Product Characteristics

<b>Color</b>	WHITE, PINK	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	OMP20
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:68016-760			

1	NDC:68016-760-14	1 in 1 CARTON	01/01/2016	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68016-760-28	2 in 1 CARTON	01/01/2016	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:68016-760-42	3 in 1 CARTON	01/01/2016	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078878	01/01/2016	

**Labeler** - Chain Drug Consortium, LLC (101668460)

Revised: 7/2025

Chain Drug Consortium, LLC