

**MAXIMUM STRENGTH TUSSIN DM LIQUID FILLED SOFTGELS-
dextromethorphan hbr, guaifenesin capsule, liquid filled
AptaPharma Inc.**

AP SAFE Chest Congestion & Cough Relief DM

Drug Facts

***Active ingredients
(per Softgel)***

Dextromethorphan HBr10 mg
Guaifenesin200 mg

Purposes

Dextromethorphan HBrCough Suppressant
GuaifenesinExpectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask a doctor if

- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 12 softgels in any 24-hour period
- This product is not intended for use in children under 12 years

- Adults & children 12 years and over - 2 softgels every 4 hours
- Children under 12 years of age - do not use

Other information

- Store at room temperature
- Avoid excessive heat above 40°C (104°F)

Inactive ingredients

FD&C Red #40, Gelatin, glycerin, Polyethylene glycol, Povidone, Propylene glycol, purified water,
Sorbitol sorbitan solution, Titanium dioxide

Questions? 1-877-798-5944

Product Label: AP SAFE Chest Congestion & Cough Relief DM

AP SAFE[®] Chest Congestion
the active ingredients

*Compare to

& Cough Relief DM
Robitussin[®] Maximum Strength

In

Congestion DM

Cough & Chest

Dextromethorphan HBr - Cough suppressant
Guaifenesin - Expectorant

Ages 12+

20 Softgels

Manufactured by AptaPharma Inc.,

1533 Union Ave., Pennsauken, NJ 08110

• This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin[®] Maximum Strength Cough & Chest Congestion DM

**TAMPER EVIDENT:DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS
TORN,
BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT
INFORMATION.**

Do not use if blisters are torn or open

Drug Facts

Active Ingredients (per softgel)	Purposes
Dextromethorphan HBr 10 mg	Cough Suppressant
Guaifenesin 200 mg	Expectorant

Uses

- Helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not take more than 12 softgels in any 24-hour period
- This product is not intended for use in children under 12 years
- Adults & children 12 years and over – 2 softgels every 4 hours
- Children under 12 years of age – do not use

Other information

- Store at room temperature
- Avoid excessive heat above 40 °C (104 °F)

Inactive ingredients
FD&C Red # 40, Gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol sorbitan solution, Titanium dioxide

Questions? 1-877-799-5944

TRANSFER EVIDENCE: DO NOT USE IF COUGH RELIEF IS NOT AS EFFECTIVE AS UNIT IS TOUGH. BRISKEN OR SHOWS ANY SIGNS OF TAMPERING. KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*This product is not manufactured or distributed by your Consumer Healthcare Group. For more information, visit us at www.AprPharma.com. Maximum Strength Cough & Chest Congestion DM

Manufactured by: AprPharma Inc., 1033 Union Ave., Pennsauken, NJ 08110

Chest Congestion & Cough Relief DM
Maximum Strength

NDC 76281-601-02

AP SAFE®

*Compare to the active ingredients in Robitussin® Maximum Strength Cough & Chest Congestion DM

Chest Congestion & Cough Relief DM

Dextromethorphan HBr - Cough Suppressant
Guaifenesin - Expectorant

Maximum Strength

- Quiets Cough
- Gets rid of phlegm
- Makes cough productive

Actual Size
20 Softgels

Ages 12+

AP-0X-17

76281-60102

res

MAXIMUM STRENGTH TUSSIN DM LIQUID FILLED SOFTGELS

dextromethorphan hbr, guaifenesin capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76281-601
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	

GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	601
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76281-601-02	2 in 1 CARTON	01/01/2026	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2026	

Labeler - AptaPharma Inc. (790523323)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(76281-601)

Revised: 5/2026

AptaPharma Inc.