OB COMPLETE ONE- fish oil, doconexent, icosapent, calcium ascorbate, cholecalciferol, .alpha.-tocopherol acetate, d-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium threonate, calcium malate, calcium carbonate, iron, ferrous asparto glycinate, potassium iodide, magnesium oxide, zinc oxide, and cupric sulfate capsule, liquid filled

Vertical Pharmaceuticals, LLC

OB Complete[®] One

SUPPLEMENT FACTS

Supplement Facts

Serving Size: 1 Softgel Capsule Servings Per Container: 30

	Amount per Serving	% DV for Pregnant and Lactating Women	
Calories	5	111-2	
Total Fat	0.5 g	<1% [‡]	
Vitamin C (as Calcium Ascorbate)	70 mg	58%	
Vitamin D (as Cholecalciferol)	30 mcg (1,200 IU)	200%	
Vitamin E (as d-Alpha Tocopherol)	20 mg* (30 IU)	105%	
Thiamin (as Thiamine Mononitrate)	2 mg	143%	
Riboflavin	4 mg	250%	
Niacin (as Niacinamide)	10 mg NE	56%	
Vitamin B ₆ (as Pyridoxine HCI)	30 mg	1500%	
Folate	1667 mcg DFE (Folic Acid 1000 mcg)	278%	
Vitamin B12 (as Cyanocobalamin)	50 mcg	1786%	
Biotin	200 mcg	571%	
Calcium (as Calcium Carbonate, Dim	a-Cal	84 	
Di-Calcium Malate**, and Calcium Th	4%		
Iron (as Ferronyl [®] Carbonyl Iron 40 mg and			
Sumalate [®] *** Ferrous Asparto Glycin	1000000	185%	
Iodine (as Potassium Iodide)	150 mcg	52%	
Magnesium (as Magnesium Oxide)	25 mg	6%	
Zinc (as Zinc Oxide)	15 mg	115%	
Copper (as Cupric Sulfate)	1 mg	77%	
Purified Fish Oil	476 mg	†	
DHA (Docosahexaenoic Acid)	300 mg	t	
EPA (Eicosapentaenoic Acid)	40 mg	1	
* Equal to mg alpha-tocopherol † Daily Value (DV) not established ‡ Percent Daily Values (DV) are based on a 2,000 calorie diet			

Other Ingredients: Gelatin, Glycerin, Yellow Bees Wax, Purified Water, Lecithin (Soybean Oil), Natural Cream Orange Flavor, Titanium Dioxide, Ethyl Vanillin, FD&C Red #40, FD&C Blue #1.

CONTAINS: SOY AND FISH (ANCHOVIES, MACKEREL, SARDINES, TUNA) GLUTEN-, LACTOSE- AND SUGAR-FREE

OB Complete® One is a prescription multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

CONTRAINDICATIONS

OB Complete® One should not be used by patients with a known hypersensitivity to any of the listed ingredients including soy and fish oil.

WARNINGS

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B_{12} is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic tests (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

DRUG INTERACTIONS

OB Complete® One softgels are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

DESCRIPTION

OB Complete[®] One is an oblong-shaped purple softgel, imprinted "VP044".

DIRECTIONS FOR USE

One softgel by mouth daily or as directed by a physician.

HOW SUPPLIED

OB Complete® One is supplied in a carton of 30 capsules, packaged in 3 child resistant unit-dose blister cards of 10 softgels per card.

Product Code: 68025-044-30

STORAGE

Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.

*DimaCal is a registered trademark of Albion International, Inc.

Malates covered by U.S. Patent No. 6,706,904.

**Sumalate® (Ferrous Asparto Glycinate) is a registered trademark of Albion International, Inc. and is covered by the following patents: U.S. Pat. No. 6,716,814; U.S. Pat. No. 8,007,846 and U.S. Pat. No. 8,425,956.

For use on the order of a healthcare practitioner.

Call your doctor about side effects. To report side effects, call Vertical Pharmaceuticals at 1-770-509-4500 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

PLR-OBCO-00005-3

Rev. 02/2022

Distributed by: Vertical Pharmaceuticals, LLC

Alpharetta, GA 30005



PRINCIPAL DISPLAY PANEL


68025-044-30

OB COMPLETE[®] One

Gluten, Lactose and Sugar-Free

VERTICAL PHARMACEUTICALS, LLC

30 Softgels



OB COMPLETE ONE

fish oil, doconexent, icosapent, calcium ascorbate, cholecalciferol, .alpha.-tocopherol acetate, d-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin,

biotin, calcium threonate, calcium malate, calcium carbonate, iron, ferrous asparto glycinate, potassium iodide, magnesium oxide, zinc oxide, and cupric sulfate capsule, liquid filled

Product Information						
Product Type	DIETARY SUPPLEMENT	Item Code (So	code (Source) NHRIC:6		58025-044	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ing	redient Name		Basis of S	Strength	Strength	
FISH OIL (UNII: XGF7L72M0F) (FISH	I OIL - UNII:XGF7L72M0F)		FISH OIL		476 mg	
DOCONEXENT (UNII: ZAD9OKH9JC	DOCONEXENT (UNII: ZAD9OKH9JC) (DOCONEXENT - UNII:ZAD9OKH9JC)			DOCONEXENT		
ICOSAPENT (UNII: AAN7QOV9EA) (ICOSAPENT - UNII:AAN7QOV9EA) ICOSAPENT				40 mg		
CALCIUM ASCORBATE (UNII: 183	E4W213W) (ASCORBIC ACID -	UNII:PQ6CK8PD0R)	ASCORBIC A	CID	70 mg	
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)			CHOLECALCIFEROL		1200 [iU]	
.ALPHATOCOPHEROL ACETATE, D- (UNII: A7E6112E4N) (.ALPHAALTOCOPHEROL, D UNII:N9PR3490H9)D-			.ALPHATOCOPHEROL, D-		30 [iU]	
THIAMINE MONONITRATE (UNII: 8K0I04919X) (Thiamine ION - UNII:4ABT0J945J)			THIAMINE		2 mg	
RIBOFLAVIN (UNII: TLM29760FR) (RIBOFLAVIN - UNII:TLM29760FR)			RIBOFLAVIN		4 mg	
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)			NIACINAMIDE		10 mg	
PYRIDOXINE HYDROCHLORIDE (UNII:KV2JZ1BI6Z)	UNII: 68Y4CF58BV) (PYRIDOXII	NE -	PYRIDOXINE HYDROCHLO	RIDE	30 mg	
FOLIC ACID (UNII: 935E97BOY8) (Folic Acid - Unii:935E97Boy	8)	FOLIC ACID		1 mg	
CYANOCOBALAMIN (UNII: P6YC3	G204) (CYANOCOBALAMIN - U	JNII:P6YC3EG204)	CYANOCOBA	ALAMIN	50 ug	
BIOTIN (UNII: 6SO6U10H04) (BIOT	IN - UNII:6SO6U10H04)		BIOTIN		200 ug	
CALCIUM THREONATE (UNII: HBE UNII:2M83C4R6ZB)	4YPO93U) (CALCIUM CATION	-	CALCIUM TH	REONATE	5 mg	
CALCIUM MALATE (UNII: D480P74	46DW) (CALCIUM CATION - UNI	I:2M83C4R6ZB)	CALCIUM CA	TION	25 mg	
CALCIUM CARBONATE (UNII: HOC UNII:2M83C4R6ZB)	9379FGK) (CALCIUM CATION -	-	CALCIUM CA	TION	25 mg	
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)			IRON		40 mg	
FERROUS ASPARTO GLYCINATE UNII:GW895810WR)	(UNII: H7426RGB3L) (FERROU	S CATION -	FERROUS CA	ATION	10 mg	
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)		IODIDE ION		150 ug		
MAGNESIUM OXIDE (UNII: 3A3U0	GI71G) (MAGNESIUM CATION -	UNII:T6V3LHY838)	MAGNESIUM	CATION	25 mg	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF	-37)	ZINC CATIO	Ν	15 mg	
CUPRIC SULFATE (UNII: LRX7AJ16	DT) (CUPRIC CATION - UNII:8C	BV67279L)	CUPRIC CAT	ION	1 mg	

Ingredient Name	Strength
YELLOW WAX (UNII: 2ZA36H0S2V)	
SOYBEAN OIL (UNII: 241ATL177A)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
ORANGE OIL (UNII: AKN3KSD11B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

ЕΤ	ETHYL VANILLIN (UNII: YC9ST449YJ)					
FD	&C BLUE NO. 1 (UNI	: H3R47K3TBD)				
Packaging						
#	Item Code	Package Description	Marketing	g Start Date	Mar	keting End Date
1	NHRIC:68025-044-30	3 in 1 CARTON				
1		10 in 1 BLISTER PACK				
Marketing Information						
	Marketing Category	Application Number or Mo Citation	nograph	Marketing St Date	tart	Marketing End Date
DIE	TARY SUPPLEMENT			12/31/2010		

Supplement Facts				
Serving Size :		Serving per Container :		
	Amount Per Serving	% Daily Value		
color				
flavor				
imprint				
scoring	1			
shape				
size (solid drugs)	23 mm			

Labeler - Vertical Pharmaceuticals, LLC (173169017)

Revised: 2/2022

Vertical Pharmaceuticals, LLC