

EXTRA STRENGTH PRETAT- lidocaine hcl gel
ridge properties

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Directions - *Test skin for sensitivity prior to use & discontinue if sensitivity occurs. Apply thick even layers every 3-5 minutes until desired level of pain relief is reached. Do not use near the eyes.*

Inactive Ingredients: Propylene Glycol, Water, Kava Kava, Copaiba Balsam, Acrylates C10-30 Alkyl Acrylate Crosspolymer, Benzyl Alcohol

Uses - *For temporary relief of tattoo pain*

WARNING - KEEP OUT OF REACH OF CHILDREN, FOR EXTERNAL USE ONLY, NOT FOR USE AROUND THE EYES. IF INGESTED SEEK MEDICAL HELP OR CALL POISON CONTROL IMMEDIATELY.

Active Ingredient:
Lidocaine HCL - 4%

Purpose:
Topical Anesthetic

Warning: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. NOT FOR USE AROUND THE EYES. IF INGESTED SEEK MEDICAL HELP OR CALL A POISON CONTROL CENTER IMMEDIATELY. Stop use and ask a doctor if skin becomes irritated, condition worsens, symptoms last longer than 7 days or if symptoms clear up and then return within a few days.

PRE-TAT

By TAT BALM

3 in 1 Pre Tattoo Numbing

For a Pleasurable Tattoo Experience

Drug Facts: For Professional Use Only **FDA Registered** - NDC # 69804-019-16

Purpose: Topical Anesthetic

Uses: For Temporary Relief Of Topical Pain

WARNING: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. NOT FOR USE AROUND THE EYES. IF INGESTED SEEK MEDICAL HELP OR CONTACT POISON CONTROL IMMEDIATELY.

Stop use and ask a doctor if skin becomes irritated, condition worsens, or symptoms clear up and then reoccur within a few days.

Directions: Testis skin for sensitivity prior to use. Apply thick layers every 3-5 minutes until desired level of pain relief is reached. Discontinue use if sensitivity occurs. Not for use on or near the eyes.

**4 Ounce
Liquid Gel**

Do not use if you have any known allergy to any of the ingredients in this product. Discontinue use and seek medical attention should any occur

Active Ingredient:

Lidocaine HCL

4%

Other Information: This product is manufactured, packed, and distributed by Pain Relief Naturally. In the event of a serious adverse reaction please call 1 (877) 906-4806 or write us at 4995 Ridge DR NE, Salem, OR, 97301

Inactive Ingredients:

Propylene Glycol, Water, Kava Kava, Copaiba Balsam, Acrylates C10-30 Alkyl Acrylate Crosspolymer, Benzyl Alcohol



WWW.NUMBIFY.COM

EXTRA STRENGTH PRETAT

lidocaine hcl gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69804-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1000 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	20 mg in 1000 mg
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	689 mg in 1000 mg

BENZYL ALCOHOL (UNII: LKG8494WBH)	10 mg in 1000 mg
COPAIBA OIL (UNII: 64VX45Y68N)	180 mg in 1000 mg
PIPER METHYSTICUM ROOT (UNII: BOW48C81XP)	11 mg in 1000 mg
WATER (UNII: 059QF0KO0R)	50 mg in 1000 mg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69804-019-14	28350 mg in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	08/17/2016	
2	NDC:69804-019-15	56699 mg in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	08/17/2016	
3	NDC:69804-019-16	113398 mg in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	08/17/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/17/2016	

Labeler - ridge properties (029478762)

Establishment

Name	Address	ID/FEI	Business Operations
Ridge Properties		029478762	manufacture(69804-019)

Revised: 6/2020

ridge properties