-----

# **Drug Facts**

#### Active Ingredient

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage Instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- Expiration Date: See package.

#### **Inactive Ingredients**

Simmondsia Chinensis (Jojoba) Seed Oil, Origanum Syriacum (Oregano) Oil, Eucalyptus Globulus Leaf Oil, Melaleuca Leucadendron Cajaputi (Cajeput)Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Rosmarinus Officinalis (Rosemary) Leaf Oil, Cinnamomum, Camphora (Camphor) Bark Oil.

Questions? US/Canada Toll Free 1 (800) 574-5850

Distributor: Steel City Health Pvt Ltd

#### Active Ingredient

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- · Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage Instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- · Expiration Date: See package.

#### Inactive Ingredients

Simmondsia Chinensis (Jojoba) Seed Oil, Origanum Syriacum (Oregano) Oil, Eucalyptus Globulus Leaf Oil, Melaleuca Leucadendron Cajaputi (Cajeput)Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Rosmarinus Officinalis (Rosemary) Leaf Oil, Cinnamomum, Camphora (Camphor) Bark Oil.

Questions? US/Canada Toll Free 1 (800) 574-5850

#### **Active Ingredient**

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- Expiration Date: See package.

#### **Inactive Ingredients**

#### **Active Ingredient**

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- Expiration Date: See package.

#### **Inactive Ingredients**

#### **Active Ingredient**

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- Expiration Date: See package.

#### **Inactive Ingredients**

#### **Active Ingredient**

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- Expiration Date: See package.

#### **Inactive Ingredients**

#### Active Ingredient

**Purpose** 

Tolnaftate 1% ...... Antifungal

#### Usage

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis).
- · Helps prevent most athlete's foot with daily use.

#### Warnings

For external use only. When using this product: avoid contact with eyes. Stop use and ask a doctor if: irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm.

#### Keep out of reach of children:

Do not use on children under 2 years of age unless directed by a doctor. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Clean the affected area and dry thoroughly. Apply a thin layer over affected area twice daily (morning and night).

#### Storage Instructions

- Store at 20° to 25°C (68° to 77°F).
- Protect from excessive heat and direct sunlight.
- · Expiration Date: See package.

#### Inactive Ingredients

Simmondsia Chinensis (Jojoba) Seed Oil, Origanum Syriacum (Oregano) Oil, Eucalyptus Globulus Leaf Oil, Melaleuca Leucadendron Cajaputi (Cajeput)Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Rosmarinus Officinalis (Rosemary) Leaf Oil, Cinnamomum, Camphora (Camphor) Bark Oil.

Questions? US/Canada Toll Free 1 (800) 574-5850

# Cureforte Anti Fungal Foot Care Serum

# TOLNAFTATE 1% ANTIFUNGAL







NET CONTENT 1.01 FL OZ (30mL)

#### **CUREFORTE ANTI FUNGAL FOOT CARE**

anti fungal foot care drops liquid

D		Inform	:
Proc	ILICT	Intorm	ation
	$\omega \in \mathcal{L}$		<b>utivii</b>

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85884-252

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
MELALEUCA CAJUPUTI LEAF OIL (UNII: 5059RMR6DU)		
EUCALYPTUS GLOBULUS LEAF OIL (UNII: 2R040NI662)		
ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL (UNII: 8LGU7VM393)		
JOJOBA OIL (UNII: 724GKU717M)		
CINNAMOMUM CAMPHORA (CAMPHOR) BARK OIL (UNII: 75IZZ8Y727)		
OREGANO LEAF OIL (UNII: 7D0CGR40U1)		
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:85884- 252-01	1 in 1 BOTTLE, DROPPER	07/21/2025	
1	15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/21/2025	

### Labeler - STEEL CITY HEALTH PRIVATE LIMITED (874138259)

# **Registrant -** Guangdong Aimu Biological Technology Co,Ltd (712647107)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(85884-252)	

Revised: 7/2025 STEEL CITY HEALTH PRIVATE LIMITED