




Hydrocortisone Cream

NDC:

Net wt. 1oz (28.4g)

1%

ANTIPRURITIC (Anti-Itch)
Relieves Itch Fast

*Compare to Cortizone 10 Active Ingredient

Active ingredient

Hydrocortisone 1% Anti-Itch

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

Warnings: For external use only

Do not use • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.

When using this product: • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.

• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop using this product and ask a doctor if: • conditions worsen ▶

Purpose

- symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Adults and children 2 years and older: • apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: • do not use, consult a doctor.

For external and anal itching:

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.
- children under 12 years of age with external anal itching: consult a doctor.

Other information: store at controlled room temperature 20° - 25°C (68° - 77°F)

Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono- and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

版位: 3mm

105mm

10mm



Hydrocortisone Cream

NDC:

Net wt. 1oz (28.4g)

1%

ANTIPRURITIC (Anti-Itch)
Relieves Itch Fast

*Compare to Cortizone 10 Active Ingredient

Active ingredient

Hydrocortisone 1% Anti-Itch

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

Warnings: For external use only

Do not use • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.

When using this product: • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.

• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop using this product and ask a doctor if: • conditions worsen ►

Purpose

- symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Adults and children 2 years and older: • apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: • do not use, consult a doctor.

For external and anal itching:

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.
- children under 12 years of age with external anal itching: consult a doctor.

Other information: store at controlled room temperature 20° - 25°C (68° - 77°F)

Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono- and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

版位: 3mm

105mm

10mm



Hydrocortisone Cream

NDC:

Net wt. 1oz (28.4g)

1%

ANTIPRURITIC (Anti-Itch)
Relieves Itch Fast

*Compare to Cortizone 10 Active Ingredient

Active ingredient

Hydrocortisone 1% Anti-Itch

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

Warnings: For external use only

Do not use • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.

When using this product: • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.

• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop using this product and ask a doctor if: • conditions worsen ►

Purpose

- symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Adults and children 2 years and older: • apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: • do not use, consult a doctor.

For external and anal itching:

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.
- children under 12 years of age with external anal itching: consult a doctor.

Other information: store at controlled room temperature 20° - 25°C (68° - 77°F)

Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono- and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

版位: 3mm

105mm

10mm



Hydrocortisone Cream

NDC:

Net wt. 1oz (28.4g)

1%

ANTIPRURITIC (Anti-Itch)
Relieves Itch Fast

*Compare to Cortizone 10 Active Ingredient

Active ingredient

Hydrocortisone 1% Anti-Itch

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

Warnings: For external use only

Do not use • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.

When using this product: • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.

• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop using this product and ask a doctor if: • conditions worsen ►

Purpose

- symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Adults and children 2 years and older: • apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: • do not use, consult a doctor.

For external and anal itching:

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.
- children under 12 years of age with external anal itching: consult a doctor.

Other information: store at controlled room temperature 20° - 25°C (68° - 77°F)

Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono- and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

版位: 3mm

105mm

10mm



Hydrocortisone Cream

NDC:

Net wt. 1oz (28.4g)

1%

ANTIPRURITIC (Anti-Itch)
Relieves Itch Fast

*Compare to Cortizone 10 Active Ingredient

Active ingredient

Hydrocortisone 1% Anti-Itch
Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

Warnings: For external use only

Do not use • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.

When using this product: • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.

• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop using this product and ask a doctor if: • conditions worsen ▶

Purpose

- symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Adults and children 2 years and older: • apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: • do not use, consult a doctor.

For external and anal itching:

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.
- children under 12 years of age with external anal itching: consult a doctor.

Other information: store at controlled room temperature 20° - 25°C (68° - 77°F)

Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono- and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

版位: 3mm

105mm

10mm



Hydrocortisone Cream

NDC:

Net wt. 1oz (28.4g)

1%

ANTIPRURITIC (Anti-Itch)
Relieves Itch Fast

*Compare to Cortizone 10 Active Ingredient

Active ingredient
Hydrocortisone 1% Anti-Itch

Uses
For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema • insect bites • poison ivy • poison oak • poison sumac
- soaps • detergents • cosmetics • jewelry • seborrheic dermatitis
- psoriasis • external feminine, genital and anal itching

Other use of this product should be only under the advice and supervision of a doctor.

Warnings: For external use only
Do not use • for the treatment of diaper rash, consult a doctor. • for external genital itching if you have a vaginal discharge, consult a doctor.
When using this product: • avoid contact with the eyes. • do not begin the use of any other hydrocortisone product unless you have consulted a doctor.
• for external genital, feminine and anal itching do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, stop use, consult a doctor. • do not put this product into the rectum by using fingers or any mechanical device or applicator.
Stop using this product and ask a doctor if: • conditions worsen ▶

Purpose
• symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and do not begin use of any other hydrocortisone product unless directed by a doctor.

Keep out of the reach of children.
If swallowed, get medical help or contact a Poison Control Center immediately.
Directions: Adults and children 2 years and older: • apply to affected area not more than 3 to 4 times daily.
Children under 2 years of age: • do not use, consult a doctor.

For external and anal itching:
• adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly or by patting or blotting with toilet tissue or a soft cloth before application of this product.
• children under 12 years of age with external anal itching: consult a doctor.

Other information: store at controlled room temperature 20° - 25°C (68° - 77°F)

Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Edetate disodium, Methylparaben, Mineral oil, Mono- and di-glycerides, Petrolatum, Polysorbate 60, Propylene glycol, Propylparaben, Purified water, Sorbitan monostearate.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

版位: 3mm

105mm

10mm

FIFTHPULSE HYDROCORTISONE 1OZ

hydrocortisone ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69571-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
PETROLATUM (UNII: 4T6H12BN9U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MINERAL OIL (UNII: T5L8T28FGP)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	105mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69571-014-01	28.4 g in 1 TUBE; Type 0: Not a Combination Product	07/16/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/16/2025	

Labeler - Front Pharmaceutical PLC (530897792)

Registrant - Front Pharmaceutical PLC (530897792)

Establishment

Name	Address	ID/FEI	Business Operations
Front Pharmaceutical PLC		530897792	manufacture(69571-014)

Revised: 7/2025

Front Pharmaceutical PLC