

ALOE UP COCO-MANGO SPF-10- avobenzone, octisalate, octocrylene lotion
Aloe Care International, LLC

ALOE UP - COCO MANGO SPF 10 LOTION (61477-222)

ACTIVE INGREDIENTS

AVOBENZONE (1.0%)

OCTISALATE (3.75%)

OCTOCRYLENE (3.0%)

PURPOSE

SUNSCREEN

USES

- helps prevent sunburn

DIRECTIONS

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
 - children under 6 months: Ask a doctor

KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away.

WARNINGS

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

INACTIVE INGREDIENTS


Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Allantoin, Aloe Barbadensis Leaf Juice, Aluminum Starch Octenylsuccinate, Butylphthalimide, C12-15 Alkyl Benzoate, Camellia Sinensis Leaf Extract, Carbomer, Fragrance, Iodopropynyl Butylcarbamate, Isodecyl Neopentanoate, Isopropylphthalimide, PEG-8, Phenoxyethanol, Polysorbate 20, Polyethylene, Propanediol, Sorbitol, Theobroma Cacao (Cocoa) Seed Butter, Tocopheryl Acetate, Triethanolamine, Trisodium Ethylenediamine Disuccinate, Water

OTHER INFORMATION

- protect this container from excessive heat and direct sun.

QUESTIONS AND COMMENTS?

Call toll free 1-800-950-2563



SPF 10

4 FL OZ (118 mL)

Drug Facts

| Active Ingredients | Purpose |
|---|-----------|
| Avobenzone 1.0% Octisalate 3.75% Octocrylene 3.0% | Sunscreen |

Uses
• helps prevent sunburn

Warnings
Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure
• reapply:
• after 40 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours
• children under 6 months: Ask a doctor

Inactive ingredients
Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Allantoin, Aloe Barbadensis Leaf Juice, Aluminum Starch Octenylsuccinate, Butylphthalimide, C12-15 Alkyl Benzoate, Camellia Sinensis Leaf Extract, Carbomer, Fragrance, Isododecyl Butylcarbamate, Isodecyl Neopentanoate, Isopropylphthalimide, PEG-8, Phenoxyethanol, Polysorbate 20, Polyethylene, Propanediol, Sorbitol, Theobroma Cacao (Cocoa) Seed Butter, Tocopheryl Acetate, Triethanolamine, Trisodium Ethylenediamine Disuccinate, Water

Other information
• protect this product from excessive heat and direct sun

Questions or comments?
Call toll free 1-800-950-2563 • www.aloeup.com

**BASED WITH 35% PURE ALOE VERA GEL • REEF FRIENDLY
COCONUT MANGO FRAGRANCE • ALCOHOL & MINERAL OIL FREE
PHTHALATE FREE • NON-COMEDOGENIC**

Infused with
ALOE VERA GEL,
COCOA BUTTER,
TEA TREE OIL
& VITAMIN E



©2009 Aloe Up! International, LLC. All rights reserved. MFG for ALOE UP! - Mfg. in MINN 55344 - MADE IN USA

ALOE UP COCO-MANGO SPF-10

avobenzone, octisalate, octocrylene lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:61477-222 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 1 g in 100 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 3.75 g in 100 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 3 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO) | |
| ALLANTOIN (UNII: 344S277G0Z) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294) | |
| BUTYLPHTHALIDE (UNII: 822Q956KGM) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| CAMELLIA SINENSIS WHOLE (UNII: C5M4585ZBZ) | |
| CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC) | |
| IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB) | |
| ISODECYL NEOPENTANOATE (UNII: W60VYE24XC) | |
| ISOPROPYLPHTHALIMIDE (UNII: 1J1MM83329) | |
| POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| SORBITOL (UNII: 506T60A25R) | |
| COCOA BUTTER (UNII: 512OYT1CRR) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:61477-222-14 | 118 mL in 1 TUBE; Type 0: Not a Combination Product | 02/18/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 02/18/2019 | |

Labeler - Aloe Care International, LLC (938242187)