# SUN DEFENSE CANYON RANCH- titanium dioxide, octinoxate emulsion CA-Botana International

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Sunscreen Sun Defense Lotion CanyonRanch

## **Active Ingredient**

Titanium Dioxide 5%......Sunscreen
Octinoxate 4%.....Sunscreen

## Purpose

Sunscreen

#### **Ask Doctor**

Stop use and ask a doctor if rash occurs

## Keep out of rech of children

Keep out of reach of children

## **Inactive Ingredients**

Water (Aqua), Glycerine, Glyceryl stearate SE, Cetearyl isononanoate, Coco caprylate, Prunus amygdalus dulcis (Sweet Almond) oil, Mica, Caprylic/Capric triglyceride, Cetyl alcohol, Propanediol, Alanine, Aloe barbadensis leaf extract, Arginine, Ascorbic acid, Ascorbyl palmitate, Bisabolol, Cocos nucifera (Coconut) oil, Glycine, Helianthus annuus (Sunflower) seed oil, Niacin, Olea europaea (Olive) leaf, Panthenol, Phospholipids, Potassium sorbate, Proline, Pentylene glycol, Prunus amygdalus dulcis (Sweet Almond) oil, Rosa canina (Rosehip) oil, Rosmarinus officinalis leaf (Rosemary), Sodium hyaluronate, Sodium citrate, Sorbitan monostearate, Tetrasodium EDTA, Tocopherol, Urea, Vitis vinifera (Grape) seed, Xanthan gum, Citric acid, Ethylhexylglycerin, Phenoxyethanol

#### Safety information

Protect this product from excessive heat and direct sun

#### Dosage & Administration

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Usea water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protections measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and othe sun protection measures including: limit time in the sun, specially from 10 a.m.- 2 p.m Wear long-sleeveshirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun.

#### Warnings

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. If product is swallowed get medical help or contact a poison Control Center right away.

## **Indications & Usage**

Apply liberally 15 minutes before exposure, use water resistant sunscreen, if swimming or sweating. reapply at least every 2 hours. Children under 6 months: ask a doctor

## Package label

Play outside. Be generous.
Protect yourself.

sun defense lotion

broad spectrum SPF 30

473 ml  $\Theta$  16 fl oz

**Drug Facts** 

Active ingredients

Purpose

itanium Dioxid Octinoxate 4%.

nt sunburn • if used as directed with

Warnings

 for external use only
 Do not use on damaged or broken skin
 When using this product keep out of eyes.
 Rinse with water to remove.
 Stop use and ask a doctor if rash occurs
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months: Ask a doctor • Sun protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients: Water (Aqua), Glycerine Glyceryl stearate SE, Cetearyl Isononanoate, Coco Caprylate, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Mica Caprylic/Caprie Tiglyceride, Cetyl Alcohol, Propanediol, Alanine, Aloe Barbadensis Leaf Extract, Arginine, Ascorbi Acid, Ascorbyl Palmitate, Bisabolol, Cocos Nucifera (Coconut) Oil, Glycine, Hellanthus Annuus (Sunflower) Seed Oil Niacin, Olea Europaea (Olive) Leaf Extract, Panthenol, Phospholipids, Potassium Sorbate, Proline, Pentylene Glycol Prunus Amygdalus Dulcis (Sweet Almond) Oil, Rosa Canine (Rosehip) Oil, Rosmarinus Officinalis Leaf (Rosemary) Exact CO2, Sodium Hyaluronate, Sodium Citrate, Sorbitar Monostearate, Tetrasodium EDTA Tocopherol, Urea, Vitis Vinifera (Grape) Seed Extract, Xanthan Gurn, Citric Acid, Ethylhexylglycerin, Phenoxyethanol.

Other information • Protect this product from excessive heat and direct sun

CR Operating, LLC ND 500 Commerce Street, Suite 700 Fort Worth, TX 76102

NDC 35192-025-09

12

#### SUN DEFENSE CANYON RANCH

titanium dioxide, octinoxate emulsion

n	иΛ	A	uct	T	mf	^*			ti.	-
г	L.()	"		_		υп	111	ra I	ш	111

Product Type HUMAN OTC DRUG Item Code (Source) NDC:35192-025

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	18.92 g in 473 g		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	23.65 g in 473 g		

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
OLEA EUROPAEA LEAF (UNII: MJ95C3OH47)	
ROSEMARY (UNII: IJ67X351P9)	
PANTHENOL (UNII: WV9CM0O67Z)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROLINE (UNII: 9DLQ4CIU6V)	
PHENO XYETHANO L (UNII: HIE49 2ZZ3T)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETEARYL ISONONANOATE (UNII: P5O01U99NI)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALANINE (UNII: OF5P57N2ZX)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
PROPANEDIOL (UNII: 5965N8W85T)	
ARGININE, DL- (UNII: FL26NTK3EP)	
NIACIN (UNII: 2679 MF6 87A)	
ROSA MOSCHATA OIL (UNII: J99W255AWF)	
HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0 H58 X)	
EDETATE SO DIUM (UNII: MP1J8420LU)	
VITIS VINIFERA SEED (UNII: C34U15ICXA)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CAPRYLIC/CAPRIC MONO/DIGLYCERIDES (UNII: U72Q2I8C85)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
WATER (UNII: 059QF0KO0R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ALPHABISABOLOL, (+)- (UNII: 105S6I733Z)	
GLYCINE (UNII: TE7660 XO 1C)	
ALMOND OIL (UNII: 66 YXD4DKO9)	
MICA (UNII: V8A1AW0880)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
COCONUT OIL (UNII: Q9L0O73W7L)	

Product Characteristics				
Color	white (white yellowish)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

ı	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1 NDC:35192-025-	473 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/15/2016			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part352	08/15/2016			

## Labeler - CA-Botana International (106276728)

Establishment						
Name	Address	ID/FEI	Business Operations			
CA-Botana International		106276728	manufacture(35192-025)			

Revised: 12/2019 CA-Botana International