

RAPIDOL- acetaminophen capsule, coated
Pharmadel LLC

Rapidol Acetaminophen 500 (HHH)

Drug Facts

Active ingredient & Purposes

<i>Active ingredient (in each tablet)</i>	<i>Purposes</i>
Acetaminophen 500 mg	Pain reliever/ fever reducer

Uses

For the temporary relief of minor aches and pains due to:

- the common cold
- headache
- backache
- muscular aches
- toothache
- minor pain of arthritis
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning:This product contains **acetaminophen**. Severe liver damage may occur if you take

- more than **6 tablets in 24 hours**, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing **acetaminophen** (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- If allergic to of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms occur

These could be signs of a serious condition.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Age	Dose
adults and children 12 years of age and older	<ul style="list-style-type: none">• take 2 tablets every 6 hours while symptoms last.• do not take more than 6 tablets in 24 hours, unless directed by a doctor
children under 12 years of age	<ul style="list-style-type: none">• consult a doctor

Other information

- store between 77-86°F (25-30°C)

Inactive ingredients

corn starch, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, stearic acid, talc, titanium dioxide

Dist. by/ por:

PHARMADEL LLC

New Castle, DE 19720

+1-866-359-3478

Principial Display Panel

NDC 55758-503-24

Rapidol[®] **500**mg

ACETAMINOPHEN
EXTRA STRENGTH

24 Tablets†
†Capsule-Shaped Tablet

➤ **Pain reliever**
➤ **Fever reducer**

RAPIDOL

acetaminophen capsule, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-503
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule-Shaped Tablet)	Size	17mm
Flavor		Imprint Code	S500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-503-24	1 in 1 CARTON	07/17/2025	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M013

07/17/2025

Labeler - Pharmadel LLC (030129680)

Revised: 7/2025

Pharmadel LLC