


-----


**FifthPulse**

NDC:

Net wt. 1oz (28.4g)

Miconazole Nitrate 2%

# Antifungal Cream

**2%**

USP

Cures Most Athlete's Foot,  
Jock Itch & Ringworm

**DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.**

<b>Active ingredient</b>	<b>Purpose</b>
Miconazole Nitrate 2%	Anti-Fungal

**Uses** ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions. **Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch). **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately. **Directions:** ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. **For athlete's foot:** ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. **For ringworm:** Use daily for 4 weeks. If condition persists, consult a doctor. **For jock itch:** Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails. **Other Information:** ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono- and di-glycerides, Petrolatum, Polyoxethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

**Questions or Comments?**  
Please call 1-888-209-5201

**Manufactured for:**  
WeCare Products LLC  
20000 NE 15th CT.  
Miami, FL 33179

版位: 3mm

105mm

10mm



# Miconazole Nitrate 2% Antifungal Cream

NDC:

Net wt. 1oz (28.4g)

2%  
USP

Cures Most Athlete's Foot,  
Jock Itch & Ringworm

**DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.**

## Active ingredient

Miconazole Nitrate 2%

## Purpose

Anti-Fungal

**Uses** ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

**Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions:** ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

**Other information:** ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono- and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?  
Please call 1-888-209-5201

Manufactured for:  
WeCare Products LLC  
20000 NE 15th Ct,  
Miami, FL 33179

版位: 3mm

105mm

10mm



# Miconazole Nitrate 2% Antifungal Cream

NDC:

Net wt. 1oz (28.4g)

2%  
USP

Cures Most Athlete's Foot,  
Jock Itch & Ringworm

**DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.**

## Active ingredient

Miconazole Nitrate 2%

## Purpose

Anti-Fungal

**Uses** ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

**Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions:** ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

**Other information:** ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono- and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?  
Please call 1-888-209-5201

Manufactured for:  
WeCare Products LLC  
20000 NE 15th Ct,  
Miami, FL 33179

版位: 3mm

105mm

10mm



# Miconazole Nitrate 2% Antifungal Cream

NDC:

Net wt. 1oz (28.4g)

2%  
USP

Cures Most Athlete's Foot,  
Jock Itch & Ringworm

**DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.**

## Active ingredient

Miconazole Nitrate 2%

## Purpose

Anti-Fungal

**Uses** ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

**Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions:** ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

**Other information:** ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono-and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?  
Please call 1-888-209-5201

Manufactured for:  
WeCare Products LLC  
20000 NE 15th Ct,  
Miami, FL 33179

版位: 3mm

105mm

10mm





# Miconazole Nitrate 2% Antifungal Cream

NDC:

Net wt. 1oz (28.4g)

2%  
USP

Cures Most Athlete's Foot,  
Jock Itch & Ringworm

**DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.**

## Active ingredient

Miconazole Nitrate 2%

## Purpose

Anti-Fungal

**Uses** ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

**Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions:** ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

**Other information:** ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono-and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?  
Please call 1-888-209-5201

Manufactured for:  
WeCare Products LLC  
20000 NE 15th Ct,  
Miami, FL 33179

版位: 3mm

105mm

10mm



# Miconazole Nitrate 2% Antifungal Cream

NDC:

Net wt. 1oz (28.4g)

2%  
USP

Cures Most Athlete's Foot,  
Jock Itch & Ringworm

**DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.**

## Active ingredient

Miconazole Nitrate 2%

## Purpose

Anti-Fungal

**Uses** ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

**Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions:** ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

**Other information:** ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono- and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?  
Please call 1-888-209-5201

Manufactured for:  
WeCare Products LLC  
20000 NE 15th Ct,  
Miami, FL 33179

版位: 3mm

105mm

10mm



## FIFTHPULSE MICONAZOLE NITRATE CREAM 1OZ

miconazole nitrate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69571-016
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	

<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	105mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69571-016-01	28.4 g in 1 TUBE; Type 0: Not a Combination Product	07/19/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/19/2025	

**Labeler** - Front Pharmaceutical PLC (530897792)

**Registrant** - Front Pharmaceutical PLC (530897792)

### Establishment

Name	Address	ID/FEI	Business Operations
Front Pharmaceutical PLC		530897792	manufacture(69571-016)

Revised: 7/2025

Front Pharmaceutical PLC