

FIFTHPULSE CLOTRIMAZOLE CREAM 1OZ- clotrimazole 1% cream
Front Pharmaceutical PLC


印刷颜色:

PT268C

PT 261C

PT 2735C

PT 282C

 Clotrimazole Antifungal Cream																	
NDC:	1% USP Relieves Itching, Burning, Cracking & Scaling																
Net wt. 1oz (28.4g)	Compare to the active ingredient in Iotrimin® AF																
<table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Clotrimazole USP 1% w/w.....Antifungal</td><td></td></tr><tr><td colspan="2">Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.</td></tr><tr><td colspan="2">Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.</td></tr><tr><td colspan="2">Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).</td></tr><tr><td colspan="2">• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.</td></tr><tr><td colspan="2">See carton for complete adverse effects reporting information.</td></tr></tbody></table>		Active ingredient	Purpose	Clotrimazole USP 1% w/w.....Antifungal		Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.		Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.		Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).		• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.		Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.		See carton for complete adverse effects reporting information.	
Active ingredient	Purpose																
Clotrimazole USP 1% w/w.....Antifungal																	
Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.																	
Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.																	
Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).																	
• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.																	
Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.																	
See carton for complete adverse effects reporting information.																	
版位: 3mm	105mm																
	10mm																

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th Ct,
Miami, FL 33179

印刷颜色:

PT268C

PT 261C

PT 2735C

PT 282C



Clotrimazole Antifungal Cream

NDC:

Net wt. 1 oz (28.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient
Clotrimazole USP 1% w/w.....Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • **For external use only** • **Do not use** on children under 2 years of age unless directed by a doctor. • **When using this product** avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• **Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Purpose
.....Antifungal

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
2000 NE 15th Ct.
Miami, FL 33179

版位: 3mm

105mm

10mm

印刷颜色:

PT268C

PT 261C

PT 2735C

PT 282C



Clotrimazole Antifungal Cream

NDC:

Net wt. 1 oz (28.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient
Clotrimazole USP 1% w/w.....Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • **For external use only** • **Do not use** on children under 2 years of age unless directed by a doctor. • **When using this product** avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• **Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Purpose
.....Antifungal

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
2000 NE 15th Ct.
Miami, FL 33179

版位: 3mm

105mm

10mm

印刷颜色:

PT268C

PT 261C

PT 2735C

PT 282C



Clotrimazole Antifungal Cream

NDC:

Net wt. 1 oz (28.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in lotrimin® AF

Active ingredient
Clotrimazole USP 1% w/w.....Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • **For external use only** • **Do not use** on children under 2 years of age unless directed by a doctor. • **When using this product** avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• **Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Purpose
.....Antifungal

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
2000 NE 15th Ct.
Miami, FL 33179

版位: 3mm

105mm

10mm

印刷颜色:

PT268C

PT 261C

PT 2735C

PT 282C



Clotrimazole Antifungal Cream

NDC:

Net wt. 1 oz (28.4g)

1%
USP

Relieves Itching, Burning, Cracking & Scaling

Compare to the active ingredient in lotrimin® AF

Active ingredient
Clotrimazole USP 1% w/w.....Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • **For external use only** • **Do not use** on children under 2 years of age unless directed by a doctor. • **When using this product** avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• **Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Purpose
.....Antifungal

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
2000 NE 15th Ct.
Miami, FL 33179

版位: 3mm

105mm

10mm

印刷颜色:

PT268C

PT 261C

PT 2735C

PT 282C



Clotrimazole Antifungal Cream

NDC:

Net wt. 1 oz (28.4g)

1%
USP

Relieves Itching, Burning, Cracking & Scaling

Compare to the active ingredient in lotrimin® AF

Active ingredient
Clotrimazole USP 1% w/w.....Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • **For external use only** • **Do not use** on children under 2 years of age unless directed by a doctor. • **When using this product** avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• **Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Purpose
.....Antifungal

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
2000 NE 15th Ct.
Miami, FL 33179

版位: 3mm

105mm

10mm


印刷颜色:



PT268C



PT 261C



PT 2735C



PT 282C



FIFTHPULSE CLOTRIMAZOLE CREAM 1OZ

clotrimazole 1% cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69571-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTICASONE (UNII: 6CN32Z UQ4X) (CLOTICASONE - UNII:6CN32Z UQ4X)	CLOTICASONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color		Score	
Shape		Size	133mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69571-018-01	28.4 g in 1 TUBE; Type 0: Not a Combination Product	07/19/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/19/2025	

Labeler - Front Pharmaceutical PLC (530897792)

Registrant - Front Pharmaceutical PLC (530897792)

Establishment

Name	Address	ID/FEI	Business Operations
Front Pharmaceutical PLC		530897792	manufacture(69571-018)

Revised: 7/2025

Front Pharmaceutical PLC