

FIFTHPULSE CLOTRIMAZOLE CREAM 4OZ- clotrimazole 1% cream
Front Pharmaceutical PLC



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in lotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in lotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm



Clotrimazole Antifungal Cream

NDC:

Net wt. 4oz (113.4g)

1%
USP

Relieves Itching, Burning,
Cracking & Scaling

Compare to the active ingredient in Iotrimin® AF

Active ingredient

Clotrimazole USP 1% w/w

Purpose

Antifungal

Uses • Cures athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis). • Relieves the itching, irritation, redness, scaling and discomfort which can accompany these conditions.

Warnings • For external use only • Do not use on children under 2 years of age unless directed by a doctor. • When using this product avoid contact with eyes.

Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

• Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions • Wash the affected area and dry thoroughly. • Apply a thin layer of this product over affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to the spaces between the toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks. For jock itch, use daily for 2 weeks. • If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

See carton for complete adverse effects reporting information.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

版位: 3mm

145mm

10mm

FIFTHPULSE CLOTRIMAZOLE CREAM 4OZ

clotrimazole 1% cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69571-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	1 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
PETROLATUM (UNII: 4T6H12BN9U)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	

Product Characteristics			
Color		Score	
Shape		Size	145mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69571-019-01	113.4 g in 1 TUBE; Type 0: Not a Combination Product	07/19/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/19/2025	

Labeler - Front Pharmaceutical PLC (530897792)

Registrant - Front Pharmaceutical PLC (530897792)

Establishment			
Name	Address	ID/FEI	Business Operations
Front Pharmaceutical PLC		530897792	manufacture(69571-019)