

**OXYGEN- oxygen gas**  
**AMERICAN WELDING & GAS, INC.**

**Oxygen Label**

Oxygen Produced by Air Liquefaction. CAS: 7782-44-7 OXYGEN, COMPRESSED USP UN1072 MEDICAL OXYGEN, USP OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

Net Contents Cylinder Type H M 40 E D B C CU.FT. 225 111 40 24 15 5 9 LITERS 6371 3143 1133 680 425 142 255

SCOTT-GROSS COMPANY, INC. 664 MAGNOLIA AVENUE . LEXINGTON, KY 40505 1-800-967-6874 . WWW.SCOTTGROSS.COM DO NOT REMOVE THIS PRODUCT LABEL PRINTED IN U.S.A.

Oxygen Produced by Air Liquefaction.  
CAS: 7782-44-7

**OXYGEN,  
COMPRESSED**

**UN1072**  
MEDICAL OXYGEN, USP

SCOTT-GROSS COMPANY, INC.  
664 MAGNOLIA AVENUE  
LEXINGTON, KY 40505  
1-800-967-6874 • WWW.SCOTTGROSS.COM  
PRINTED IN U.S.A.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

Net Contents Cylinder Type	CU. FT.	LITERS
<input type="checkbox"/> H	225	6371
<input type="checkbox"/> M	111	3143
<input type="checkbox"/> 40	40	1133
<input type="checkbox"/> E	24	680
<input type="checkbox"/> D	15	425
<input type="checkbox"/> B	5	142
<input type="checkbox"/> C	9	255
<input type="checkbox"/>		

DO NOT REMOVE THIS PRODUCT LABEL

SG-200 V007 (03/15)

OXYGEN, REFRIGERATED LIQUID UN1073 MEDICAL OXYGEN, USP OXYGEN 2  
CONTENTS: LTRS: CU FT:

WARNING: For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

NET CONTENTS LS 180 Liters LS 160 Liters 30 Liters 20 Liters 10 Liters \_\_\_Liters

SCOTT-GROSS COMPANY, INC. 664 MAGNOLIA AVENUE . LEXINGTON, KY 40505 1-800-967-6874 . WWW.SCOTTGROSS.COM DO NOT REMOVE THIS PRODUCT LABEL

# OXYGEN, REFRIGERATED LIQUID UN1073

MEDICAL OXYGEN, USP



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.  
CAS: 7782-44-7



#### NET CONTENTS

- |  |                                       |
|--|---------------------------------------|
| <input type="checkbox"/> LS 180 Liters | <input type="checkbox"/> 20 Liters    |
| <input type="checkbox"/> LS 160 Liters | <input type="checkbox"/> 10 Liters    |
| <input type="checkbox"/> 30 Liters     | <input type="checkbox"/> _____ Liters |

**SCOTT-GROSS COMPANY, INC.**  
664 MAGNOLIA AVENUE • LEXINGTON, KY 40505  
1-800-967-6874 • WWW.SCOTTGROSS.COM

DO NOT REMOVE THIS PRODUCT LABEL

SG-201 V005 (03/15)

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:52346-013	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52346-013-01	1363 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
2	NDC:52346-013-02	540 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
3	NDC:52346-013-03	450 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
4	NDC:52346-013-04	180 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
5	NDC:52346-013-05	160 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
6	NDC:52346-013-06	40 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
7	NDC:52346-013-07	30 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
8	NDC:52346-013-08	20 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
9	NDC:52346-013-09	10 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/1977	
10	NDC:52346-013-10	6371 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
11	NDC:52346-013-11	3143 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
12	NDC:52346-013-12	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
13	NDC:52346-013-13	680 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
14	NDC:52346-013-17	425 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
15	NDC:52346-013-15	142 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
16	NDC:52346-013-16	255 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/1977	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
NDA	NDA205865	12/01/1977		

**Labeler** - AMERICAN WELDING & GAS, INC. (868040283)

### Establishment

Name	Address	ID/FEI	Business Operations
AMERICAN WELDING & GAS, INC.		018834357	manufacture(52346-013)

### Establishment

Name	Address	ID/FEI	Business Operations
AMERICAN WELDING & GAS, INC.		086189198	manufacture(52346-013)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AMERICAN WELDING & GAS, INC.		116724243	manufacture(52346-013)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AMERICAN WELDING & GAS, INC.		116933887	manufacture(52346-013)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AMERICAN WELDING & GAS, INC.		556349694	manufacture(52346-013)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AMERICAN WELDING & GAS, INC.		790945369	manufacture(52346-013)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AMERICAN WELDING & GAS, INC.		828380738	manufacture(52346-013)

Revised: 12/2019

AMERICAN WELDING & GAS, INC.