

TUSSIN DM SUGAR FREE- dextromethorphan hbr and guaifenesin liquid
AARNA USA, Inc.

TUSSIN DM Sugar Free
Cough and Chest Congestion

Cherry Flavor

Drug Facts

Active ingredient (in each 10 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Purposes

Cough suppressant and Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- **Each 10 mL contains:**Sodium 11.2 mg
- store between 20°-25°C(68°-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol solution, sucralose.

Questions or comments?

toll-free 1-877-225-6999

Manufactured for:

AARNA USA Inc.

Leland NC, 28451

Tussin DM

COUGH & CHEST CONGESTION

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy



Cherry
Flavor

For Adults
Ages 12 & Over

4 FL OZ. (118 mL)

Drug Facts

Active Ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Cough suppressant
Guaifenesin, USP 200 mg Expectorant

Purposes

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. **Ask a doctor before use if you have** ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema. **Stop use and ask a doctor if cough** lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than 6 doses in any 24-hour period
■ measure only with dosing cup provided ■ keep dosing cup with product
■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg.
■ store at 20°- 25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium citrate, sodium benzoate, sorbitol solution, sucralose

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Aarna USA
Manufactured for:
AARNA USA Inc.
Leland, NC-28451



Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

**COUGH
& CHEST CONGESTION**

Tussin DM

NDC 82568-0015-4

SUGAR - FREE

50mm

50mm

50mm

Drug Facts

Active ingredients (in each 10 mL) **Purposes**
Dextromethorphan HBr, USP 20 mg Cough suppressant
Guaifenesin, USP 200 mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

SUGAR - FREE

NDC 82568-0015-4

Tussin DM
COUGH & CHEST CONGESTION

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

DM

Cherry
Flavor

For Adults
Ages 12 & Over

4 FL OZ. (118 mL)

SUGAR - FREE

NDC 82568-0015-4

Tussin DM
COUGH & CHEST CONGESTION

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

DM

Cherry
Flavor

For Adults
Ages 12 & Over

4 FL OZ. (118 mL)

Drug Facts (Continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- Each 10mL contains: Sodium 11.2mg.
- store at 20°- 25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, Sodium Citrate, sorbitol solution, sucralose

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Aarna USA
Manufactured for:
AARNA USA Inc.
Leland, NC-28451



SUGAR - FREE

NDC 82568-0015-8

Tussin DM**COUGH & CHEST CONGESTION**Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

DM**Cherry**
FlavorFor Adults
Ages 12 & Over

8 FL OZ. (236 mL)

Drug Facts**Active ingredients (in each 10 mL)**Dextromethorphan HBr, USP 20 mg Cough suppressant
Guaifenesin, USP 200 mg Expectorant**Purposes****Uses** ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes**Warnings****Do not use** ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.**Ask a doctor before use if you have** ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be a signs of a serious condition.**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).**Drug Facts (Continued)****If pregnant or breast-feeding,** ask a health professional before use.**Directions** ■ do not take more than 6 doses in any 24-hour period
■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains: Sodium 11.2mg.
■ store at 20°- 25°C (68°-77°F). Do not refrigerate.**Inactive ingredients** anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol solution, sucralose**Questions or comments?** toll-free 1-877-225-6999**Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing**

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Aarna USA
Manufactured for:
AARNA USA Inc.
Leland, NC 28451

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)
**COUGH
& CHEST CONGESTION**

Tussin DM

SUGAR - FREE NDC 82568-0015-8

Drug Facts

Active ingredients (in each 10 mL) **Purposes**
Dextromethorphan HBr, USP 20 mg Cough suppressant
Guaifenesin, USP 200 mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be a signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

SUGAR - FREE NDC 82568-0015-8

Tussin DM

COUGH & CHEST CONGESTION

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy



Cherry
Flavor

For Adults
Ages 12 & Over

8 FL OZ . (236 mL)

SUGAR - FREE NDC 82568-0015-8

Tussin DM

COUGH & CHEST CONGESTION

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

- ✓ Controls Coughs
- ✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy



Cherry
Flavor

For Adults
Ages 12 & Over

8 FL OZ . (236 mL)

Drug Facts (Continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- Each 10mL contains: Sodium 11.2mg.
- store at 20°- 25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol solution, sucralose

Questions or comments? 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough+ Chest Congestion DM

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Aarna USA
Manufactured for:
AARNA USA Inc.
Leland, NC-28451



SUGAR - FREE
NDC 82568-0015-6

Tussin DM

COUGH & CHEST CONGESTION

Cough Suppressant (Dextromethorphan HBr)
Expectorant (Guaifenesin)

✓ Controls Coughs

✓ Loosens & Relieves Chest Congestion

- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Cherry

Flavor

For Adults
Ages 12 & Over

16 FL OZ. (473 mL)

Drug Facts							
<p>Active ingredients (in each 10 mL)</p> <p>Dextromethorphan HBr, USP 20 mg .. Cough suppressant</p> <p>Guaifenesin, USP 200 mg Expectorant</p> <p>Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold</p> <p>■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes</p> <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <p>■ cough that occurs with too much phlegm (mucus)</p> <p>■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema</p> <p>Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	<p>Purposes</p> <p>Directions ■ do not take more than 6 doses in any 24-hour period ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width: 50%;">age</th> <th style="width: 50%;">dose</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years and over</td> <td>10 mL every 4 hours</td> </tr> <tr> <td>children under 12 years</td> <td>do not use</td> </tr> </tbody> </table> <p>Other information ■ Each 10mL contains: Sodium 11.2mg. ■ store at 20°- 25°C (68°-77°F). Do not refrigerate.</p> <p>Inactive ingredients anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol solution, sucralose</p> <p>Questions or comments? toll-free 1-877-225-6999</p> <p style="font-size: small; margin-top: 10px;">*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough + Chest Congestion DM</p> <div style="border: 1px solid red; padding: 5px; margin-top: 10px; color: red; font-weight: bold;"> Tamper Evident: Do Not Use If foil seal over bottle opening is torn broken or missing. </div> <div style="border: 1px solid red; height: 80px; margin-top: 10px;"></div>	age	dose	adults and children 12 years and over	10 mL every 4 hours	children under 12 years	do not use
age	dose						
adults and children 12 years and over	10 mL every 4 hours						
children under 12 years	do not use						

Manufactured for:
AARNA USA Inc.
Leland, NC-28451

N 3 82568 00156 0

TUSSIN DM SUGAR FREE			
dextromethorphan hbr and guaifenesin liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82568-0015
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	200 mg in 10 mL
Inactive Ingredients			
Ingredient Name			Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
GLYCERIN (UNII: PDC6A3C0OX)			
MENTHOL (UNII: L7T10EIP3A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			

SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SORBITOL SOLUTION (UNII: 8KW3E207O2)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82568-0015-4	1 in 1 PACKAGE	02/18/2025	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:82568-0015-8	1 in 1 PACKAGE	02/18/2025	
2		236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:82568-0015-6	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/18/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	02/18/2025	

Labeler - AARNA USA, Inc. (118515992)