

BABIES KIDSSUN PROTECTION- mineral sunscreen powder
PANERGYTEK USA INC

Titanium dioxide-19.5%

Zinc oxide-24%

Sunscreen

Helps prevent sunburn.If used as directed with other sunprotection measures(see Directions)decreases the risk of skin cancer andearly skin aging caused by the sun.

For external use only.Do not use on damaged or broken skinWhen using this product keep out ofeyes. Rinse with water to remove.Stop use and ask a doctor if rash occursKeep out of reach of children. Ifproducts swallowed. get medical helpor contact a Poison Control Center rightaway.

Apply liberally 15 minutes before sunexposure.

Reapply: After 80 minutes ofswimming or sweating. immediatelyafter towel drying.At least every 2 hours.Sun Protection Measures.Spending time in the sun increasesyour risk of skin cancer and early skinaging. To decrease this risk, regularlyuse a sunscreen with a broadspectrum SPF value of 15 or higher.And other sun protection measuresincluding: Limit time in the sun,especially from 10am-2pm. wearlong-sleeved shirts, pants, hats andsunglasses. Children under 6months of age: ask a doctor

Apply liberally 15 minutes before sunexposure.

Reapply: After 80 minutes ofswimming or sweating. immediatelyafter towel drying.At least every 2 hours.Sun Protection Measures.Spending time in the sun increasesyour risk of skin cancer and early skinaging. To decrease this risk, regularlyuse a sunscreen with a broadspectrum SPF value of 15 or higher.And other sun protection measuresincluding: Limit time in the sun,especially from 10am-2pm. wearlong-sleeved shirts, pants, hats andsunglasses. Children under 6months of age: ask a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Protect this product in this container from excessive heat and direct sun.

Vinyl Dimethicone/MethiconeSilsesquioxane Crosspolymer.

Aluminum hydroxide.

LavandulaAngustifolia (Lavender) Oil,

Mica.

Lophatherum Gracile Leaf Power,

Dimethicone,

Triethoxycoprylylsilane

.Stearic Acid,

Tocopherol(Vitamin E),

C1 77492,

C1 77491

Sodium Benzoate

,Potassium Sorbate

SCAN FOR MORE INFO



Labeler: PANERGYTEK USA INC
450 Sequoia Avenue, Ontario, CA 91761

HOW TO USE

1. Remove the cap and slide down the plastic sleeve around the brush.
2. Tap the brush against your hand to start the flow of powder into the brush.
3. Once the powder is flowing, apply liberally to face.



TRANSLUCENT

Bella's Friends

Baby's bestie, mom's friend

**BABIES&KIDS
SUN PROTECTION**

**MINERAL
SUNSCREEN
POWDER**

**BOARD SPECTRUM
UVA/UVB DEFENSE**

SPF 50

**Water Resistant
(80 Mins)**

NET WT 0.17oz(5 g)

✓ Reef friendly

✓ Cruelty free

✓ Works for
sensitive skin

✓ Non-nano mineral
powder

✓ Makes applying
and reapplying
sunscreen easy

✓ Extra protection
for hairline/scalp

Drug Facts

Active Ingredients: Purpose:
Titanium Dioxide: 19.5%
Zinc Oxide: 24% Sunscreen

Uses

Helps prevent sunburn.
If used as directed with other sun protection measures(see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If products swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure.
Reapply: After 80 minutes of swimming or sweating, immediately after towel drying, At least every 2 hours.
Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a broad spectrum SPF value of 15 or higher. And other sun protection measures including: Limit time in the sun, especially from 10am-2pm. Wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age, ask a doctor.

Inactive Ingredient

Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Aluminum hydroxide, Lavandula Angustifolia (Lavender) Oil, Mica, Lophatherum Gracile Leaf Powder, Dimethicone, Triethoxycaprylylsilane, Stearic Acid, Tocopherol(Vitamin E), CI 77492, CI 77491, Sodium Benzoate, Potassium Sorbate

Other Information

Protect the product in this container from excessive heat and direct sun.



X004PM7L7P

Baby Sunscreen Powde...n for Sensitive Skin
New

BABIES KIDSSUN PROTECTION

mineral sunscreen powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85950-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	240 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	195 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
MICA (UNII: V8A1AW0880)	
CI 77491 (UNII: 1K09F3G675)	
LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL (UNII: ZBP1YXW0H8)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
LOPHATHERUM GRACILE LEAF (UNII: R417138GE9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
CI 77492 (UNII: EX438O2MRT)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85950-001-01	5 g in 1 BOTTLE; Type 0: Not a Combination Product	07/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M020

07/20/2025

Labeler - PANERGYTEK USA INC (122142088)

Registrant - PANERGYTEK USA INC (122142088)

Revised: 8/2025

PANERGYTEK USA INC