

LIP SHINE SPF35 SUNSCREEN- zinc oxide liquid Colorescience

Lip Shine SPF35 Sunscreen

Drug Facts

Active ingredients

Zinc Oxide 6.6%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.

▪ **Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.– 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Phenyl Trimethicone, Bis-Vinyl Dimethicone/ Dimethicone Copolymer, Neopentyl Glycol Diheptanoate, Disteardimonium Hectorite, Mica, Ethylhexyl Palmitate, Tocopheryl Acetate, Triethyl Citrate, Glyceryl Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Polyhydroxystearic Acid, Tribehenin, Sodium Hyaluronate, Palmitoyl Tripeptide-1, Sorbitan Isostearate, Tin Oxide, Flavor/Aroma, Limonene, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Carmine (CI 75470). Contains Carmine as a color additive.

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Distributed in USA
by Colorescience®
Carlsbad, CA 92011

PRINCIPAL DISPLAY PANEL - 4 mL Tube Carton

colorescience®

LIP
SHINE

Moisturizes & smooths lips

Defends against UV rays

Tint of color, natural shine

Water resistant
(40 minutes)

35

Broad Spectrum
SPF 35
Sunscreen

0.13 fl. oz. / 4 mL



LIP SHINE
SPF 35

colorescience®

LIP
SHINE

How to Use

Apply to lips every two hours for continued sun protection and shine. Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs.

For USA only

Drug Facts
Active ingredients Purpose Zinc Oxide 6.6% _____ Sunscreen
Uses Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
Warnings For external use only. Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

For USA only

Drug Facts (cont.)
Inactive ingredients: Phenyl Trimethicone, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Neopentyl Glycol Diheptanoate, Distearidimonium Hectorite, Mica, Ethylhexyl Palmitate, Tocopheryl Acetate, Triethyl Citrate, Glyceryl Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Polyhydroxystearic Acid, Tribehenin, Sodium Hyaluronate, Palmityl Tripeptide-1, Sorbitan Isostearate, Tin Oxide, Flavor/Aroma, Limonene, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Carmine (CI 75470). Contains Carmine as a color additive.
Other information: Protect this product from excessive heat and direct sun.

Discover our full line of uncompromising, health-forward formulas designed to fit your life at colorescience.com



Distributed in USA by Colorescience® Carlsbad, CA 92011

Made in USA

1709060

BIORIUS

Rue de la Croix, 10A BE-7170 MANAGE



Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.
- Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel ▶

Moisturizes & smooths lips
Defends against UV rays
Tint of color, natural shine
Water resistant
(40 minutes)

35 Broad Spectrum
SPF 35
Sunscreen

0.13 fl. oz. / 4 mL

Questions or comments?
Call toll free 866.426.5673

Ingredients (EU)

Phenyl Trimethicone, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Zinc Oxide, Neopentyl Glycol Diheptanoate, Distearidimonium Hectorite, Mica, Ethylhexyl Palmitate, Tocopheryl Acetate, Triethyl Citrate, Glyceryl Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Polyhydroxystearic Acid, Tribehenin, Sodium Hyaluronate, Palmityl Tripeptide-1, Sorbitan Isostearate, Tin Oxide, Flavor/Aroma, Limonene, [4-]-CI 75470, CI 77491, CI 77492, CI 77499, CI 77891]

LIP SHINE SPF35 SUNSCREEN

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68078-028
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	66 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)	
Disteardimonium Hectorite (UNII: X687XDK09L)	
MICA (UNII: V8A1AW0880)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Triethyl Citrate (UNII: 8Z96QXD6UM)	
Glyceryl Isostearate (UNII: HYE7O27HAO)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
Tribehenin (UNII: 8OC9U7TQZ0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
Palmitoyl Tripeptide-1 (UNII: RV743D216M)	
Sorbitan Isostearate (UNII: 01S2G2C1E4)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
CARMINIC ACID (UNII: CID8Z8N95N)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-028-01	1 in 1 CARTON	07/01/2017	
1		4 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:68078-028-02	1.7 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product	07/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2017	

Labeler - Colorescience (128731929)

Revised: 12/2024

Colorescience