

LIDOSPOT PATCH- lidocaine and menthol patch
Fabrication Enterprises Inc

**51452-172 Zeey, LIDOCAINE&MENTHOL PAIN RELIEF GEL-PATCH, N 5, N 10,
N 15**

Active Ingredient

Lidocaine 4% w/w Purpose: Topical anesthetic

Menthol 1% w/w Purpose: Topical analgesic

Purposes

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

Temporarily relieves minor pain.

Warnings

For external use only

When using this product:

- Use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Do not use:

- More than 1 patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

Stop use and ask a doctor if:

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days

You experience signs of skin injury such as pain, swelling or blistering where the product was applied.

If pregnant or breast-feeding,

Ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions**Adult and Children 12 years of age and over:**

- Clean and dry affected area Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours.

Children under 12 years of age:consult a physician.

Inactive Ingredients

Dihydroxyaluminium Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin,L(+)-Tartaric Acid,Mineral oil,Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide,Water,

Questions or Comments

1-800-431-2830

Other information

- Store in a clean, dry place outside of direct sunlight, Protect from excessive moisture.

Package label. Principal display panel

CUT OPEN POUCH AND REMOVE PAD

NDC 51452-173-01

point relief® lidospot® patch

topical anesthetic

lidocaine 4%
menthol 1%



RELIEVES PAIN FAST

- large customizable size fits wherever pain relief is needed
- adhesive keeps patch firmly in place
- provides pain relief up to 12 hours

1 patch
4 x 5.5 inch
(10cm x 14cm)

CUT OPEN POUCH AND REMOVE PAD

Manufactured For:
Faberlican Enterprises Inc.
1900 Chesapeake Rd. Suite 240
Glenview, NY 11545 (USA)
Tel: +1-914-646-2800 • 800-431-2833
Fax: +1-914-646-0800 • 800-431-6373
USA/Canada

REF 13-5310-1

LOT

EXP

FEB

topical anesthetic

CE

R&W Technology Consulting GmbH
Steinle Strasse 7
40213 Düsseldorf (Germany)

Made in China

Drug Facts	
Active ingredient	Purposes
Lidocaine 4.0%	Topical Anesthetic
Menthol 1.0%	Topical Analgesic
Uses Temporarily relieves minor pain.	
Warnings	
For external use only	
Do not use ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.	
When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.	
Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury such as pain, swelling or blistering where the product was applied.	
If pregnant or breastfeeding, ask a health professional before use.	
Keep out of reach of children and pets If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Children under 12 years of age: consult a physician.	
Other information Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.	
Inactive ingredients Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polyacrylate 90, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water	
Questions or comments? 1-800-431-2830	

170mm

140mm

140mm

©2022 FEB all rights reserved, Point Relief and Lidospot are trademarks of Goldberg. rev0322



LIDOSPOT PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51452-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888119H)	

WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51452-172-05	5 in 1 BOX	07/21/2025	
1	NDC:51452-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/21/2025	

Labeler - Fabrication Enterprises Inc (070577218)

Registrant - Fabrication Enterprises Inc (070577218)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(51452-172)