## MINOXIDIL- minoxidil liquid FlexiGo Inc

-----

### **Active Ingredient(s)**





### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





DERMATOLOGIST RECOMMENDED BRAND

### MINOXIDIL

### HAIR GROWTH TREATMENT

- · REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- · Improves Scalp Health

### **REACTIVATES**

HAIR FOLLICLES
TO STIMULATE REGROWTH



**√** Rosemary Oil

**√** Castor Oil

**√** Biotin

2.02 FL.OZ/60ML

### **DRUG FACTS**

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatmen

### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
   Keep away from fire and flame Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.

You use other medicines on the scaip.

Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 time

a day for at least 4 months before you se results, The amount of hair regrowth is different for each person. The product will not work for everyone



## RECOMMENDED BRAND

### MINOXIDIL

### HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- · RESTORE THINNING HAIR
- · Improves Scalp Health

### **REACTIVATES**

HAIR FOLLICLES TO STIMULATE REGROWTH







2.02 FL.OZ/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months of sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF CHILDREN:

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT, PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc. Address: 2910 S Tejon St, Englewood Colorado (CO)80110,

United States (USA)



MINOXIDIL

REDUCE HAIR LOSS
 RESTORE THINNING HAI
 Improves Scalp Health

REACTIVATES

HAIR FOLLICLES TO STIMULATE REGI

2.02 FL.OZ/60ML

### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





DERMATOLOGIST RECOMMENDED BRAND

### MINOXIDIL

### HAIR GROWTH TREATMENT

- · REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- · Improves Scalp Health

### **REACTIVATES**

HAIR FOLLICLES
TO STIMULATE REGROWTH



**√** Rosemary Oil

**√** Castor Oil

**√** Biotin

2.02 FL.OZ/60ML

### **DRUG FACTS**

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatmen

### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
   Keep away from fire and flame Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.

You use other medicines on the scaip.

Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 time

a day for at least 4 months before you se results, The amount of hair regrowth is different for each person. The product will not work for everyone



## RECOMMENDED BRAND

### MINOXIDIL

### HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- · RESTORE THINNING HAIR
- · Improves Scalp Health

### **REACTIVATES**

HAIR FOLLICLES TO STIMULATE REGROWTH







2.02 FL.OZ/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months of sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF CHILDREN:

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT, PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc. Address: 2910 S Tejon St, Englewood Colorado (CO)80110,

United States (USA)



MINOXIDIL

REDUCE HAIR LOSS
 RESTORE THINNING HAI
 Improves Scalp Health

REACTIVATES

HAIR FOLLICLES TO STIMULATE REGI

2.02 FL.OZ/60ML

### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





### MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatment

#### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children.
   Scalp is red,infiamed,infected,irritated
- You use other medicines on the scalp.

### WHEN USING:

time to regrow hair.

Do not apply on other parts of the body.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes

You may need to use this product 2 times a day for at least 4 months before you se

results, The amount of hair regrowth is different for each person. The product will not work for everyone.

## MINOXIDIL

MEN & WOMEN

**Hair Regrowth Treatment** 

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Batana oil

Rosemary oil

Castor oil

Biotin

One Month Supply 2.02 FL.0Z/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months
  If sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### DIRECTIONS:

Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN
ZINGIBER OFFICINALE (GINGER)ROOT
EXTRACT, PEG-40 HYDROGENATE
CASTOR OIL, PANAX GINSENNE EXTRACT,
BIOTIN, XANTHAN GUM, RICINUS
COMMUNIS(CASTOR)OIL, ROSMARINUS
OFFICINALIS (ROSEMARY)LEAF OIL.





DERMATOLOGIST RECOMMENDED BRAND

### MINOXIDIL

### HAIR GROWTH TREATMENT

- · REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- · Improves Scalp Health

### **REACTIVATES**

HAIR FOLLICLES
TO STIMULATE REGROWTH



**√** Rosemary Oil

**√** Castor Oil

**√** Biotin

2.02 FL.OZ/60ML

### **DRUG FACTS**

ACTIVE INGREDIENT PURPOSE

Minoxidil 5%......Hair Begrowth Treatmen

### USES:

to regrow hair on the top of the scalp

### WARNINGS:

- For external use only
   Keep away from fire and flame Avoid contact with eyes

### DO NOT USE:

- You have no family history of hair loss Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.

You use other medicines on the scaip.

Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 time

a day for at least 4 months before you se results, The amount of hair regrowth is different for each person. The product will not work for everyone



## RECOMMENDED BRAND

### MINOXIDIL

### HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- · RESTORE THINNING HAIR
- · Improves Scalp Health

### **REACTIVATES**

HAIR FOLLICLES TO STIMULATE REGROWTH







2.02 FL.OZ/60ML

### DRUG FACTS (Continued)

### STOP USE:

- If scalp irritation or redness occurs.
  If you get unwanted facial hair growth.
  If you do not see hair regrowth in 4 months of sudden, unexplained weight gain occurs.

### ASK DOCTOR:

If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

### KEEP OOT OF REACH OF CHILDREN:

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

### OTHER INFORMATION:

Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77°F)

### INACTIVE INGREDIENTS:

WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT, PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc. Address: 2910 S Tejon St, Englewood Colorado (CO)80110,

United States (USA)



MINOXIDIL

REDUCE HAIR LOSS
 RESTORE THINNING HAI
 Improves Scalp Health

REACTIVATES

HAIR FOLLICLES TO STIMULATE REGI

2.02 FL.OZ/60ML





minoxidil liquid

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:85524-2507 Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength
	MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
XANTHAN GUM (UNII: TTV12P4NEE)			
ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL (UNII: 8LGU7VM393)			
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)			
GINGER (UNII: C5529G5JPQ)			
CASTOR OIL (UNII: D5340Y2I9G)			
WATER (UNII: 059QF0KO0R)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)			
BIOTIN (UNII: 6SO6U10H04)			
GLYCERIN (UNII: PDC6A3C0OX)			

Product Characteristics		
Color	blue	Score
Shape		Size
Flavor		Imprint Code
Contains		

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:85524- 2507-5	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2025		

Marketing Information					
Marketing Application Number or Monograp Category Citation		Marketing Start Date	Marketing End Date		
ANDA	ANDA209074	07/30/2025			

## Labeler - FlexiGo Inc (118951527)

Establishment			
Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	label(85524-2507) , manufacture(85524-2507)

Revised: 7/2025 FlexiGo Inc