



#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.
• You are under 18 years of age.
• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCIBER OFFICINALIS (GINGER ROOT EXTRACT), PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS (CASTOR OIL), ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)





#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.

• You are under 18 years of age.

• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

• You use other medicines on the scalp.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCBIER OFFICINALIS(GINGER)ROOT EXTRACT, PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)



MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML



#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.

• You are under 18 years of age.

• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

• You use other medicines on the scalp.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCIBER OFFICINALIS (GINGER ROOT EXTRACT), PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS (CASTOR OIL), ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)





#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.

• You are under 18 years of age.

• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

• You use other medicines on the scalp.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCIBER OFFICINALIS (GINGER ROOT EXTRACT), PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS (CASTOR OIL), ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)



MINOXIDIL 5%

with Biotin and Rosemary

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML



#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.

• You are under 18 years of age.

• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

• You use other medicines on the scalp.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCIBER OFFICINALIS (GINGER ROOT EXTRACT), PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS (CASTOR OIL), ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)



#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.

• You are under 18 years of age.

• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

• You use other medicines on the scalp.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCBIER OFFICINALIS (GINGER ROOT EXTRACT), PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS (CASTOR OIL), ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)



MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML



#1 DERMATOLOGIST RECOMMENDED

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE:
Minoxidil 5%... Hair Regrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.

• You do not know the reason for your hair loss.

• You are under 18 years of age.

• Do not use it on babies and children. Scalp is red, inflamed, infected, irritated or painful.

• You use other medicines on the scalp.

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes.
In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

MINOXIDIL 5%

with Biotin and Rosemary

HAIR REGROWTH TREATMENT

MEN & WOMEN

Topical solution
Improves scalp health

Clinically proven
Regrow thicker

Reactivates hair follicles
Stimulate regrowth

Resolte
Thinning hair

One Month Supply
2.02 FL.OZ/60ML

#1 DERMATOLOGIST RECOMMENDED

DRUG FACTS (Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day. Once in the morning and another time in the evening before bed. Spray directly on top of the scalp in the area to be treated. Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton.
Store at controlled room temperature 20 to 25C (68 to 77F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINCIBER OFFICINALIS (GINGER ROOT EXTRACT), PEG-40 HYDROGENATED CASTOR OIL, PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS (CASTOR OIL), ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S. Tejon St, Englewood Colorado (CO) 80110, United States (USA)



MINOXIDIL

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85524-2509
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GINGER (UNII: C5529G5JPQ)	

PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)

XANTHAN GUM (UNII: TTV12P4NEE)

CASTOR OIL (UNII: D5340Y2I9G)

ROSEMARY OIL (UNII: 8LGU7VM393)

PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)

BIOTIN (UNII: 6SO6U10H04)

GLYCERIN (UNII: PDC6A3C0OX)

Product Characteristics

Color	blue	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85524-2509-6	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/19/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209074	09/19/2025	

Labeler - FlexiGo Inc (118951527)

Establishment

Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	label(85524-2509) , manufacture(85524-2509)

Revised: 9/2025

FlexiGo Inc