

## **ANTIFUNGAL FOOT TREATMENT- butenafine hydrochloride gel**

**Rida LLC**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **Active Ingredient**

Butenafine hydrochloride 1%

### **Purpose**

Antifungal

### **Uses**

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- relieves itching, burning, cracking, and scaling which accompany these conditions

### **Warnings**

**For external use only**

### **Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- or vaginal yeast infections
- **When using this product** do not get into the eyes. If eye contact occurs, rinse thoroughly with water.
- **Stop use and ask a doctor if** too much irritation occurs or irritation gets worse
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

#### **● adults and children 12 years and over:**

● wash the affected skin with the soap and water and dry completely before applying.

● to open the applicator, twist the base to the ON position. Squeeze tube to dispense cream.

● **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4

weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

- Wipe applicator tip with a tissue and close the applicator by twisting the base to the OFF position
- wash hands after each use.

**Children under 12 years:** ask a doctor

## Other Information

- store between 20° to 25° C (68° to 77° F)

## Inactive ingredients

Tea Tree Oil, benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

## Product label

**Drug Facts**

**Active ingredient**  
Butenafine Hydrochloride 1%

**Purpose**  
Antifungal

**Uses**  
• cures most athlete's foot between the toes.  
Effectiveness on the bottom or sides of foot is unknown  
• relieves itching, burning, cracking, and scaling which accompany this condition

**Warnings**  
**For external use only**

**Do not use**  
• on the scalp  
• in or near the mouth or eyes  
• for vaginal yeast infections

**When using this product** do not get into eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask doctor if** too much irritation occurs or irritation gets worse.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
**Adults and children 12 years and over:**  
• wash the affected skin with

**NOTHING STRONGER**  
» WITHOUT AN **RX**  
**BUTENAFINE HYDROCHLORIDE 1%**

**FUNGAZOL<sup>ON</sup> ✓**  
**ANTI FUNGAL**  
**FOOT GEL**  
**TEA TREE OIL**  
*Prescription Strength*

**FAST RELIEF OF ATHLETE'S FOOT SYMPTOMS:**

- ITCHING
- BURNING
- CRACKING
- SCALING

**TRIPLE ACTION FORMULA**

- ♦ **Soothes** discomfort. Calms itchy, inflamed skin in and around the toes.
- ♦ **Relieves** conditions. Relieves symptoms of athlete's foot, including itching, cracking, and redness between the toes.

**NO TOUCH APPLICATOR**

n

soap and water and dry completely before applying.

- to open the applicator, twist the base to the ON position. Squeeze tube to dispense cream.

- **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

- wipe applicator tip with a tissue and close the applicator by twisting the base to the OFF position

- wash hands after each use

**Children under 12 years: ask a doctor**

**Other information**

- store between 20-25°C (68-77°F)

**Inactive ingredients:**


Organic Tea Tree Oil, Benzyl Alcohol, Cetyl Alcohol, Glycerin, Glyceryl Monostearate Se, Polyoxyethylene (23) Cetyl Ether, Propylene Glycol Dicaprylate, Purified Water, Sodium Benzoate, Stearic Acid, Trolamine, White Petrolatum,

**Questions or comments?**

☎ (888) 985-6137



**NO-TOUCH  
APPLICATOR**  
ALLOWS EFFORTLESS  
TREATMENT OF  
AFFECTED AREAS  
AROUND, UNDER AND  
BESIDE THE NAILS



**RELIEVES**

✓ ITCHING  
✓ BURNING  
✓ CRACKING

**1 WEEK  
TREATMENT OPTION  
FOR ATHLETE'S FOOT**

NET WT 20g (0.70 OZ)

♦ **Fast-Acting** formula.  
Provides fast relief  
that is long lasting.

**CLINICALLY  
PROVEN TO  
CURE MOST  
ATHLETE'S FOOT  
BETWEEN THE  
TOES**

✓ ADVANCED  
FORMULA  
✓ PREVENTS  
REINFECTION  
✓ SOOTHES  
ITCHING

Manufactured for and Distributed by  
Terramed LLC  
San Diego CA 92122 USA  
Terramed.info



**FUNGAZOL<sup>ON</sup>** ✓

**FAST RELIEF OF  
ATHLETE'S FOOT  
SYMPTOMS:**

➤ ITCHING  
➤ BURNING  
➤ CRACKING  
➤ SCALING



# ANTI FUNGA FOOT GEL

*Prescription Strength*

NET WT 20g (0.70 OZ)

## TRIPLE ACTION FORMULA

- ◆ **Soothes** discomfort.  
Calms itchy, inflamed skin  
in and around the toes.
- ◆ **Relieves** conditions.  
Relieves symptoms of  
athlete's foot, including  
itching, cracking, and  
redness between the toes.
- ◆ **Fast-Acting** formula.  
Provides fast relief  
that is long lasting.

Manufactured for and Distributed by  
Terramed LLC  
San Diego CA 92122 USA  
Terramed.info



Customer Service (888) 885-6137

## ANTIFUNGAL FOOT TREATMENT

butenafine hydrochloride gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83004-016
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>BUTENAFINE HYDROCHLORIDE</b> (UNII: R8XA2029ZI) (BUTENAFINE - UNII:91Y494NL0X)			BUTENAFINE HYDROCHLORIDE	10 mg in 1 g
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>				<b>Strength</b>
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)				
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)				
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)				
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)				
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)				
<b>CETETH-23</b> (UNII: 495CTZ441V)				
<b>PROPYLENE GLYCOL DICAPRYLATE</b> (UNII: 581437HWX2)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)				
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)				
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)				
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:83004-016-01	1 in 1 CARTON	02/27/2025	
<b>1</b>		20 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic			02/27/2025	

**Labeler -** Rida LLC (004425803)

Revised: 3/2025

Rida LLC