

**PAIN RELIEVER- acetaminophen capsules 500mg (minis-red opaque) capsule,
liquid filled
Walgreens**

Pain Reliever 500mg (Minis-red opaque)

Drug Facts

Active ingredient (in each softgelatin capsule)

Acetaminophen 500mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Direction

Do not take more than directed (see Overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 softgels every 6 hours while symptoms last• do not take more than 6 softgels in 24 hours unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other Information

- store between 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red no.40, gelatin, glycerin, polyethylene glycol 40 ,polyethylene glycol 400, povidone, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments? 1-888-333-9792

Compare to the active ingredient
in Tylenol® Extra Strength^{††}

Extra Strength Pain Reliever

Acetaminophen 500 mg,
Pain Reliever / Fever Reducer

FOR ADULTS
Aspirin-Free

50 MINI SOFTGELS*
(*Liquid-Filled Capsules)

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each softgel) Purpose
Acetaminophen 500 mg Pain reliever/ fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - menstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued under label)

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com 1-800-925-4355
©2015 Walgreen Co. MADE IN INDIA

LOT:
EXP:


Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

ASK A DOCTOR BEFORE USE IF YOU HAVE LIVER DISEASE
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if:

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding: ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)**
adults and children 12 years and over: take 2 softgels every 6 hours while symptoms last
 - do not take more than 6 softgels in 24 hours unless directed by a doctor
 - do not use for more than 10 days unless directed by a doctor
- children under 12 years ask a doctor

Other information

- store between 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red no. 40, gelatin, glycerin, polyethylene glycol 40, polyethylene glycol 400, povidone, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments? 1-888-333-9792

PAIN RELIEVER

acetaminophen capsules 500mg (minis-red opaque) capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6684
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
GELATIN (UNII: 2G86QN327L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
GLYCERIN (UNII: PDC6A3C00X)	

Product Characteristics

Color	red (OPAQUE)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	36
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6684-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/04/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/04/2025	

Labeler - Walgreens (008965063)

Revised: 12/2025

Walgreens