

OXYGEN HELIUM MIXTURE 30/70- oxygen helium mixture 30/70 gas
AGL Welding Supply CO., Inc.

oxygen helium 30/70

AGL Certified ISO 9001:2008 Inhalation Therapy Co. CLIFTON, NJ 07015 973-478-5100
NON-FLAMMABLE GAS 2 OXYDIZER 5.1

Compressed gas, oxidizing, n.o.s. (Oxygen, Helium) UN3156 Part # K2MOH Medical Gas Mixture 30% Oxygen, USP CAS: 7782-44-7 Balance Helium, USP CAS: 7440-59-7
Rx only WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. DANGER: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet before use. FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. DO NOT REMOVE THIS PRODUCT LABEL For Medical Use Only. Label # AGL-8-D-124-4 01/21/16 Ver. 3.67 Volume: 4910 Liters AGL 600 Rt. 46 W CLIFTON, N.J., 07015



Inhalation Therapy Co.

Clifton, N.J. 07015

973-478-5100



Compressed gas, oxidizing, n.o.s.
(Oxygen, Helium)

UN3156

Part #: K2MOH

Medical Gas Mixture

30% Oxygen, USP
Balance Helium, USP

CAS: 7782-44-7
CAS: 7440-59-7

Rx only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DANGER: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE OR INTENSIFY FIRE, OXIDIZER.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

For Medical Use Only.

Label #: AGL-8-D-124-4 01/21/16 Ver. 3.67

Volume: 4910 Liters

AGL

600 Rt. 46 W

CLIFTON, N.J., 07015

OXYGEN HELIUM MIXTURE 30/70

oxygen helium mixture 30/70 gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:17575-028
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	300 mL in 1 L

Inactive Ingredients

Ingredient Name	Strength
Helium (UNII: 206GF3GB41)	700 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17575-028-01	4690 L in 1 CYLINDER		
2	NDC:17575-028-02	515 L in 1 CYLINDER		
3	NDC:17575-028-03	4910 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141365	01/01/1966	

Labeler - AGL Welding Supply CO., Inc. (011186004)

Establishment

Name	Address	ID/FEI	Business Operations
AGL Welding Supply CO., Inc.		011186004	manufacture

Revised: 10/2025

AGL Welding Supply CO., Inc.