

**BC ARTHRITIS- aspirin and caffeine powder  
Medtech Products Inc.**

-----  
**BC Arthritis - 63029-990**

***Drug Facts***

***Active ingredient***

***(in each powder)***

Aspirin (NSAID\*) 1000 mg

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever/fever reducer

***Active ingredient***

***(in each powder)***

Caffeine 65 mg

***Purpose***

Pain reliever aid

***Uses***

- temporary relieves minor aches and pains due to:
  - headaches
  - muscular aches
  - minor arthritis pain
  - colds
- temporarily reduces fever

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives

- facial swelling
- shock
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for longer time than directed

### **Do not use**

if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.

### **Ask a doctor before use if**

- stomach bleeding warnings applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

### **Ask a doctor or pharmacist before use if you are**

taking a prescription drug for diabetes, gout, or arthritis.

### **When using this product**

limit the use of caffeine-containing drugs, foods or drinks because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear
- ringing in the ears or a loss of hearing occurs. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years of age and over: place 1 powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water with each dose, or may stir powder into a glass of water or other liquid.
- do not take more than 4 powders in 24 hours unless directed by a doctor.
- children under 12 years of age: ask a doctor.

**Other information**

- each powder contains: **potassium 65 mg**
- store below 25°C (77°F)

**Inactive ingredients**

docusate sodium, fumaric acid, lactose monohydrate, potassium chloride

**Questions or comments?**

**1-866-255-5197** (English/Spanish) weekdays

**PRINCIPAL DISPLAY PANEL**

BC®  
ASPIRIN (NSAID) – PAIN RELIEVER ● FEVER REDUCER  
CAFFEINE – PAIN RELIEVER AID  
FAST PAIN RELIEF  
Arthritis FORMULA  
FOR TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN  
50 POWDERS



## BC ARTHRITIS

aspirin and caffeine powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63029-990
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	1000 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0)	
<b>FUMARIC ACID</b> (UNII: 88XHZ13131)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>POTASSIUM CHLORIDE</b> (UNII: 66OYQ98I10)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
--------------	-------	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-990-02	24 in 1 BOX; Type 0: Not a Combination Product	06/01/2012	
2	NDC:63029-990-06	6 in 1 PACKAGE; Type 0: Not a Combination Product	06/01/2012	
3	NDC:63029-990-50	50 in 1 CARTON; Type 0: Not a Combination Product	06/01/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2012	

**Labeler** - Medtech Products Inc. (122715688)

Revised: 10/2024

Medtech Products Inc.