

**LAXATIVE MAXIMUM STRENGTH- sennosides tablet, sugar coated**  
**L.N.K. International, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Quality Plus 44-348**

***Active ingredient (in each tablet)***

Sennosides USP, 25 mg

***Purpose***

Stimulant laxative

***Uses***

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

**Ask a doctor before use if you have**

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

**When using this product,**

do not use for a period longer than 1 week.

**Stop use and ask a doctor if**

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

**Other information**

- **each tablet contains:** calcium 40 mg, magnesium 5 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15° to 30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

**Questions or Comments?**

**1-800-426-9391**

**Principal Display Panel**

**QUALITY**

**PLUS**

NDC 50844-348-02

\*Compare to the active ingredient in ex•lax® Maximum Strength

Maximum Strength

**Laxative**

Sennosides USP, 25 mg

Stimulant Laxative

Gentle, Dependable

Overnight relief

**12 Coated Tablets**

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Distributed by

**LNK INTERNATIONAL, INC.**

60 Arkay Drive

Hauppauge, NY 11788

USA

†This product is not manufactured or distributed by GSK group of companies, owner of the registered

**Drug Facts (continued)**

**Warnings**  
Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.  
Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.  
Ask a doctor or pharmacist before use if you are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.  
When using this product, do not use for a period longer than 1 week.  
Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Drug Facts (continued)**

**Directions**  
swallow tablet(s) with a glass of water  
swallow tablet(s) whole; do not crush, break, or chew  
adults and children 12 years and over twice daily  
children 6 to under 12 years 1 tablet once or twice daily  
children under 6 years ask a doctor

**Other information**  
each tablet contains: calcium 40 mg, magnesium 5 mg  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
see end flap for expiration date and lot number

**Inactive ingredients** acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate

**Drug Facts (continued)**

**Active ingredient (in each tablet)**  
Sennosides USP, 25 mg

**Purpose**  
Stimulant laxative

**Uses**  
relieves occasional constipation (irregularly)  
generally produces bowel movement in 6 to 12 hours

**Drug Facts (continued)**

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

NDC 50844-348-02

\*Compare to active ingredient in ex•lax® Maximum Strength

**QUALITY PLUS**

**MAXIMUM STRENGTH**

**LAXATIVE**

Sennosides USP, 25 mg  
Stimulant Laxative

**12 Coated Tablets** Gentle, dependable overnight relief **ACTUAL SIZE**

**Drug Facts (continued)**  
dihydrate, FD&C blue #1 aluminum lake, iron oxide  
black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben,

**Drug Facts (continued)**  
shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

**Questions or comments?** 1-800-426-9391

B-1603-348-02-R  
REV0317B34802

\*This product is not manufactured or distributed by GSK group of companies, owner of the registered trademark ex•lax® Maximum Strength.  
50844 REV0317B34802

3 50844 434802 9

Distributed by  
**LNK INTERNATIONAL, INC.**  
60 Arkey Drive  
Hempstead, NY 11788  
USA

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

No print/No varnish Area Lot & Exp. Date

# LAXATIVE MAXIMUM STRENGTH

sennosides tablet, sugar coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50844-348
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POVIDONE (UNII: FZ989GH94E)	

## Product Characteristics

<b>Color</b>	BLUE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	44;348
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-348-02	1 in 1 CARTON	01/02/2003	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	01/02/2003	

**Labeler** - L.N.K. International, Inc. (038154464)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(50844-348)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(50844-348)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(50844-348)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(50844-348)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(50844-348)

Revised: 5/2020

L.N.K. International, Inc.