# PELOTAN SUNSCREEN BROAD SPECTRUM SPF 30- avobenzone, octinoxate, octocrylene stick Pelotan LLC

-----

## Pelotan Sunscreen Broad Spectrum SPF 30 Rollon

#### **Active Ingredients**

Avobenzone 3%

Octinoxate 7.50%

Octocrylene 10%

#### **Purpose**

Sunscreen

#### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

# For external use only

#### Do not use

on damaged or broken skin

# Stop use and ask a doctor

if rash occurs

## When using this product

keep out of eyes. Rinse with water to remove.

# Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying

- At least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

#### **Inactive ingredients**

Alcohol Denat., C12-15 Alkyl Benzoate, Propylene Glycol, Cyclopentasiloxane, Acrylates/Octylacrylamide Copolymer, Cyclohexasiloxane, Fragrance/Parfum, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Panthenol, Benzyl Benzoate, Benzyl Salicylate, Coumarin

#### Other information

- Protect this product from excessive heat and direct sun
- Report serious adverse events to Pelotan LLC, 1007 N Orange St. 4th Floor, Wilmington, DE 19801

#### Questions or comments?

Visit www.pelotan.cc

#### **Product Label**



#### Drug Facts (continue)

**Do not use** on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:

- After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Sun Protection Measures.

  Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor.

#### Inactive ingredients

Alcohol Denat., C12-15 Alkyl Benzoate, Propylene Glycol, Cyclopentasiloxane, Acrylates/ Octylacrylamide Copolymer, Cyclohexasiloxane, Fragrance/ Parfum, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Panthenol, Benzyl Benzoate, Benzyl Salicylate, Coumarin

#### Other information

- Protect this product from excessive heat and direct sun
- Report serious adverse events to Pelotan LLC, 1007 N Orange St. 4th Floor, Wilmington, DE 19801

#### Questions or comments?

Visit www.pelotan.cc

#### PELOTAN SUNSCREEN BROAD SPECTRUM SPF 30

avobenzone, octinoxate, octocrylene stick

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:85962-002 Route of Administration TOPICAL

Active	Ingred	ient/Ac	tive I	Moiety

Ingredient Name Basis of Strength Strength

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
PANTHENOL (UNII: W/9CM0067Z)		
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
CYCLOHEXASILOXANE (UNII: XHK3U310BA)		
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)		
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)		
BENZYL BENZOATE (UNII: N863NB338G)		
COUMARIN (UNII: A4VZ 22K1WT)		
ALCOHOL (UNII: 3K9958V90M)		
BENZYL SALICYLATE (UNII: WAO5MNK9TU)		
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:85962- 002-01	1 in 1 CARTON	07/23/2025		
1		177 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	07/23/2025		

# Labeler - Pelotan LLC (119544485)

Revised: 7/2025 Pelotan LLC