

**TEMPORARY FIBROMYALGIA PAIN AND DISCOMFORT RELIEF- atropa belladonna - bryonia alba root - causticum - phosphorus - strychnos nuxvomica seed - pulsatilla vulgaris - toxicodendron pubescens leaf - tablet, orally disintegrating
TRP Company**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Temporary Fibromyalgia Pain and Discomfort Relief® Homeopathic Fast Dissolving Tablets

Belladonna HPUS 6c, 12c, 18c
Bryonia HPUS 6c, 12c, 18c
Causticum HPUS 6c, 12c, 18c
Magnesia Phosphorica HPUS 6c,12c,18c
Nux Vomica HPUS 6c,12c,18c
Pulsatilla HPUS 6c,12c,18c
Rhus Tox HPUS 6c,12c,18c

HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Belladonna HPUS - Chronic discomfort, Fatigue
Bryonia HPUS - Difficulty moving, Stiff joints, Acute soreness
Causticum HPUS - Muscle and nerve soreness
Magnesia Phosphorica HPUS - Cramping, Fatigue
Nux Vomica HPUS - Sleeplessness, Irritable bowels
Pulsatilla HPUS - Migrating soreness
Rhus Tox HPUS - Soft tissue discomfort

Uses

According to homeopathic indications these ingredients provide temporary relief from symptoms of Fibromyalgia such as: • Muscle soreness • Fatigue • Nerve / Soft tissue tenderness • Multiple tender points after diagnosis by a physician.

* These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.

- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

Other information

There are no known contraindications.

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. Store in a cool dark location. Temporary Fibromyalgia Pain and Discomfort Relief® Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

For more information and to order related products call toll free: 888-969-6855 or trpcompany.com

Do not use

Do not use if tamper evident seal is torn, broken or missing.

Stop use

Stop use and ask a doctor if:

Symptoms persist for more than 7 days or worsen, if new symptoms occur or if redness or swelling is present because these could be a sign of a serious illness.

Warning

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted regarding Fibromyalgia to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.


FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



Fibromyalgia Relief®

Gluten Free

NDC # 17312-171-14



Fibromyalgia Relief®

Fast Dissolving Tablets™

Temporarily Relieves:

- Muscle soreness
- Nerve/soft tissue tenderness
- Multiple tender points

Stay Healthy, Naturally.®

100% Natural Active Ingredients



HOMEOPATHIC
70 Tablets



8 58961 00171 6

LOT:

TRP Fibromyalgia Relief

Gluten Free

TRP Fibromyalgia Relief



Also try our Award Winning PinkEye Relief®, Styx Relief® and Ring Relief®. All are Women's Most Recommended® products in their category.



2014 - 2018
WOMEN'S CHOICE AWARD
AMERICA'S MOST RECOMMENDED

Fibromyalgia Relief®

MEDICINA HOMEOPÁTICA
FAST DISSOLVING TABLETS™

Alivio temporal de:

- Dolor muscular
- Sensibilidad en tejido blando / nervios
- Múltiples puntos neurálgicos

Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2018 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com

Drug Facts

Active ingredients Purpose
 Bryonia HPUS 6C, 12C, 18C.....Difficulty moving, Stiff joints, acute soreness
 Causticum HPUS 6C, 12C, 18C.....Muscle and nerve soreness
 Hottzia HPUS 6C, 12C, 18C.....Chronic discomfort, fatigue
 Magnesia phosphorica HPUS 6C,12C,18C.....Cramping, Fatigue
 Pulsatilla HPUS 6C,12C,18C.....Migrating soreness
 Rhus tox HPUS 6C,12C,18C.....Soft tissue discomfort
 Valeriana officinalis HPUS 6C,12C,18C.....Sleeplessness, Irritable bowels

*"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

• According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Muscle soreness • Fatigue • Nerve / soft tissue tenderness • Multiple tender points; after serious causes have been ruled out by a physician. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

• A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use. • Keep out of reach of children. • In case of overdose, get medical help or contact a Poison Control Center right away. Stop use and ask a doctor if: • Symptoms persist for more than 7 days or worsen.

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.

Drug Facts (continued)

• Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary. May take up to 60 days to see results.

Other information

• Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Fibromyalgia Relief® Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients


Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose.

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.



Ini 1214
R 0718

NDC #17312-171-14



Stay Healthy, Naturally!

HOMEOPATHIC 100% Natural Active Ingredients

Fibromyalgia Relief®

Fast Dissolving Tablets™

Temporarily Relieves: • Muscle soreness • Nerve / soft tissue tenderness • Multiple tender points

MADE IN THE USA

Active Ingredients
 Bryonia HPUS 6C,12C,18C; Causticum HPUS 6C,12C,18C; Helleborus HPUS 6C,12C,18C; Magnesia phosphorica HPUS 6C,12C,18C; Pulsatilla HPUS 6C,12C,18C; Rhus tox HPUS 6C,12C,18C; Valeriana officinalis HPUS 6C,12C,18C.

HPUS indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions
 • Suitable for adults and children ages 2 and over. Children under the age of 2. Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary. May take up to 60 days to see results.

Inactive Ingredients
 Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose

Other Information
 • Refer to outer carton for complete information. • Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Fibromyalgia Relief® Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereleproducts.com.

© 2018 All rights reserved to TRP Company, Inc.
 Manufactured exclusively for TRP Company, Inc.
 1575 DeLuzett Lane #113, Reno, NV 89502
 Questions or Comments? www.thereleproducts.com, 888-989-8855

N11214
R 0718

70 Tablets

NO VARNISH

Do not use if tamper evident seal is torn, broken or missing.

TEMPORARY FIBROMYALGIA PAIN AND DISCOMFORT RELIEF

atropa belladonna - bryonia alba root - causticum - phosphorus - strychnos nux-vomica seed - pulsatilla vulgaris - toxicodendron pubescens leaf - tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-016
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	6 [hp_C]
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_C]
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUSTICUM	6 [hp_C]
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_C]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_C]
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_C]
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6130)	

Product Characteristics

Color	white	Score	no score
Shape	DIAMOND	Size	13mm
Flavor		Imprint Code	TRP
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-016-14	1 in 1 PACKAGE	12/01/2011	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/01/2011	

Labeler - TRP Company (105185719)

Revised: 1/2024

TRP Company