

**TINTED DAILY MINERAL SHIELD- zinc oxide cream**  
**SIGNATURE MED SPA MT LLC**

-----  
**ACTIVE INGREDIENT(S)**

Zinc Oxide 16%

**PURPOSE**

SUNSCREEN

**USES:**

Helps Prevent Sunburn. If used as directed with other sun protection measures (see "Directions"), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

For external use only. Do not use on broken or damaged skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

**WARNING**

KEEP OUT OF REACH OF CHILDREN

**DIRECTIONS**

Apply liberally 15 minutes before sun exposure. Use a water-resistant product if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

**INACTIVE INGREDIENTS**

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl

# Dimethicone/Methicone Silsesquioxane Crosspolymer

## OTHER INFORMATION

Protect this product from excessive heat and direct sun

May stain some fabrics

### DRUG FACTS

**ACTIVE INGREDIENT:**  
Zinc Oxide 16%

**PURPOSE:**  
Sunscreen

### USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

### WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### DIRECTIONS:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant product if swimming or sweating.
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 am - 2 pm
  - Wear long-sleeved shirts, pants, hats, and sunglasses

### INACTIVE INGREDIENTS:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, Iron Oxide, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

### OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics.

### MANUFACTURED FOR:

Signature Med Spa | Great Falls, Mt 59405  
www.yoursignaturemedspa.com  
(406) 272 1049



**SIGNATURE**  
m e d s p a

## Tinted Daily Mineral Shield

Contains Zinc

No Chemical



Broad Spectrum

Net Wt. 1.75 oz / 50 g

## TINTED DAILY MINERAL SHIELD

zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85896-208(NDC:58892-208)
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	160 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>HYDROGEN DIMETHICONE (20 CST)</b> (UNII: 12Z59IF64N)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>CERAMIDE 3</b> (UNII: 4370DF050B)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>CI 77491</b> (UNII: 1K09F3G675)	
<b>CI 77492</b> (UNII: EX438O2MRT)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIMETHICONOL (2000 CST)</b> (UNII: T74O12AN6Y)	
<b>CI 77499</b> (UNII: XM0M87F357)	
<b>DIMETHICONE CROSSPOLYMER</b> (UNII: UF7620L1W6)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85896-208-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/02/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/02/2024	

**Labeler** - SIGNATURE MED SPA MT LLC (082769232)

## Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(85896-208)

## Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc		793406000	manufacture(85896-208)

## Establishment

Name	Address	ID/FEI	Business Operations
Fallien Cosmeceuticals Ltd.		958388357	relabel(85896-208)

Revised: 12/2025

SIGNATURE MED SPA MT LLC