

ADAPALENE- adapalene gel
YYBA CORP

Welmate Adapalene 73581-214

Drug Facts

Active ingredient

Adapalene USP, 0.1% (retinoid) ¹

¹ read consumer information leaflet

Purpose

Acne treatment

Use

- For the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding,ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

Other information

- **store at 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature].
- protect from freezing

Inactive ingredients

carbomer homopolymer type C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water, sodium hydroxide.

Questions?

1-866-923-4914

Distributed by:

Wellspring

Airmont, NY 10952, U.S.A.

PRINCIPAL DISPLAY PANEL - 45 g Tube Carton

welmate

Compare to the
active ingredient
in Differin[®] Gel[†]

Adapalene Gel
USP, 0.1%

Acne Treatment

ONCE DAILY TOPICAL RETINOID*

PREVIOUSLY AVAILABLE
ONLY BY PRESCRIPTION

DERMATOLOGIST
DEVELOPED

FDA APPROVED

* Read consumer information leaflet before use

NET WT 45 g (1.6 oz)



NO VARNISH/ NO AQ
NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

1325
B293.0
19.166

5242629
0023
51

Drug Facts (continued)

Other information

- store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].
- protect from freezing

Inactive ingredients

carbomer homopolymer type C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water, sodium hydroxide.

Questions? 1-866-923-4914

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Differin® Gel.

Distributed by:
Wellspring
Airmont, NY 10952, U.S.A.

Made in Canada



Why pay more?
wellspringmeds.com
866-933-6337



Compare to the active ingredient in Differin® Gel†

**Adapalene Gel
USP, 0.1%**

Acne Treatment

ONCE DAILY TOPICAL RETINOID*

PREVIOUSLY AVAILABLE ONLY BY PRESCRIPTION

DERMATOLOGIST DEVELOPED

FDA APPROVED

*Read consumer information leaflet before use

NET WT 45 g (1.6 oz)

OIL FREE

FRAGRANCE FREE

DERMATOLOGIST DEVELOPED AND TESTED

First FDA-approved over-the-counter topical retinoid* for acne treatment

*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

0.125

Drug Facts

Active ingredient Adapalene USP, 0.1% (retinoid)* **Purpose** Acne treatment
*Read consumer information leaflet

Use

- For the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

**Adapalene Gel
USP, 0.1%
Acne Treatment**





ADAPALENE

adapalene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-214
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)	ADAPALENE	1 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLOXAMER 182 (UNII: JX0HIX6OAG)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-214-06	1 in 1 CARTON	10/15/2023	
1		45 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA215940	10/15/2023	

Labeler - YYBA CORP (006339772)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(73581-214)

Revised: 7/2025

YYBA CORP