

CNDANTING WART REMOVER- salicylic acid 17% wart remover liquid
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-162

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222)right away.

Directions

1□Wash the affected area. 2□May soak wart in warm water for 5 minutes.Dry area thoroughly. 3□Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. 4□Repeat this procedure once or twice daily as needed (until wart is removed) for upto 12 weeks.

Other information

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during or after use.

Inactive ingredients

Water,Polyethylene Glycol,Glycerin,Borneol.

PRINCIPAL DISPLAY PANEL

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children.If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions
1. Wash the affected area.
2. May soak wart in warm water for 5 minutes. Dry area thoroughly.
3. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.
4. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information
Store at room temperature.
Avoid excessive heat (37°C / 99°F).
Skin discoloration may occur during or after use.

Inactive ingredients
Water.....53%
Polyethylene Glycol.....16%
Glycerin.....8%
Borneol.....6%



Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd.
Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park, Zhangshu, Yichun, Jiangxi 331208, China(CHN)

CNDANTING

WART REMOVER

FAST ACTING LIQUID

EASY TO USE NATURAL

FORMULA SAFE

PROVEN EFFECTIVE

TOTAL CARE WART & SKIN

REMOVES WART RESTORES SKIN

PAINLESSLY REMOVES COMMON & PLANTAR WARTS



NET WT: 30ml / 1fl oz

Drug Facts
Active ingredient
Salicylic acid 17%.....Wart remover

Purpose
Uses
For the removal of common warts and plantar warts.
Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings
For external use only.
Do not use
On irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product
Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.
Cap tightly and store at room temperature, away from heat.



6 1974603 691108

NET WT: 30ml / 1fl oz

CNDANTING

WART REMOVER

FAST ACTING LIQUID

EASY TO USE NATURAL

FORMULA SAFE

PROVEN EFFECTIVE

TOTAL CARE WART & SKIN

REMOVES WART RESTORES SKIN

PAINLESSLY REMOVES COMMON & PLANTAR WARTS



NET WT: 30ml / 1fl oz

CNDANTING WART REMOVER

salicylic acid 17% wart remover liquid

| Product Information | | | |
|--|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84010-162 |
| Route of Administration | TOPICAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | | SALICYLIC ACID | 17 g in 100 mL |

| Inactive Ingredients | | | | |
|---|------------------|--|----------------------|--------------------|
| Ingredient Name | | | | Strength |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | | | |
| BORNEOL (UNII: M89NIB437X) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:84010-162-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 07/26/2025 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | M028 | 07/26/2025 | |

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

| Establishment | | | |
|---------------------------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Jiangxi Hemei Pharmaceutical Co., Ltd | | 724892056 | manufacture(84010-162) |

Revised: 7/2025

Jiangxi Hemei Pharmaceutical Co., Ltd