

GIL SURPASS- iodine liquid
Gilmer Industries, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Gil Surpass

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats.

In case of irritation or chapping, have cow examined by a veterinarian.

Active Ingredient

Iodine 4.5%

Inactive Ingredients

Glycerin, lanolin, surfactants and buffering agents.... 95.5%

DANGER

- Causes serious eye damage and skin irritation
- May be corrosive to metals
- This material is harmful to aquatic life.

Keep Out Of Reach Of Children

PRECAUTIONS

- KEEP FROM FREEZING. If frozen, discard.
- Do NOT get in eyes or on clothing. Do NOT take internally.
- Do NOT allow to contaminate food. Wash thoroughly after handling.
- Keep container tightly closed when not in use. Absorb spillage to prevent material damage.
- Store in a corrosive resistant container with a resistant inner liner in a cool, dry, well-ventilated area out of direct sunlight.
- Dispose of in accordance with federal, state and local regulations.

FIRST AID

IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a doctor.

IF ON SKIN: Wash skin with plenty water and soap.
Take off contaminated clothing, and wash it before reuse.
If skin irritation occurs: Get medical advice.

IF SWALLOWED: Do NOT induce vomiting. Drink plenty of water.
Do not give anything by mouth to an unconscious person.
Contact a physician.

IF INHALED: Remove to fresh air. Call a physician.

DIRECTIONS

Mixing 1 part Gil Surpass to 9 parts clean, potable water by volume yields a 0.5% iodine teat dip.
Do NOT use as-is; This product must be diluted!

Mixing Directions

Important: Do NOT mix with any other teat spray, dip or product. Fill an empty, clean 55-gallon container with 40 gallons of clean, potable water. Carefully weigh out 49 pounds of Gil Surpass into a clean 5-gallon container, and pour into 55-gallon container. Now fill the empty 5-gallon container with 5 gallons of clean, potable water and swirl while filling to mix Gil Surpass residue completely. Pour that 5 gallons of water/iodine concentrate mixture into 55-gallon container. Mix thoroughly. The entire mixing process will net 50 gallons of ready-to-use product. **NOTE:** If you are mixing product on a scale, measure the weight of the empty 55-gallon container, then add water and concentrate according to weights listed above.

Dipping/Spraying Directions

Only use properly diluted product—do NOT use concentrate for teat dip or spray. Always use fresh product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse.

PRE-DIP/SPRAY: Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with Gil Udder Wash. Dry udder with a single-service towel to avoid milk contamination. Spray or dip teats as far as possible into a teat cup filled with properly diluted solution. Wipe teat dry using a single-service towel to avoid contaminating milk.

POST-DIP: Immediately after milking, submerge entire teat in properly diluted product. Allow to air dry—do NOT wipe.

Do NOT let cows out in freezing weather until completely dry.

GIL SURPASS

Iodine Teat Dip Concentrate

For External Use Only on Dairy Cows

DANGER

Causes serious eye damage and skin irritation
May be corrosive to metals

This material is harmful to aquatic life.

Keep Out Of Reach Of Children

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis. Not intended to cure or help the healing of chapped or irritated teats. In case of irritation or chapping, have cow examined by a veterinarian.

Active Ingredient

Iodine 4.5%

Inactive Ingredients

Glycerin, lanolin, surfactants and buffering agents 95.5%

Precautions

- KEEP FROM FREEZING. If frozen, discard.
- Do NOT get in eyes or on clothing. Do NOT take internally.
- Do NOT allow to contaminate food. Wash thoroughly after handling.
- Keep container tightly closed when not in use. Absorb spillage to prevent material damage.
- Store in a corrosive resistant container with a resistant inner liner in a cool, dry, well-ventilated area out of direct sunlight.
- Dispose of in accordance with federal, state and local regulations.

Net Content: 5 Gallons (18.9L)

Lot:

Expiration:



Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247
Harrisonburg, VA 22801 Harrisonburg, VA 22803
Phone 540/434-8877

DIRECTIONS

Mixing 1 part Gil Surpass to 9 parts clean, potable water by volume yields a 0.5% iodine teat dip. Do NOT use as-is; This product must be diluted!

Mixing Directions

Important: Do NOT mix with any other teat spray, dip or product. Fill an empty, clean 55-gallon container with 40 gallons of clean, potable water. Carefully weigh out 49 pounds of Gil Surpass into a clean 5-gallon container, and pour into 55-gallon container. Now fill the empty 5-gallon container with 5 gallons of clean, potable water and swirl while filling to mix Gil Surpass residue completely. Pour that 5 gallons of water/iodine concentrate mixture into 55-gallon container. Mix thoroughly. The entire mixing process will net 50 gallons of ready-to-use product. **NOTE:** If you are mixing product on a scale, measure the weight of the empty 55-gallon container, then add water and concentrate according to weights listed above.

Dipping/Spraying Directions

Only use properly diluted product—do NOT use concentrate for teat dip or spray.

Always use fresh product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse.

PRE-DIP/SPRAY: Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with **Gil Udder Wash**. Dry udder with a single-service towel to avoid milk contamination.

Spray or dip teats as far as possible into a teat cup filled with properly diluted solution. Wipe teat dry using a single-service towel to avoid contaminating milk.

POST-DIP: Immediately after milking, submerge entire teat in properly diluted product. Allow to air dry—do NOT wipe.

Do NOT let cows out in freezing weather until completely dry.

FIRST AID

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor.

IF ON SKIN: Wash skin with plenty water and soap. Take off contaminated clothing, and wash it before reuse. if skin irritation occurs: Get medical advice.

IF SWALLOWED: Do NOT induce vomiting. Drink plenty of water.

Do not give anything by mouth to an unconscious person.

Contact a physician.

IF INHALED: Remove to fresh air. Call a physician.

GIL SURPASS

iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:54420-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	45000 mg in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54420-013-01	3.78 L in 1 JUG		
2	NDC:54420-013-02	18.9 L in 1 DRUM		
3	NDC:54420-013-03	56.7 L in 1 DRUM		
4	NDC:54420-013-04	113.4 L in 1 DRUM		
5	NDC:54420-013-05	207.9 L in 1 DRUM		
6	NDC:54420-013-06	1039.5 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/25/2002	

Labeler - Gilmer Industries, Inc. (066017575)**Establishment**

Name	Address	ID/FEI	Business Operations
Gilmer Industries, Inc.		066017575	api manufacture, manufacture, label, pack

Revised: 1/2017

Gilmer Industries, Inc.