

**YONHISDAT SUNSCREEN POWDER- titanium dioxide, zinc oxide
powder powder
PANERGYTEK USA INC**

TITANIUM DIOXIDE

19.5%

ZINC OXIDE 24%

Sunscreen

Helps prevent sunburn fused as directed with other sunprotection measures(see Directions)decreases the risk of skin cancer and early skin aging caused by the sun

Apply liberally 15 minutes before sun exposure. pants, hats and sunglasses. Children under 6 months of age: ask a doctor

Reapply: After 80 minutes of swimming or sweating immediately after towel drying. At least every 2 hours. Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk regularly use a sunscreen with a broad spectrum SPF value of 15 or higher. And other sun protection measures should include wearing protective clothing, hats, sunglasses, and avoiding the sun especially from 10am-2am.

Apply liberally 15 minutes before sun exposure. pants, hats and sunglasses. Children under 6 months of age: ask a doctor

Reapply: After 80 minutes of swimming or sweating immediately after towel drying. At least every 2 hours. Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk regularly use a sunscreen with a broad spectrum SPF value of 15 or higher. And other sun protection measures should include wearing protective clothing, hats, sunglasses, and avoiding the sun especially from 10am-2am.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Protect this product in this container from excessive heat and direct sun.

Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

Aluminum hydroxide

Mica

Lophatherum Gracile Leaf

Dimethicone

Triethoxycaprylylsilane

Stearic Acid

Tocopherol

CI 77492

CI 77491

Sodium Benzoate

Potassium Sorbate

Daucus Carota Sativa (Carrot) Seed Oil

Lavandula Angustifolia (Lavender) Oil

For external use only. Do not use on damaged or irritated skin. When using this product, keep out of eyes. Rise with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. products swallowed. get medical help or contact a Poison Control Center right away.

尺寸: 31*31*113mm

PANTONE 2004C 

PANTONE 6224C 

PANTONE 2161C 

白色 



YONHISDAT

Labeler: PANERGYTEK USA INC
450 Sequoia Avenue,
Ontario, CA 91761

HOW TO USE

First, remove the cap and slide down the plastic sleeve around the brush.

Next, tap the brush against your hand to start the flow of powder into the brush.

Once the powder is flowing, apply liberally to face.

YONHISDAT
TRANSLUCENT



PROTECTION
MINERAL
SUNSCREEN
POWDER
BOARD SPECTRUM
SPF 50
Water Resistant for 80 Mins
NET WT 0.17oz (5 g)

- ✓ Reef friendly
- ✓ Cruelty free
- ✓ Non-nano powder
- ✓ Tear-free formula

- ✓ Extra protection for hairline/scalp
- ✓ Works for sensitive skin

Drug Facts	
Active Ingredients:	Purpose:
Titanium Dioxide: 19.5%	Sunscreen
Zinc Oxide: 24%	
Uses	
Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If products swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Apply liberally 15 minutes before sun exposure. Reapply: After 80 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10am-2pm. Wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age ask a doctor.	
Inactive Ingredient	
Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Aluminum hydroxide, Lavandula Angustifolia (Lavender) Oil, Mica, Lophatherum Gracile Leaf Powder, Dimethicone, Daucus Carota Sativa (Carrot) Seed Oil, Triethoxycaprylylsilane, Stearic Acid, Tocopherol (Vitamin E), C177492, C177491, Sodium Benzoate, Potassium Sorbate	
Other Information	
Protect the product in this container from excessive heat and direct sun.	



X004RW6JM1
Baby Sunscreen Powder...n for Sensitive Skin
New

YONHISDAT SUNSCREEN POWDER

titanium dioxide, zinc oxide powder powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85950-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	19.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL (UNII: ZBP1YXW0H8)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LOPHATHERUM GRACILE LEAF (UNII: R417138GE9)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
DAUCUS CAROTA SATIVA (CARROT) SEED OIL (UNII: 595AO13F11)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CI 77491 (UNII: 1K09F3G675)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CI 77492 (UNII: EX438O2MRT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85950-002-01	5 g in 1 BOTTLE; Type 0: Not a Combination Product	07/27/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/27/2025	

Labeler - PANERGYTEK USA INC (122142088)

Registrant - PANERGYTEK USA INC (122142088)

Revised: 8/2025

PANERGYTEK USA INC