

TYLENOL 8 HR ARTHRITIS PAIN- acetaminophen tablet, extended release
Kenvue Brands LLC

Tylenol[®] 8 HR Arthritis Pain

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">▪ take 2 caplets every 8 hours with water▪ swallow whole; do not crush, chew, split or dissolve▪ do not take more than 6 caplets in 24 hours▪ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">▪ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton is opened. Do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

Inactive ingredients

carnauba wax, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, modified starch, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-783-32

TYLENOL[®] 8HR

ARTHRITIS PAIN

Acetaminophen
Extended-release tablets

Pain Reliever / Fever Reducer

For The Temporary Relief
Of Minor Arthritis Pain

*Capsule-Shaped
Bi-Layer Tablets

Actual Size

100 Caplets*
650 mg each

NDC 50580-783-32

TYLENOL[®] 8HR **ARTHRITIS PAIN**

Acetaminophen
Extended-release tablets

Pain Reliever / Fever Reducer

For The Temporary Relief
Of Minor Arthritis Pain

Actual Size





100 Caplets*
650 mg each

*Capsule-Shaped
Bi-Layer Tablets



How can we help?
(1-877-895-3665

30044812/122111



Drug Facts

Active ingredient (in each caplet)	Purpose
Acetaminophen 650 mg.....	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

Drug Facts (continued)

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)

adults	<ul style="list-style-type: none"> ■ take 2 caplets every 8 hours with water ■ swallow whole; do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none"> ■ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if caplet is opened. Do not use if foil inner seal

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

■ Do not use if certain is opened. Do not use if the inner seal imprinted with "TYLENOL" is broken or missing


Inactive ingredients carnauba wax, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, modified starch, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments?
 call 1-877-895-3665 (toll-free) or 215-273-8755 (collect)

TYLENOL[®] 8HR
ARTHRITIS PAIN

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA
 ©J&JCI 2020

Contains No Aspirin

TYLENOL 8 HR ARTHRITIS PAIN
 acetaminophen tablet, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-783
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	650 mg

Inactive Ingredients		Strength
Ingredient Name		
CARNAUBA WAX (UNII: R12CBM0EIZ)		
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6130)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		

POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	TYLENOL;ER
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-783-10	1 in 1 CARTON	07/13/2015	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:50580-783-24	1 in 1 CARTON	07/13/2015	
2		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:50580-783-25	1 in 1 CARTON	07/13/2015	
3		225 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:50580-783-29	1 in 1 CARTON	07/13/2015	11/30/2020
4		290 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
5	NDC:50580-783-30	290 in 1 BOTTLE; Type 0: Not a Combination Product	02/12/2018	
6	NDC:50580-783-32	1 in 1 CARTON	08/26/2019	
6		100 in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:50580-783-31	1 in 1 CARTON	06/01/2022	
7		50 in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:50580-783-51	50 in 1 CARTON	11/22/2024	
8		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019872	07/13/2015	

Revised: 11/2024

Kenvue Brands LLC