ULTIMATE SHEER SUNSCREEN SPF 70 DAYLOGIC- avobenzone 3% homosalate 15% octisalate 5% octocrylene 10% oxybenzone 3% stick Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient Purpose

Avobenzone-3% Homosalate-15% Octisalate-5% Octocrylene-10% Oxybenzone-3%

Sunscreen

Uses Helps prevent sunburn

Warnings For external use only.

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Remove cap and twist up tube. See important warnings under "When using this product" • apply liberally 15 minutes before sun exposure • reapply:


- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,

egularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive ingredients Adipic Acid/Diglycol Crosspolymer, Beeswax, BHT, C12-15 Alkyl Benzoate, Caprylyl Glycol, Fragrance, Neopentyl Glycol Diethylhexanoate,

Neopentyl Glycol Diisostearate, Octyldodecyl Neopentanoate, Ozokerite, Paraffin, Petrolatum, Polyester-8, Polyethylene, Silica.

Questions? 1-800-RITEAID (1-800-748-3243)





Drug Facts (continued)

in the water or sweating • provides high protection against sunburn

Warnings

For external use only.

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

ADDITIONAL INFORMATION

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SP

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Other information • protect this product from excessive heat and direct sun. • may stain fabrics.

Inactive ingredients

Adipic Acid/Diglycol Crosspolymer, Beeswax, BHT, C12-15 Alkyl Benzoate, Caprylyl Glycol, Fragrance, Neopentyl Glycol Diethylhexanoate, Neopentyl Glycol Diisostearate, Octyldodecyl Neopentanoate, Ozokerite, Paraffin, Petrolatum, Polyester-8, Polyethylene, Silica.

Questions? 1-800-RITEAID (1-800-748-3243)

GLUE - NO INK

ULTIMATE SHEER SUNSCREEN SPF 70 DAYLOGIC

avobenzone 3% homosalate 15% octisalate 5% octocrylene 10% oxybenzone 3% stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1235
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Avobenzone (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	3 g in 100 g	
Homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	Ho mo sa la te	15 g in 100 g	
Octisalate (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	Octisalate	5 g in 100 g	
Octocrylene (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylene	10 g in 100 g	
Oxybenzone (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	Oxybenzone	3 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
YELLOW WAX (UNII: 2ZA36H0S2V)			
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)			
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
Caprylyl Glycol (UNII: 00 YIU5438 U)			
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)			
Neopentyl Glycol Diisostearate (UNII: 4M6OQ34JWW)			
Octyldodecyl Neopentanoate (UNII: X8725R883T)			
CERESIN (UNII: Q1LS2UJO3A)			
Paraffin (UNII: 19 O 0 E 3 H 2 Z E)			
Petrolatum (UNII: 4T6H12BN9U)			
POLYESTER-8 (1400 MW, CYANO DIPHENYLPRO PENO YL CAPPED) (UNII: T9296 U138P)			
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			

Packaging				
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:11822-1235-2	43 g in 1 PACKAGE; Type 0: Not a Combination Product	12/22/2016	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	12/22/2016		

Labeler - Rite Aid (014578892)

Registrant - Product Quiest Mfg (927768135)

Establishment			
Name	Address	ID/FEI	Business Operations
Product Quiest Mfg		927768135	manufacture(11822-1235), label(11822-1235)

Revised: 7/2018 Rite Aid