

LIDOCAINE PAIN RELIEF PATCHES- lidocaine patch
Changsha Maocheng Trading Co., Ltd

Lidocaine 4%

Menthol 1.8%

Purified water

g1 ycerol

Glucosamine

polyving akohol

Tartaric acid

Disodium edetate dihydrate

Aluminium glycinat

Sodium polyacrylate

Temporarily relieves minor aches and pains of muscles and joints associated with:
msimple backache marthritis mstrains mbruises msprains

WarningsFor external use only.

Keep out of reach of children and pets. If swallowed, get medical help or contacta Poison Control Center(1-800-222-1222)right away.

Directions

Adults and children 12 years of age and over: Clean and dry affected area,free of lotions, ointments and creams.Carefully remove backing starting at a corner.Apply sticky side of patch to affected area. Do not use more than onepatch in a 12 hourperiod. Repeat as necessary. Maximum 2 patches per day. Discard patch after singleuse.Children under 12 years of age: consult a physician.

Maximum 2 patches per day. Discard patch after singleuse.Children under 12 years of age: consult a physician.

Otherinformation

Store in a clean, dry place outside of direct sunlight, Protect from excessive moisture.

Drug Facts

Active ingredient

Lidocaine 4%.....Pain Relieving Patch
Menthol 1.8%.....Pain Relieving Patch

Purpose

Uses

Temporarily relieves minor aches and pains of muscles and joints associated with:

■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only.

Do not use

■ More than one patch on your body at a time ■ On cut, irritated or swollen skin
■ On puncture wounds ■ For more than one week without consulting a doctor
■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product

■ Use only as directed ■ Read and follow all directions and warnings on this carton
■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if

■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222)right away.

Directions

Adults and children 12 years of age and over: Clean and dry affected area, free of lotions, ointments and creams. Carefully remove backing starting at a corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12 hour period. Repeat as necessary. Maximum 2 patches per day. Discard patch after single use. Children under 12 years of age: consult a physician.

Other information


Store in a clean, dry place outside of direct sunlight, Protect from excessive moisture.

Manufacturer: Changsha Maocheng trading Co., LTD





Address: 105-3375, Building 3, Kela Meili Mountain Villa, No. 958 Youyi

Road, Tianxin District (cluster registration) Changsha Hunan 410000

Email: FAVdua840693@outlook.com



NOT ACTUAL SIZE



LIDOCAINE PAIN RELIEF PATCHES

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84876-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1.8 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
WATER (UNII: 059QF0KO0R)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM ZIRCONIUM TRICHLOROXYDREX GLY (UNII: T27D6T99LH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TARTARIC ACID (UNII: W4888I119H)	
GLUCOSAMINE (UNII: N08U5BOQ1K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84876-101-01	6 in 1 BOX	07/28/2025	
1		10 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/28/2025	

Labeler - Changsha Maocheng Trading Co., Ltd (456434537)**Registrant** - Changsha Maocheng Trading Co., Ltd (456434537)

Revised: 7/2025

Changsha Maocheng Trading Co., Ltd